Daubenmire Datasheet Site: Date: Transect: Observer: Round: Recorder: Team lead:

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody	Bare	Leaf	Litter
0 m		0				1 411101 77	runer #	Species	Ground	Litter	Depth (cm)
10 m	0		38	3	7			2	63	63	0,5
20 m	0	3	350	()	~				-16	86	0,5
30 m	$\Omega$	0	38	8					16	86	0.5
40 m	0	7	6						16	86	- 1
50 m								0	86	16	1'
60 m											
70 m											
80 m											
90 m											

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	1	2			(2)			70	00 III	90 m
Е	7	6	1		Ŏ					
s	3	(	2	0	Ö					
W	3	2		0	()					

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

vos1

tvos1a

1

50m