Daubenmire Datasheet

Date:

7/13/17

Observer: Recorder:

Kelsen

Team lead:

to who have not

Site: WhZ

Transect: New Grothon + 4 + 20

Round: 2

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	16	Ö	3	O	Ò	0	0	0	38		
10 m	10	0	3	(*)	0	0	0	0	28	80	2.0
20 m	16	0	1	0	0	0	0	0	0)	90	1.0
30 m	16	0	3	0	0	0	0	0		7710	3.0
40 m	16	0	38 NOWA	0	0	0	C	G		95	2,0
50 m	10	0	3 with	0	ð	Ó	0	0	0	97	1.0
60 m	38	9	16 Worth		0	-0			<u> </u>	90	2.0
70 m	10	0	16 Wester	0	0	0	0	0	0	95	4.0
80 m	1(a	0	3		0	0	0	0	0	918	3.0
90 m	38	0	1(2	O	0		0	0	0	910	2.0
Pohel I		0	100			\cup	\circ)	0		4.5

Robel Pole: White poles

	O m	10 m	20 m	30 m	₹40 m	50 m	60 m	70 m	80 m	90 m
N	0	1	1	\	1	\	\	0	\	\
Ε	0	1	1		3	1	ì	9	\	1
s	0	1	\	\	, T	١	i	0	1	1
W	6		1		1	\	1	0	1	1

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm