Daubenmire Datasheet

Date:

Observer:

Recorder: Team lead: Site:

pre2b tpre2b

Transect:

3

Round: 50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	0	Ô.	86	D				0	16	38	0.25
10 m	0.7	0	38	0			fm.	O	16	le 3	0.25
20 m	0:	0.	43	0				0	10	38	0.25
30 m	0.	0	38	0			10.00		16	(e 3	0.25
40 m	0	0	86	0		4		0	38	38	0.25
50 m										1	
60 m											
70 m											
80 m										1	
90 m											

## Robel Pole:

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	. 7	2	2	2	2					
E	1	2	2	3	2					
S	΄,	2	2	2	2					
W	\	2	2	2	2					

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm