Daubenmire Datasheet Date: Observer:

**Transect** Round:

Site:

ber1

tber1a

50m

Recorder:

Team lead:

1 e.ar	n ieuu. 🕝	JUNITA									-
, can	cs <sub>6</sub>	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0	110	0	103	$\sim$	$\bigcirc$	$\otimes$	Ø	Ø	03		0.25
0 m	lle	20	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	GRA)		0	73		63		0.25
10 m	3	$\varnothing$	860 X	(2-14)	9			The state of	20	al l	7 1
	38	9	8(0 >	PAA-17	0	8		$\omega$	28		131-
20 m	30	70	00 41		1	CX A		<i>*</i> Ø	2	63	3
30 m	103	D	10	<b>S</b>	0			8	1/	1.3	Ź
40 m	80	Ø	38	Ø	Ø	0	Ø	20	10	65	
50 m		į.									
60 m											
70 m											
80 m											
90 m											•

Robel Pole:

Robel Pole:										00
	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	7	12	10	4 1	4.					
E	10	12	9	4	当					
S	10	12	7	4	3		,			
W	4		14	2						

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm