Daubenmire Datasheet

Date:

Observer:

Recorder:

Team lead:

pio1 Site: tpio1a Transect:

1

Round:

80m

	cse	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
				~	ramei #	runer #	/ Cilier iii	ON	100	63	0.5
0 m	38	Ø		Ø	8	9	7		1/2	4 2	1
10 m	38	8		Ø	Ø	0'	Ø	<i>D</i>	10	22	0.05
20 m	63	Ø	Ø	Ø	$\varnothing$	$\varnothing$	Ø	Ø	38	20	0.25
		~X	1(0	(3)	Ø	Ø	Ø	Ø	3	80	0.25
30 m	10	~	14	Ø	Ø	8	Ø	X	10	86	0.25
40 m	38	9	10	¥	~	8	8	Ø	Z	98	3
50 m	38	10	10	Ø	Ø	9	V a	~		98	3
60 m	38	Ø		8	Ø	/ Ø	0	8		04	
70 m	38	D	1(0	1(0	Ø	Ø	Ø	Ø		40	
80 m	50	F									
				7.0		*** Not Consider					
90 m											•

Robel Pole:

obel Po	le:				100		/		00	00
	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	9	2		2/			2	1		
Е	2	2	2		2		1	7		
s	2	2	2	2	1					
W	3	2		a	1		2			

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm