Daubenmire Datasheet Site: Date: Transect: Observer: Round: Recorder: Team lead:

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody	Bare	Leaf	Litter
0 m	5	0	38	3			runei #	Species	Ground	Litter	Depth (cm)
10 m	0	()	63		3					98	1
20 m	3	$\overline{()}$	38		8					86	*
30 m		8	11	0	$\overline{\bigcirc}$			20	38	38	0.5
40 m	6		393	3	2		3	0	38	16	0-5
50 m	1		50		3				63	38	0.5
60 m											
70 m											
80 m				26							
90 m										*1	

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	00
N		0	7	1 1				70 111	50 m	90 m
Ε	0	1	1							
S	1	1	0	2						
W				Ó						

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

nor1

tnor1b

50m