Date and Year:

ected by:

100m trans

	10	9	00	7	6	CI	4	ω	2		6	tp
860	38	63	38	6	36	86	63	63	-6	63	CS6	
0	0	0	0	0	0	0	0	0	0	C	WSG	
160	32	16	38	86	38	16	32	16	63	38	Forbs	
9	0	0	0	0	0	0	0	0	0	0	Milkweed	-
9	0	0	0	0	G	0	0	0	C	0	Woody	,
۵		W	/		16	_	1	W	W		Bare	1
SR	200	38	63	63	60	98	63	200	25	26	Leaf Litter	
7	2 cm	200	-57	0,57	0.5	10m	104	104	Ç,	人0.57	Litter Depth	

8 S  $\Box$ 0

Z

2

ω

4

G

7

တ

9

10

0

0 6

CSG - cool season grasses (including sedges) Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies Leaf Litter (horizontal dead material), Litter Depth - to nearest .25 cm