Daubenmire Datasheet

Date: 7-17-17

Observer: Sexh A

Recorder: Seth A

Team lead: Seth A

Site: pre3a tpre3a Transect: 2

Round: 100m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	3	6	16	6				0	3	98	0.5
10 m	0	0	86	0				0	16	86	0.75
20 m	0	0	98	0			F.C.	0	38	63	0.25
30 m	0	0	86	0		40		0	86	70	0.25
40 m	Ó	0	63	0				0	63	38	0.25
50 m	0	0	86	0			1	0	38	63	0.75
60 m	0	0	98	0	4			0	16	63	1.0
70 m	0	0	63	0				0	2	98	0.25
80 m	0	0	98	0	43			<i>U</i>	1/	86	0.23
90 m	3	0	98	0				0	16	06	1 0.0

Robel Pole:

odei Po	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N			1	1 /	1		0	1	1	1
Е	2	1	1	1			1	0	2	1
s		0	2		b # 1		1	0	1	2
w	1		1	2	2		0		(2

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm