Daubermire Datasheet

Date: 7/12/18

Team lead:_

Site: gro2
Transect: tgro2a
Round: 2

60m

m 06	80 m	70 m	60 m	50 m	40 m	30 m	20 m	10 m	0 m	
		5	3	1(0	W	XX	W	N	N	CS6
5		2		9	0	0	0	0	3	WS6
5		1)	86	200	8(6)	2	S	80	Forbs
4	SECTION OF THE SECTIO	A STOCKER	1	0	0	0	Q	9	0	Milkweed
2		SATISTICS OF STREET		0	0	0	0	0	0	Common ramet #
<	X.			0	0	Q	0	9	0	Swamp ramet #
<	~		5)	0	Q	C	C	G	0	Butterfly ramet #
(5	1			0	C	0	0	0	Woody Species
			1	NR	160	W	N	W	W	Bare Ground
(3	63	63	86	200	308	0)8	Leaf Litter
~	<		7	0.50	0.50	0.50	0.50	0.50	0,25	Litter Depth (cm)

€	S	m	z		KODEL POLE
4	N	4	W	0 m	ole:
4	7	4	N	10 m	
W	4	4	2	20 m	
N	5	t	7	30 m	
4	4	4	7	40 m	
0	4	T	7	50 m	
		\mathcal{M}		60 m	
	V	1	V	70 m	
	OK COMPANY THAT IS NOT THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OWNER OF THE OWNER	The second second		>80 m	
	STATE OF THE STATE	1		90 m	

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm