

# Daubenmire Plant Datasheet

Date: 8/15/16

Field Data Recorded by: Bradbury

Team lead: Fisher

Entered into PC by: \_\_\_\_\_ on this date: \_\_\_\_\_

Data Entry Checked by: \_\_\_\_\_ on this date: \_\_\_\_\_

Sit byd2

Transect tbyd2a

ROUND 3

100m

	CSG	WSG	Forbs	Milkweed	Woody Species	Bare Ground	Leaf Litter	Litter Depth
0 m	38	0	16	0	0	3	20.63	2.0
10 m	86	0	38	0	0	3	3	1.5
20 m	86	0	16	0	0	16	16	20.5
30 m	86	0	16	0	0	38	16	1.0
40 m	33	0	38	0	0	3	14	20.5
50 m	33	0	38	0	0	3	38	5.0
60 m	86	0	38	0	0	3	16	0.5
70 m	86	0	16	0	0	3	16	2.0
80 m	86	0	16	0	0	3	16	2.0
90 m	63	0	16	0	0	3	38	1

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	1	1	1	1	1	1	1	1	1	2
E	1	1	1	1	2	1	1	1	1	2
S	1	1	1	2	1	1	1	1	1	2
W	1	1	1	2	1	1	1	1	1	1

Transect length: 100 m or

Transect Direction: N/S or

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material). Litter Depth - to nearest .25 cm