Daubenmire Datasheet

Date:

Observer:

Recorder:

Team lead:

Site:

dun3

Transect

tdun3a 2

Round:

100m

/ 5				2				Woody	Bare	Leaf	Litter	
	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Species	Ground	Litter	Depth (cm)	
				10					.3	800	0.85	
0 m	63		10	0			2	0	38	38	0,25.	
10 m	3	0	86	0	0			6)	1(0	6.3		
20 m	14	0	86	0	Q	2			2	2	1.25	
30 m	3	0	9.8	. 0	\bigcirc	2	6	7	1(0	110	0.25	
40 m	3	\bigcirc	98	0	0		0	0	3	16	0.25	
50 m		\supset	98	0	8	0	5		110	16	0.25	
60 m	3	0	98	0	0		18	0	28	3	0.25	
70 m	3	0	98	0				0	1.10	1:0	0.25	
80 m	3	0	80	$\mathcal{O}_{\mathcal{O}}$	150	0		5	38	-)6	1	
90 m	110	\bigcirc	86		10							

bel Pol	e:				(A)		(O ==	70 m	80 m	90 m
20	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 111	7	
N	\	4	4	3	3	5	5	d	d	2
F	1	L	2	4	4	4	3	2	5	2
S	1	4	4	3	5	3	3	0	2	5
w	1	15	3	3	4	3	. 2	2	2	3

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm