Daubenmire Datasheet

Date:

Observer:

Recorder:

Team lead:

Site:	pio2	

Transect:

tpio2a

Round:

80m

	,)				THE RESIDENCE OF THE PARTY OF T	part of the control o			
	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
	1,	OX	1	88	8	Ø	Ø	Ø	38	63	2
0 m				/-	21			8	1/-	110	0.25
10 m	3	\propto	98	\bowtie	Ø	Ø	0	Ø	10	20	0.25
	1	X	98	\varnothing	α	α	Ø	Ø	3	38	0.00
20 m			18		X	~	- X		1/2	38	
30 m	10	\otimes	16	Ø	Ø	Ø	8	~	10	12	1
40 m	160	X	1(0	\varnothing	Ø	80	Ø	Ø	100	65	-
	1,6	/2/	110	CX.	\sim	0	Ø	Ø	10	(03	
50 m	((0	Ø	10	X)	X)	9		d	110	210	1
60 m	3	05	16	Ø	Ø	Ø	Ø	Ø	10	86	
	11	X	-	7	Ø	0	Ø	0	16	86	
70 m	16	\varnothing	38	Ø	No.	1 20	2	/			
80 m											
90 m											

Robel Pole:

Robel Po	le:						//	70	80 m	90 m
	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	0	2	2	1	2		(P			
Ε	2	2	2		2	2	2	3	11	
5										
W	2	2	9		2					

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm