1

Daubenmire Data Sheet

Sampling Date and Year: Mycer #7 Site:

Data Collected by:

on this date:

								1000	2405		1.0	1
Litter	SCW	CCM	7,8	LYCM	2	3	2.5	i in	3/20	752	- Files	/
Leaf	98	98	90	38	99	, 8	3	86	300	88	28	The second name of the second
Bare	M	W	~	7	M	in	2	in	M	A	m	
Woody	0	0	0	0	0	0	0	0	och	(C	0	
_												
Milkweed	0	0	0	0	0	0	8		0	0	\$	
Forbs	0	M	9/	38	38	2	2		M	9	W.	
WS6	38	63	38		M	23	63	7	53	38	63	
982	V		2	28	8	0	ور	90	8	2	7	
4	-	2	m	4	വ	9	7	8	6	10	Robel Pole:	

98 - 95%-100% 86 - 75%-95% 63 - 50%-75% 38 - 25%-50% 16 - 5%-25% Categories: 0 - absent 1 - trace 3 - trace-5% CSG - cool season grasses (including sedges)

0 3

4

5

3

ш S >

C

M

Z

WSG - warm season grasses

Forbs - forbs not including milkweed

Milkweed

Wood - woody cover

Leaf Litter (horizontal dead material), Litter Depth - to nearest .25 cm Bare Ground - includes rocks, lichens, moss, branches, and cow pies