Daubenmire Datasheet

Date: 8-14-17

Observer: Sexh A

Recorder: Seth A

Team lead: Teresa B

Site: _ ber3
tber3a
Transect: _ 3

Round: _ 50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
O m	63	38	16	0				0	38	63	0,75
		30	86	0				0	38	63	0.5
10 m	0	16						0	2	86	0.5
20 m	0	16	86	0			7.1	**************************************)		0.5
30 m	3	16	63	0				0	16	63	
40 m	0	16	86	0				0	38	63	6.25
50 m											
60 m											
70 m											
80 m											
90 m											

Robel Pole:

Kodei Po	ie.									
	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	2	2	2	2 /	3					
Е	3	2	3	2	2					
S	3	4	3	2	3					
W	2	2	3	3	2					

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm