Daubenmire Datasheet

Date:

Observer:

Recorder:

Team lead:

	byd2	
Site:	tbyd2a	_
	3	_
	100m	
Round:		1000

rean	n lead: CSG	ws6	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
		1//	8(0	0	0	0	0	0	3	10	
0 m	U	10	\$	0	ð	0	0		3	16	0.50
10 m		3	80	300		(2)	8	0	10	43	1.00
20 m	0	3	10	0	0				3	160	0.25
30 m	0	03	38.	0	0				3	ile	0.50.
40 m	0	43	10	0	0			0	3	38	0.50
50 m	Ô	10	63	0	0	0		8	3	10	0.50
60 m	0	38	63	0	0	0			3	100	6.23
70 m	0	86	3	0	0	0	0		3	16	0.25
80 m	0	63	396	OA	9	1 2	0		7	3	0.50
90 m	0	86	10							J	

obel Po	le:			5.2		50 m	60 m	70 m	80 m	90 m
	O m	10 m	20 m	30 m	40 m	50 m	00 111	70	2	-
N	7_	2	0	2	2	2	2	2		
		1	0	7	2	7	2	2	1	1
Ε	_		9		2	1	0	7	1	1
S	2		0	0		1	2			-
	7	7	1	0	1 3		3	2	1	
W	_									75%

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm