Daubenmire Datasheet

Date: 7/13/17

Observer: Ktlm

Recorder: Kelsen

Team lead: Kelsen

Site: MYN |
Transect: New location tuth | a
Round:

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	10	0	3 Wem	0	0	(*)	0		2	98	4cm
10 m	10	Ò	10 mason	0	0	Ď	0	ð	Ö	48	3.0
20 m	16	0	10 NEWA	, 0	0	0	0	0	0	98	3.0
30 m	10	0	38 WALL	0	Q	0	0		0	86	2 3
40 m	16	0	38 Water	0	0	0	0	0	0	98	4.0
50 m	38	0	1	0	0	0	Ō	0	0	98	3.0
60 m	10	Ö	0	0	Ö	O	90	0	0	98	
70 m	10	0	0	3	\	0	0	0	0	80	0.0
80 m	36	0	3	0	O	70	0	0	0	95/	3.0
90 m	la	0	3	Ò	D	0	$\bigcirc$	0	0	98	2.0
Pobel	Dalas					~	~	)	9	-10	C . O

## Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	/	1	1	\		1	)	\		0
Ε	1	1	1				1		1	0
s	1	1	1		1			Ì	\	3
W	(	1,4				1			1	0

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm