Site: pre® 6

Transect: tpre®a

Round: 100m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
O m	16	0	96	0	0	0		0	V	16	1,0
10 m	35	6	63	0	0	0	0	0	3	38	0,5
20 m	36	0	86	0	0	0	0	0	3	38	0.75
30 m	3.8	.0	63	0	6	0	0		16	6 3	0.75
40 m	63	0	63	0	0	0		8	3	86	1.0
50 m											
60 m					j						
70 m											
80 m											
90 m											

Robel Pole:

obei Po	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	U	6	5	7	6					
Ε	3	7	7	5	9					
S	2	q	18	6	6		ēş.			
W	U	9	6	V	7					

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm