Daubenmire Datasheet

Date: Observer: 6/15/18

Recorder:

Team lead:

Site: Transect: tpio2a pio2

80m

Round:

	CS6	WS6	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare	Leaf Litter	Litter Depth (cm)
O #	38	C) B	0	W	2)	0		00 CM	W
10 m	603	0	38	0)		0	30	16	_
20 m	500	\supset	22	C		and the second second	1	0	W	16	ىو
30 m	50	0	(20)	0		1)	0	16	16	_
40 m	63	2	63	0		1		0	W-	B	O
50 m	ς Ω)(9	0)	1)	\bigcirc	63	38	W
€0 m	00	0	ω	0)			\circ	16	16	0.5
70 m	90	0	20	0			Andrew .	0	16	W	_
80 m	<										
90 m	>										
,											

	9	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
z	4	5	٩	6	0)			9	/	
m	-	10	10	10	9	え	1	۵		
S	0	/0	10	2	7	۵	_	7	0	
€	2		را	<u>-</u>	1	0	-	_		

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm