Date: Daubenmire Datasheet

Observer:

Recorder:

Team lead:

Site: nkn1

Transect: tnkn1a

100m

ω

Round:

	CS6	WSG	Forbs	Milkweed	Common	Swamp	Butterfly	Woody	Bare	Leaf	Litter
O	1/0))	>	ramet #	ramet #	ramet #	Species	Ground	Litter	Depth (cm)
5 0			2			And the second s		0	0	8	27
TO TO	100	O	Z	C)	Y	\$ 0	7
200	1)	S.	y				(200	0:0
W 02	6	C	4.0	C	1			Y	Y	250	J.
30 m	6	W	9 ×))				X	X	2	- (
40 m	2 ×	2	000) (7		000	
n	200	- () (1					0	6 8	S. S.
a oc	(05	_	8 X	0	-)	ソ	X	ンソ
60 m	02	0	210	>)(0)(0	PC	- 2
70 m	103	ナ		>				3 (OE	56) C
80 m	(0)	_(200) (>)() (8 6	200
90 m	10	>	X);	*(Commencements Visional and second and secon	4 C) () OU	100
Robel Pole:	ole:							(0	DIO	C

	z	m	S	€
0 m	2		7	13
10 m	12	30	_	7
20 m	=	0	9	D
30 m	7	4	4	h
40 m	77	2	H	_
50 m	12	T		14
60 m	0	12	2	30
70 m	2	2	258	2)
m 08	+	T	t-	4
90 m			4	4

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm