100m

arm2 T tarm2a

Daubenmire Plant Datasheet

7/21/16

Date:

round 2				
stery Cowy Such		on this date:	on this date:	_
Field Data Recorded by:	Team lead Kellery	Entered into PC by:	Data Entry Checked by	

	95)	25W	To the	Atillimood			Woody	Bare	Leaf	Litter	
			50-	אווא			Species	Ground	Litter	Depth	
0 m	9	38	38	0			0		200	20	
10 m	16	38	9	0			0	0	200	7 CW	
20 m	38	16	9	0			0	-	20	1.5 cm	
30 m	98	8	M	0			0	3	X	Z OR	
40 m	20	60	91	0			0	_	200	20	
50 m	63	0	9	0		e de	0	23	9	7 cm	
m 09	98	0	2	0	N. Carlotte		0	0	200	2.50	
70 m	36	0	38	0			0	9,	200	3 50	
80 m	86	0	3	0	9		0	CV	86	Zem -	
90 m	2	0	9				0	0 10	1	3001	
	-							)	5	120	

	100 m or		N/S or	)	
	Transect	length:	Transect	Direction	
	m 06	7	_	7	2
	80 m		7	_	_
	70 m			_	_
	m 09	M	_	_	_
	50 m	7	-	_	2
	40 m	- M		2	2
	30 m	_	7	7	Vo
	20 m	_	_	7	1
	10 m	_	0	_	7
: :	m 0	7	2	-	7
Robel Pole:		z	ш	S	*

98 - 95%-100% 86 - 75%-95% 63 - 50%-75% Categories:  $\underline{0}$  - absent  $\underline{1}$  - trace  $\underline{3}$  - trace-5%  $\underline{16}$  - 5%-25%  $\underline{38}$  - 25%-50% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material), Litter Depth - to nearest .25 cm

mounted