

Daubenmire Datasheet

Date: 7/15/20

Observer: Kuf

Recorder: ↓

Team lead: ↓

Site: Boyd 2 - 80m

Transect:

Round:

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	38	Ø	63	Ø	Ø	Ø	Ø	Ø	16	86	2.0
10 m	63	Ø	38	Ø	Ø	Ø	Ø	Ø	16	86	3.0
20 m	38	Ø	63	Ø	Ø	Ø	Ø	16	16	86	4.0
30 m	38	Ø	63	Ø 3	Ø 1	Ø	Ø	3	16	86	3.0
40 m	3	Ø	98	Ø	Ø	Ø	Ø	Ø	16	86	3.0
50 m	86	Ø	16	Ø	Ø	Ø	Ø	Ø	16	86	3.0
60 m	63	Ø	63	Ø	Ø	Ø	Ø	Ø	16	86	2.5
70 m	63	Ø	63	Ø	Ø	Ø	Ø	Ø	16	86	
80 m											
90 m											

Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	7	13	13	14	13	7	10	8		
E	7	13	13	14	13	7	10	8		
S	7	13	13	15	13	10	10	8		
W	7	13	13	15	13	10	10	8		

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm