

Daubenmire Datasheet

Date: 9-12-2020
Observer: KJJ
Recorder: MAU
Team lead: BRS

Site: Uthe
Transect: 100m - 20m ^{over edge}
Round: September ^{of plot/planting}

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	16	63	38	Ø	Ø	Ø	Ø	Ø	16	16	1.75
10 m	38	38	16	Ø	Ø	Ø	Ø	Ø	3	16	2.25
20 m	86	3	16	Ø	Ø	Ø	Ø	Ø	3	16	3.75
30 m	16	63	16	Ø	Ø	Ø	Ø	Ø	16	16	2.00
40 m	16	63	16	Ø	Ø	Ø	Ø	Ø	38	3	0.25
50 m	3	38	63	Ø	Ø	Ø	Ø	Ø	38	3	0.25
60 m	16	38	38	Ø	Ø	Ø	Ø	Ø	38	16	2.50
70 m	16	38	38	Ø	Ø	Ø	Ø	Ø	16	38	3.50
80 m	38	16	38	Ø	Ø	Ø	Ø	Ø	16	16	0.75
90 m	63	16	16	Ø	Ø	Ø	Ø	Ø	38	16	2.50

Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	12	10	11	12	12	12	12	12	13	10
E	12	11	13	12	11	12	12	12	5	8
S	12	11	12	13	13	11	13	12	6	6
W	12	10	14	13	11	10	10	12	5	7

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm