

Daubenmire Datasheet

Date: 8/11/21

Observer: David

Recorder: David

Team lead: David

Site: NKN2

Transect: +NKN2a

Round: 2
100

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	38	φ	38	φ	—	—	—	φ	16	86	2
10 m	63	φ	38	φ	—	—	—	φ	14	86	2
20 m	38	φ	63	φ	—	—	—	φ	38	63	1
30 m	86	φ	16	φ	—	—	—	φ	16	86	1
40 m	95	φ	16 3	φ	—	—	—	φ	16	86	1
50 m	98	φ	φ	φ	—	—	—	φ	3	98	2
60 m	16	φ	86	φ	—	—	—	φ	16	63	2
70 m	86	φ	3	φ	—	—	—	φ	16	63	1
80 m	86	φ	3	φ	—	—	—	φ	38	63	1
90 m	63	φ	38	φ	—	—	—	φ	38	63	1

Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	11	11	10	11	11	13	14	14	8	13
E	8	10	13	12	15	13	13 13	13	10	15
S	11	13	11	11	11	12	14	14	11	15
W	14	11	14	15	12	14	12	12	10	15

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm