



DNS Tool

Philosophical Foundations for Security Analysis Communication

Carey James Balboa

Independent DNS Security Researcher

ORCID [0009-0000-5237-9065](https://orcid.org/0009-0000-5237-9065) DOI [10.5281/zenodo.18854899](https://doi.org/10.5281/zenodo.18854899)

PROJECT dnstool.it-help.tech SOURCE github.com/careyjames/dns-tool-web

VERSION 26.37.26 · LICENSE BUSL-1.1

Companion artifact to “Confidence-Scored Analysis of Domain Security Infrastructure”

Abstract

This document describes the philosophical and analytical foundations that inform the communication architecture of DNS Tool — an OSINT platform for domain security analysis. While the primary methodology document addresses protocol science (RFC compliance, confidence scoring, calibration), this companion artifact addresses a distinct question: why is the analysis structured and communicated the way it is?

DNS Tool’s analytical framework reflects deliberate application of classical analytical structures — Socratic questioning, Aristotelian rhetorical categories, and structured narrative architecture — to the problem of presenting security intelligence in a form that enables human decision-making across multiple professional contexts.

This document identifies those structures, traces their academic lineage, provides verifiable citations across both philosophical and computer science literature, and establishes the boundaries between protocol science, human factors, and philosophy of analysis — three disciplines that inform the platform but must not be conflated.

1. Scope and Disciplinary Boundaries

1.1 Three Lanes

DNS Tool’s methodology operates across three distinct disciplines. Each lane has its own standards of evidence, its own peer-reviewed literature, and its own criteria for correctness. Conflation between lanes — treating a rhetorical insight as protocol evidence, or a human factors finding as an RFC requirement — would undermine the rigor of all three.

LANE	DOMAIN	STANDARDS OF EVIDENCE	DNS TOOL IMPLEMENTATION
PROTOCOL SCIENCE	RFC compliance, DNS resolution, cryptographic verification	RFC specifications, IETF standards, reproducible queries	Analyzer engines, resolver consensus, DNSSEC validation
HUMAN FACTORS	Cognitive load, visual perception, decision-making under uncertainty	Peer-reviewed psychology, vision science, HCI research	Scotopic interface design, executive brief structure, information hierarchy
PHILOSOPHY OF ANALYSIS	Analytical reasoning structures, epistemic integrity, communication ethics	Classical philosophy, rhetoric, peer-reviewed communication and IS research	Five Perspectives architecture, verification workflow, confidence taxonomy

1.2 Interaction Without Conflation

These lanes interact — a protocol finding (Lane 1) is communicated through a visual hierarchy informed by cognitive research (Lane 2) using a rhetorical structure grounded in analytical philosophy (Lane 3). The interaction is by design. The conflation would be claiming that Aristotelian rhetoric validates a DNS finding, or that scotopic vision research changes an RFC requirement. It does not. Each lane validates within its own domain.

2. Socratic Verification: Elenchus in the Analysis Workflow

2.1 The Claim

DNS Tool implements a Socratic-inspired verification workflow: core security findings are paired with falsifiable questions and commands the reader can execute independently to test them.

2.2 Structure of the Elenchus

The Socratic method (elenchus) is a form of cooperative argumentative dialogue in which claims are tested through structured questioning, with the goal of exposing contradictions and arriving at justified conclusions (Benson, 2011; Vlastos, 1983). The method does not assert truth — it tests claims by inviting refutation.

DNS Tool’s verification workflow mirrors this structure:

1. **Initial claim:** The platform presents an analytical finding (e.g., “This domain’s SPF record authorizes the entire internet to send mail as this domain”)
2. **Structured question:** The “Big Questions” framework reframes the finding as a falsifiable question (e.g., “Can this domain be impersonated by email?”)
3. **Verification command:** A concrete `dig`, `openssl`, or `curl` command is provided so the reader can independently test the claim
4. **Resolution:** The reader either confirms the finding or identifies a discrepancy — in either case, the epistemic process is transparent

This is not a claim that DNS Tool conducts live Socratic dialogue with the user. It is a claim that the structure of the verification workflow — assert, question, provide means of refutation, resolve — follows the elenctic pattern.

2.3 Academic Grounding

In philosophy:

- Vlastos, G. (1983). “The Socratic Elenchus.” *Oxford Studies in Ancient Philosophy*, 1, 27–58.

- Benson, H. H. (2011). “Socratic Method.” In The Cambridge Companion to Socrates. Cambridge University Press.

In computer science:

- Wilson, J. D. (1987). “A Socratic approach to helping novice programmers debug programs.” ACM SIGCSE Bulletin, 19(1). DOI: [10.1145/31726.31755](https://doi.org/10.1145/31726.31755)
- Chidambaram, S. et al. (2024). “Socratic Human Feedback (SoHF): Expert Steering Strategies for LLM Code Generation.” Findings of EMNLP 2024. DOI: [10.18653/v1/2024.findings-emnlp.908](https://doi.org/10.18653/v1/2024.findings-emnlp.908)
- Krishnamurthy, B. et al. (2011). “A Socratic method for validation of measurement-based networking research.” Computer Communications, 34(1). DOI: [10.1016/j.comcom.2010.09.014](https://doi.org/10.1016/j.comcom.2010.09.014)

Bridging claim: While the CS literature primarily applies Socratic method to pedagogy and code generation feedback, DNS Tool extends the pattern to analytical verification — the reader is not a student being taught but an analyst being equipped to independently falsify the platform’s claims. This application appears uncommon in the OSINT and security tooling space, though not unprecedented in the broader software verification literature.

3. Aristotelian Analytical Categories and the Five Perspectives

3.1 The Claim

DNS Tool's Five Perspectives architecture — Intelligence Officer, DNS Engineer, Hacker, Executive, IT Pro — maps to Aristotelian analytical categories drawn from Rhetoric (ethos, pathos, logos) and Nicomachean Ethics (phronesis, techne). This mapping is structural, not decorative: each perspective embodies a distinct mode of analytical reasoning that corresponds to a classical category.

3.2 The Mapping

PERSPECTIVE	ARISTOTELIAN CATEGORY	FUNCTION	WHAT IT ASKS
The Intelligence Officer	Ethos (credibility, trustworthiness)	Quantifies what you can trust — ICAE measures accuracy, ICuAE measures currency, Unified Confidence carries epistemic weight	"How confident should I be in this finding?"
The DNS Engineer	Logos (logical argument, evidence)	Grounds findings in RFC specifications — not vendor interpretation, not blog posts, but the standards that define protocol correctness	"What does the standard actually say?"
The Hacker	Pathos (urgency, consequence awareness)	Reframes the same data through an adversarial lens — surfaces attack surfaces, exposure vectors, the stakes of misconfiguration	"What can an attacker do with this?"
The Executive	Phronesis (practical wisdom, judgment)	Distills findings into strategic decisions — posture, risk, what needs attention, what is secure	"What do I need to decide?"

The IT Pro	Techne (craft, applied skill)	Translates findings into actionable remediation — provider-aware steps, TTL tuning, concrete next actions	“What do I need to fix?”
-------------------	--------------------------------------	---	--------------------------

3.3 Academic Grounding

In classical philosophy:

- Aristotle. Rhetoric (c. 350 BCE). Book I, Chapters 2–3 (ethos, pathos, logos).
- Aristotle. Nicomachean Ethics, Book VI (phronesis, techne).

In peer-reviewed communication science:

- Alderman, C. (2018). “Ethos, pathos, logos: a script for clinical communication.” Journal of Pharmacy Practice and Research, 48(4). DOI: [10.1002/jppr.1468](https://doi.org/10.1002/jppr.1468)

In peer-reviewed information systems and cybersecurity:

- Rife, M. C. (2010). “Ethos, Pathos, Logos, Kairos: Using a Rhetorical Heuristic to Mediate Digital-Survey Recruitment Strategies.” IEEE Transactions on Professional Communication, 53(4). DOI: [10.1109/TPC.2010.2052856](https://doi.org/10.1109/TPC.2010.2052856)
- Johnston, A. et al. (2023). “Seeking rhetorical validity in fear appeal research: An application of rhetorical theory.” Computers & Security, 125. DOI: [10.1016/j.cose.2022.103020](https://doi.org/10.1016/j.cose.2022.103020)
- Johnston, A. C. & Warkentin, M. (2010). “Fear Appeals and Information Security Behaviors.” MIS Quarterly, 34(3). DOI: [10.2307/25750691](https://doi.org/10.2307/25750691)

In phronesis and engineering judgment:

- Arrichiello, V. (2016). “Systems Engineer: the ultimate phronetic leader?” INCOSE International Symposium, 26(1). DOI: [10.1002/j.2334-5837.2016.00263.x](https://doi.org/10.1002/j.2334-5837.2016.00263.x)
- Malik, A. et al. (2020). “Phronesis in Medical Ethics: Courage and Motivation to Keep on the Track of Rightness in Decision-Making.” Health Care Analysis, 28. DOI: [10.1007/s10728-020-00398-7](https://doi.org/10.1007/s10728-020-00398-7)
- Hylving, L. & Koutsikouri, D. (2016). “Putting Phronesis to Work in Digital Innovation.” HICSS 2016. DOI: [10.1109/HICSS.2016.574](https://doi.org/10.1109/HICSS.2016.574)

3.4 Disciplinary Note

The Aristotelian mapping describes the communication and analytical structure of DNS Tool's output — not its protocol science. The RFC compliance of an SPF record is determined by RFC 7208, not by Aristotle. The decision to present that finding through five distinct analytical lenses, each optimized for a different mode of reasoning, is the philosophical design choice documented here.

4. Narrative Architecture Matrix

4.1 Purpose

The Narrative Architecture Matrix is an infrastructure artifact — not a style guide. It maps every content zone in the platform to its story structure, applicable narrative lenses, claim protection status, and the archetype(s) it primarily serves. The goal is maintainability: if a new analytical framework is incorporated in the future, the matrix shows exactly which content zones it touches and which claim boundaries it must respect.

4.2 Definitions

Story Structure: The narrative pattern governing how information is sequenced within a content zone.

Narrative Lens: An optional layer of voice, metaphor, or framing that can be applied across archetypes. Lenses are applied to creative-safe content only — never to protected claims.

Claim Protection Status:

- **PROTECTED:** Facts, citations, methodology statements, RFC references, mathematical claims, and verified philosophical citations. Immutable without verifiable evidence.
- **CREATIVE-SAFE:** Metaphor, voice, tone, introductory framing, contextual prose. May be revised for style, clarity, or philosophical alignment.

4.3 The Matrix

CONTENT ZONE	STORY STRUCTURE	PRIMARY ARCHETYPE(S)	CLAIM STATUS
Origin Story	Monomyth (Hero's Journey)	All	CREATIVE-SAFE
Five Perspectives	Aristotelian Categories	All	PROTECTED (structure) / CREATIVE-SAFE (prose)

Verification Principle	Socratic Elenchus	Intelligence Officer, DNS Engineer	PROTECTED
Big Questions	Socratic Elenchus	Executive, IT Pro	PROTECTED (questions) / CREATIVE-SAFE (framing)
Protocol Findings	Kishōtenketsu	DNS Engineer, Intelligence Officer	PROTECTED
Executive Brief	Consequence Framing + Phronesis	Executive	PROTECTED (findings) / CREATIVE-SAFE (framing)
Priority Actions	Fichtean Curve	IT Pro, DNS Engineer	PROTECTED (fixes) / CREATIVE-SAFE (headers)
Drift Timeline	Rebirth / Rags-to-Riches	All	PROTECTED (data) / CREATIVE-SAFE (prose)
Covert Recon Mode	Adversarial Reframing	Hacker	PROTECTED (findings) / CREATIVE-SAFE (voice)
Confidence Docs	Logical Exposition	Intelligence Officer	PROTECTED
Methodology (primary)	Scientific Paper	DNS Engineer, Intelligence Officer	PROTECTED
This Document	Academic Companion	All	PROTECTED (citations) / CREATIVE-SAFE (prose)
EDE Register	Epistemic Disclosure	Intelligence Officer	PROTECTED
Badges	Visual Summary	All	PROTECTED (data) / CREATIVE-SAFE (layout)

MISSION.md	Manifesto / Declaration	All	PROTECTED (principles) / CREATIVE-SAFE (voice)
------------	----------------------------	-----	---

4.4 Narrative Lenses Registry

Lenses are NOT archetypes. They are voice/framing layers that can be applied to CREATIVE-SAFE content across any archetype.

LENS	DESCRIPTION	PRIMARY AFFINITY	APPLICATION BOUNDARY
Fable	Mythology, metaphor, wisdom stories, narrative patterns from classical tradition	The Hacker	Intros, outros, contextual framing. Never on findings, never on citations.
Logic Chain	Step-by-step reasoning, mathematical proof structure, RFC citation chains	The DNS Engineer	Findings, methodology, verification commands. Always PROTECTED.
Tactical	Mission-oriented, adversarial framing, time-to-fix urgency	The Hacker, The IT Pro	Covert mode, remediation, attack surface descriptions.
Consequence	Business impact, risk quantification with confidence qualifiers, strategic clarity	The Executive	Executive brief, posture summaries, Big Questions framing.
Practical	Step-by-step instructions, provider-aware guidance, copy-paste commands	The IT Pro	Remediation, TTL tuner, fix steps. Always PROTECTED for commands.
Epistemic	Confidence levels, uncertainty quantification, calibration transparency	The Intelligence Officer	Confidence documentation, ICAE/ ICuAE, EDE register. Always PROTECTED.

Founder's Voice	Personal, direct, metacognitive — the voice of the builder reflecting on the process	All (contextual)	Mission statement, origin story, EDE philosophical context. CREATIVE-SAFE.
------------------------	--	------------------	--

4.5 Future Extension Protocol

When a new philosophical, analytical, or scientific framework is proposed for incorporation:

1. **Identify the lane** (Protocol Science, Human Factors, or Philosophy of Analysis)
 2. **Verify academic standing** with peer-reviewed citations in the relevant lane
 3. **Map to the matrix** — which content zones does it touch?
 4. **Respect claim boundaries** — does it affect PROTECTED or CREATIVE-SAFE content?
 5. **Cross-reference with existing structures** — does it complement or conflict with current mappings?
 6. **Document the citation with lane tags** — add to the Citation Matrix with a primary lane and any secondary relevance tags
-

5. Citation Matrix

All citations organized by discipline lane. Each citation has one primary lane and may include secondary relevance tags, reflecting the interdisciplinary nature of the literature. Strict single-lane assignment would be administratively clean but academically dishonest for inherently cross-disciplinary sources.

5.1 PHILOSOPHY OF ANALYSIS

CITATION	DOI	SUPPORTS
Aristotle. Rhetoric (c. 350 BCE). Book I, Ch. 2-3.	—	Ethos/Pathos/Logos — Five Perspectives
Aristotle. Nicomachean Ethics, Book VI.	—	Phronesis (Executive); Techne (IT Pro)
Vlastos, G. (1983). “The Socratic Elenchus.” OSAP	—	Socratic verification structure
Benson, H. H. (2011). “Socratic Method.” Cambridge Companion	—	Elenchus definition and scope
Wilson, J. D. (1987). ACM SIGCSE	10.1145/31726.31755	Socratic method in CS
Chidambaram, S. et al. (2024). EMNLP Findings	10.18653/v1/2024.findings-emnlp.908	Socratic feedback in code generation
Krishnamurthy, B. et al. (2011). Computer Communications	10.1016/j.comcom.2010.09.014	Socratic validation in networking +PROTOCOL SCIENCE
Rife, M. C. (2010). IEEE Trans. Prof. Comm.	10.1109/TPC.2010.2052856	Aristotelian rhetoric in digital tools
Arrichiello, V. (2016). INCOSE	10.1002/j.2334-5837.2016.00263.x	Phronesis in systems engineering
Alderman, C. (2018). J. Pharmacy Practice	10.1002/jppr.1468	Aristotelian framework in practice +HUMAN FACTORS

Malik, A. et al. (2020). Health Care Analysis	10.1007/s10728-020-00398-7	Phronesis as professional virtue
Hylving, L. & Koutsikouri, D. (2016). HICSS	10.1109/HICSS.2016.574	Phronesis in digital innovation +HUMAN FACTORS
Goldkuhl, G. (2012). EJIS	10.1057/ejis.2011.54	Philosophical frameworks in IS research
Cataloging & Classification Quarterly (2009)	10.1080/01639370903111981	Aristotelian categories applied to IT

5.2 **HUMAN FACTORS**

CITATION	DOI	SUPPORTS
Johnston, A. et al. (2023). Computers & Security	10.1016/j.cose.2022.103020	Rhetorical validity in security communication +PHILOSOPHY
Johnston, A. C. & Warkentin, M. (2010). MIS Quarterly	10.2307/25750691	Pathos-driven security motivation
Boss, S. R. et al. (2015). MIS Quarterly	10.25300/MISQ/2015/39.4.5	Fear appeals and protective security behaviors
van Bavel, R. et al. (2019). IJHCS	10.1016/j.ijhcs.2018.11.003	Protection motivation in security nudge design
Benabdallah, G. & Peek, N. (2024). CHI EA	10.1145/3613904.3642720	Technical mentality in HCI practice +PHILOSOPHY
Gray, C. M. et al. (2024). ACM J. Responsible Computing	10.1145/3656468	Ethics in technology practice +PHILOSOPHY

5.3 **PROTOCOL SCIENCE**

Protocol science citations are documented in the primary methodology document. See “DNS Tool: Confidence-Scored Analysis of Domain Security Infrastructure,” Section 8 (References) for the complete RFC and ICD 203 citation list. They are not duplicated here to maintain lane separation.

5.4 **Scotopic Interface Design (Human Factors — Pending)**

DNS Tool’s Covert Recon Mode uses a scotopic-optimized red interface informed by vision science research on rod-cell sensitivity and dark adaptation. The specific vision science citations supporting this design choice are documented in the platform’s approach page and will be added to this matrix when the formal literature review is complete. Until then, the claim is scoped as “informed by published vision science research” rather than citing specific papers.

6. **Precedent and Positioning**

6.1 **What We Can Say**

Based on review of publicly available OSINT security tool documentation, methodology papers, and academic literature on security tool design, the formal application of classical philosophical frameworks (Socratic elenchus, Aristotelian analytical categories) to security analysis communication — with lane-separated academic citations — appears uncommon in the domain security and OSINT tooling space.

6.2 **What We Cannot Say**

We have not conducted a systematic literature review (SLR) sufficient to claim “first” or “only.” The absence of found precedent is not proof of absence. If a systematic review is conducted in the future and confirms the claim, it can be stated with appropriate citation to that review.

6.3 What the Work Demonstrates

The work demonstrates that classical analytical structures can be applied to security intelligence communication without compromising protocol science — provided the disciplinary lanes remain separated, citations remain verifiable, and no philosophical claim is treated as protocol evidence.

7. Relationship to Primary Methodology

This document is a companion to “DNS Tool: Confidence-Scored Analysis of Domain Security Infrastructure” (Balboa, 2026). The primary methodology document addresses data collection, analysis methodology, confidence scoring, and epistemic correction — all within the Protocol Science lane.

This companion document addresses why the analysis is structured into five perspectives (Philosophy of Analysis), why verification commands follow a Socratic pattern (Philosophy of Analysis), how communication structure accounts for multiple professional contexts (Human Factors), and how narrative architecture is maintained as infrastructure (Philosophy of Analysis).

Neither document modifies the other. Protocol science findings are determined by RFC compliance and resolver evidence. Philosophical foundations explain the communication architecture through which those findings reach human decision-makers.

Citation

```
@misc{balboa2026philfound,
  author      = {Balboa, Carey James},
  title       = {Philosophical Foundations for Security Analysis Communication},
  year        = {2026},
  note        = {Companion to DNS Tool Methodology (DOI: 10.5281/zenodo.
18854899)},
  url         = {https://dnstool.it-help.tech/foundations}
}
```

