



# Faculty of Computing

Year 2 Semester 1 (2025)

IT2120 - Probability and Statistics

Lab Sheet 04

**IT24100115**

**Rajakaruna K R D K**

**Lab sheet 05**

```
getwd()
```

```
Delivery_Times<-read.table("Exercise - Lab 05.txt",header  
1. print(Delivery_Times)
```


```
> Delivery_Times<-read.table("Exercise - Lab 05.txt",header  
=TRUE)
```

```
print(Delivery_Times)
```

	Delivery_Time_.minutes.
1	34
2	54
3	47
4	29
5	39
6	61
7	20
8	40
9	57
10	36
11	38
12	44
13	59
14	28

```
hist(Delivery_Times$Delivery,
     breaks = seq(20, 70, by = 5),
     right = FALSE,
     main = "Histogram of Delivery Times",
     xlab = "Delivery Times",
     ylab = "Frequency",
     col = "lightblue",
     border = "black")
```

```
> hist(Delivery_Times$Delivery,
+       breaks = seq(20, 70, by = 5),
+       right = FALSE,
+       main = "Histogram of Delivery Times",
+       xlab = "Delivery Times",
+       ylab = "Frequency",
+       col = "lightblue",
+       border = "black")
> |
```



3.This is a Right-skewed distribution.

```

hist_data <- hist(Delivery_Times$Delivery,
                  breaks = seq(20, 70, by = 5),
                  right = FALSE,
                  plot = FALSE)

cumulative_freq <- cumsum(hist_data$counts)

plot(hist_data$mids, cumulative_freq,
     type = "o",
     main = "Cumulative Frequency Polygon (ogive)",
     xlab = "Delivery Times",
     ylab = "Cumulative Frequency",
     pch = 16,
     col = "blue")

```

```

hist_data <- hist(Delivery_Times$Delivery,
                  breaks = seq(20, 70, by = 5),
                  right = FALSE,
                  plot = FALSE)

cumulative_freq <- cumsum(hist_data$counts)

plot(hist_data$mids, cumulative_freq,
     type = "o",
     main = "Cumulative Frequency Polygon (ogive)",
     xlab = "Delivery Times",
     ylab = "Cumulative Frequency",
     pch = 16,
     col = "blue")

```

**Cumulative Frequency Polygon (Ogive)**

