IT24100850 – Samanthilaka W.K.D

Exercise

```
1  setwd("C:\\Users\\IT24100850\\Desktop\\IT24100850")
2  getwd()
```

1.

```
> Delivery_Times <- read.table("Exercise - Lab 05.txt",
+                                   header = TRUE,
+                                   sep = "",
+                                   stringsAsFactors = FALSE)
> head(Delivery_Times)
  Delivery_Time_.minutes.
1                      34
2                      54
3                      47
4                      29
5                      39
6                      61
```

2.

```
#2

hist(Delivery_Times$Delivery_Time_.minutes.,
     breaks = seq(20, 70, length.out = 10),    # 9 intervals
     right = FALSE,                             # right-open intervals [a, b)
     main = "Histogram of Delivery Times",
     xlab = "Delivery Time (minutes)",
     ylab = "Frequency",
     col = "skyblue",
     border = "black")
```

Histogram of Delivery Times


```
> hist(Delivery_Times$Delivery_Time_.minutes.,
+       breaks = seq(20, 70, length.out = 10),    # 9 intervals
+       right = FALSE,                            # right-open intervals [a, b)
+       main = "Histogram of Delivery Times",
+       xlab = "Delivery Time (minutes)",
+       ylab = "Frequency",
+       col = "skyblue",
+       border = "black")
> |
```

3.

 The distribution of delivery times is roughly symmetric, centered around 40 minutes. Frequencies rise towards the middle (30–45 minutes), then fall off towards the ends (20–25 minutes and 65–70 minutes). There is no extreme skewness and the highest frequency (the "peak") is around the 35–45 minute interval.

4.

```
times <- Delivery_Times$Delivery_Time_.minutes.

breaks <- seq(20, 70, length.out = 10)

freq <- hist(times, breaks = breaks, right = FALSE, plot = FALSE)

cum_freq <- cumsum(freq$counts)

plot(breaks[-1], cum_freq, type = "o", col = "blue", lwd = 2, pch = 16,
     main = "Cumulative Frequency Polygon (Ogive)",
     xlab = "Delivery Time (minutes)",
     ylab = "Cumulative Frequency")

grid()
```

```
> times <- Delivery_Times$Delivery_Time_.minutes.
> breaks <- seq(20, 70, length.out = 10)
> freq <- hist(times, breaks = breaks, right = FALSE, plot = FALSE)
> cum_freq <- cumsum(freq$counts)
> plot(breaks[-1], cum_freq, type = "o", col = "blue", lwd = 2, pch = 16,
+      main = "Cumulative Frequency Polygon (Ogive)",
+      xlab = "Delivery Time (minutes)",
+      ylab = "Cumulative Frequency")
> grid()
```

Files   Plots   Packages   Help   Viewer   Presentation

Zoom   Export ▾   ❌   🧹   Publish ▾

Cumulative Frequency Polygon (Ogive)