

# Sri Lanka Institute of Information Technology



Lab Submission  
<Lab sheet 10>

<IT24102228>

<Welgama W. N. Y>

**Probability and Statistics | IT2120**

B.Sc. (Hons) in Information Technology

## Exercise

1)

i.

```
> # Exercise
> # (i) - Hypotheses & data setup
> # H0: Snack choices are equally likely (pA = pB = pC = pD = 0.25).
> # H1: At least one snack's probability differs from 0.25.
>
> counts <- c(A = 120, B = 95, C = 85, D = 100)
> sum(counts); counts
[1] 400
  A    B    C    D
120  95  85 100
>
```

ii.

```
> # Exercise
> # (ii) - Chi-square goodness-of-fit test
> counts <- c(A = 120, B = 95, C = 85, D = 100)
> p_equal <- rep(1/4, 4)
>
> test_ex <- chisq.test(counts, p = p_equal)
>
> # Output
> test_ex
```

Chi-squared test for given probabilities

```
data: counts
X-squared = 6.5, df = 3, p-value = 0.08966
```

```
> test_ex$expected
  A    B    C    D
100 100 100 100
> test_ex$statistic
X-squared
      6.5
> test_ex$p.value
[1] 0.0896625
```

iii.

```
> # Exercise
> # (iii) - Conclusion
> counts <- c(A = 120, B = 95, C = 85, D = 100)
> p_equal <- rep(1/4, 4)
>
> test_ex <- chisq.test(counts, p = p_equal)
>
> alpha <- 0.05
> cat("p-value =", test_ex$p.value, "\n")
p-value = 0.0896625
```

```
> if (test_ex$p.value < alpha) {
+   cat("Conclusion (Exercise): Reject H0 - snack choices are NOT equally likely.\n")
+ } else {
+   cat("Conclusion (Exercise): Do not reject H0 - choices are consistent with equal probabilities.\n")
+ }
Conclusion (Exercise): Do not reject H0 - choices are consistent with equal probabilities.
> |
```