Sri Lanka Institute of Information Technology



Lab Submission <Lab sheet 05>

<Tra><IT24103975></r><Theertha.H.A.S>


Probability& statics | IT2120

B.Sc. (Hons) in Information Technology

```
1 setwd("C:\\Users\\it24103975\\Desktop\\Lab 05")
 2
> setwd("C:\\Users\\it24103975\\Desktop\\Lab 05")
# 01.
Delivery_Times <- read.table('Exercise - Lab 05.txt', header = TRUE)
cat("Dataset structure:\n")
str(Delivery_Times)
cat("\nFirst few rows:\n")
head(Delivery_Times)
> Delivery_Times <- read.table('Exercise - Lab 05.txt', header = TRUE)
> cat("Dataset structure:\n")
Dataset structure:
> str(Delivery_Times)
'data.frame': 40 obs. of 1 variable:
 $ Delivery_Time_.minutes.: int 34 54 47 29 39 61 20 40 57 36 ...
> cat("\nFirst few rows:\n")
First few rows:
> head(Delivery_Times)
  Delivery_Time_.minutes.
1
                     34
2
                     54
3
                     47
4
                     29
5
                     39
6
                     61
```

```
# 2.
  breaks \leftarrow seq(20, 70, length.out = 10)
  cat("\nClass intervals (right open):\n")
  intervals <- pasteO("(", head(breaks, -1), ", ", tail(breaks, -1), "]")
  print(intervals)
  hist(Delivery_Times$Delivery_Time_.minutes.,
         breaks = breaks,
        right = TRUE,
         main = "Histogram of Delivery Times",
        xlab = "Delivery Time (minutes)",
ylab = "Frequency",
         col = "lightblue",
border = "black",
        xlim = c(20, 70)
> breaks <- seq(20, 70, length.out = 10)
 > cat("\nClass intervals (right open):\n")
Class intervals (right open):
 > intervals <- paste0("(", head(breaks, -1), ", ", tail(breaks, -1), "]")</pre>
 > print(intervals)
[9] "(64.44444444444, 70]"
> hist(Delivery_Times$Delivery_Time_.minutes.,
       breaks = breaks,
       right = TRUE,
main = "Histogram of Delivery Times",
xlab = "Delivery Time (minutes)",
ylab = "Frequency",
col = "lightblue",
border = "black",
```

xlim = c(20, 70)



```
# 3.
cat("\n3. Shape of the distribution:\n")
dist_shape <- "The distribution appears to be approximately symmetric with a slight right skew
dist_shape <- pasteO(dist_shape, "Most delivery times are concentrated between 35-55 minutes."
dist_shape <- pasteO(dist_shape, "There are fewer deliveries at the extremes (very fast or very)</pre>
cat(dist_shape, "\n")
```

```
3. Shape of the distribution:
> dist_shape <- "The distribution appears to be approximately symmetric with a slight right skew."
> dist_shape <- pasteO(dist_shape, "Most delivery times are concentrated between 35-55 minutes.")
> dist_shape <- pasteO(dist_shape, "There are fewer deliveries at the extremes (very fast or very sl
```

ow delivery times).") > cat(dist_shape, "\n")

The distribution appears to be approximately symmetric with a slight right skew. Most delivery times y slow delivery times). are concentrated between 35-55 minutes. There are fewer deliveries at the extremes (very fast or ver

```
# 4.
  freq <- hist(Delivery_Times$Delivery_Time_.minutes., breaks = breaks, plot = FALSE)$counts
  cum_freq <- cumsum(freq)</pre>
  cat("\nFrequency distribution:\n")
  freq_table <- data.frame(Interval = intervals, Frequency = freq, Cumulative = cum_freq)</pre>
  print(freq_table)
  pch = 16,
       col = "red",
main = "Cumulative Frequency Polygon (Ogive) of Delivery Times",
       xlab = "Delivery Time (minutes)",
       ylab = "Cumulative Frequency",
       xlim = c(20, 70),
       ylim = c(0, max(cum\_freq) + 5))
  grid()
  text(breaks[-1], cum_freq, labels = cum_freq, pos = 3, col = "blue")
  png("delivery_times_histogram.png", width = 800, height = 600)
  hist(Delivery_Times$Delivery_Time_.minutes.,
       breaks = breaks,
       right = TRUE,
  4
7 (Top Level) ±
```

```
Frequency distribution:
> freq_table <- data.frame(Interval = intervals, Frequency = freq, Cumulative = cum_freq)
> print(freq_table)
                                Interval Frequency Cumulative
                 (20, 25.555555555556]
2 (25.555555555556, 31.1111111111111]
                                                   3
                                                               5
3 (31.111111111111, 36.666666666667]
                                                   6
                                                              11
4 (36.6666666666667, 42.2222222222222
5 (42.222222222222, 47.77777777778]
                                                              20
                                                   9
                                                   6
                                                              26
6 (47.77777777778, 53.333333333333333333
                                                              29
                                                   3
7 (53.333333333333, 58.8888888888889]
                                                   6
                                                              3.5
8 (58.888888888889, 64.444444444444]
                                                   3
                                                              38
                 (64.444444444444, 70]
                                                             40
  plot(breaks[-1], cum_freq,
>
       type = "o",
       pch = 16,
       col = "red".
       main = "Cumulative Frequency Polygon (Ogive) of Delivery Times",
       xlab = "Delivery Time (minutes)",
ylab = "Cumulative Frequency",
       xlim = c(20, 70),
       ylim = c(0, max(cum\_freq) + 5))
> grid()
> text(breaks[-1], cum_freq, labels = cum_freq, pos = 3, col = "blue")
> png("delivery_times_histogram.png", width = 800, height = 600)
> hist(Delivery_Times$Delivery_Time_.minutes.,
       breaks = breaks,
       right = TRUE,
       main = "Histogram of Delivery Times",
```

