IT24100652 - Ruhunage N .D (PS Lab -09)

```r
setwd("C:\\Users\\User\\Desktop\\IT24100652_Lab09")
getwd()


# Set seed for reproducibility
set.seed(123)
# Part (i) Generate random sample
sample_size <- 25
mu <- 45
sigma <- 2
baking_times <- rnorm(sample_size, mean = mu, sd = sigma)
print(baking_times)
```

```
> setwd("C:\\Users\\User\\Desktop\\IT24100652_Lab09")
> getwd()
[1] "C:/Users/User/Desktop/IT24100652_Lab09"
>
>
> # Set seed for reproducibility
> set.seed(123)
> # Part (i) Generate random sample
> sample_size <- 25
> mu <- 45
> sigma <- 2
> baking_times <- rnorm(sample_size, mean = mu, sd = sigma)
> print(baking_times)
 [1] 43.87905 44.53965 48.11742 45.14102 45.25858 48.43013 45.92183 42.46988 43.6262
9 44.10868 47.44816 45.71963 45.80154 45.22137 43.88832 48.57383
[17] 45.99570 41.06677 46.40271 44.05442 42.86435 44.56405 42.94799 43.54222 43.7499
2
```

```r
# Part (ii) Hypothesis test
# H0: mean = 46
# H1: mean < 46

t_test_result <- t.test(baking_times, mu = 46, alternative = "less")
print(t_test_result)
```

```
> # Part (ii) Hypothesis test
> # H0: mean = 46
> # H1: mean < 46
>
> t_test_result <- t.test(baking_times, mu = 46, alternative = "less")
> print(t_test_result)

        One Sample t-test

data:  baking_times
t = -2.8167, df = 24, p-value = 0.004776
alternative hypothesis: true mean is less than 46
95 percent confidence interval:
     -Inf 45.58124
sample estimates:
mean of x
 44.93334

>
```