

Sri Lanka Institute of Information Technology




Lab Submission
<Lab sheet 05>

<IT24103976>

<Bandara.R.V.M.R.N>

Probability & statics| IT2120

B.Sc. (Hons) in Information Technology



```
> setwd("~/Desktop/IT24103976")
```

```
> |
```

```
# 01.
```

```
Delivery_Times <- read.table('Exercise - Lab 05.txt', header = TRUE)
```

```
cat("Dataset structure:\n")
str(Delivery_Times)
cat("\nFirst few rows:\n")
head(Delivery_Times)
```

```
> Delivery_Times <- read.table('Exercise - Lab 05.txt', header = TRUE)
```

```
>
```

```
> cat("Dataset structure:\n")
```

```
Dataset structure:
```

```
> str(Delivery_Times)
```

```
'data.frame': 40 obs. of 1 variable:
```

```
$ Delivery_Time_.minutes.: int 34 54 47 29 39 61 20 40 57 36 ...
```

```
> cat("\nFirst few rows:\n")
```

```
First few rows:
```

```
> head(Delivery_Times)
```

```
Delivery_Time_.minutes.
```

```
1 34
```

```
2 54
```

```
3 47
```

```
4 29
```

```
5 39
```

```
6 61
```

```
> |
```

```

# 2.
breaks <- seq(20, 70, length.out = 10)

cat("\nClass intervals (right open):\n")
intervals <- paste0("(", head(breaks, -1), ", ", tail(breaks, -1), "]")
print(intervals)

hist(Delivery_Times$Delivery_Time_.minutes.,
     breaks = breaks,
     right = TRUE,
     main = "Histogram of Delivery Times",
     xlab = "Delivery Time (minutes)",
     ylab = "Frequency",
     col = "lightblue",
     border = "black",
     xlim = c(20, 70))

```

```

> breaks <- seq(20, 70, length.out = 10)
> cat("\nClass intervals (right open):\n")
Class intervals (right open):
> intervals <- paste0("(", head(breaks, -1), ", ", tail(breaks, -1), "]")
> print(intervals)
[1] "(20, 25.5555555555556]" "(25.5555555555556, 31.1111111111111]"
[3] "(31.1111111111111, 36.6666666666667]" "(36.6666666666667, 42.2222222222222]"
[5] "(42.2222222222222, 47.7777777777778]" "(47.7777777777778, 53.3333333333333]"
[7] "(53.3333333333333, 58.8888888888889]" "(58.8888888888889, 64.4444444444444]"
[9] "(64.4444444444444, 70]"
>
>
> hist(Delivery_Times$Delivery_Time_.minutes.,
+      breaks = breaks,
+      right = TRUE,
+      main = "Histogram of Delivery Times",
+      xlab = "Delivery Time (minutes)",
+      ylab = "Frequency",
+      col = "lightblue",
+      border = "black",
+      xlim = c(20, 70))

```



```
# 3.
```

```
cat("\n3. Shape of the distribution:\n")
dist_shape <- "The distribution appears to be approximately symmetric with a slight right skew. "
dist_shape <- paste0(dist_shape, "Most delivery times are concentrated between 35-55 minutes. ")
dist_shape <- paste0(dist_shape, "There are fewer deliveries at the extremes (very fast or very slow delivery times).")
cat(dist_shape, "\n")
```

```
3. Shape of the distribution:
```

```
> dist_shape <- "The distribution appears to be approximately symmetric with a slight right skew. "
> dist_shape <- paste0(dist_shape, "Most delivery times are concentrated between 35-55 minutes. ")
> dist_shape <- paste0(dist_shape, "There are fewer deliveries at the extremes (very fast or very slow delivery times).")
> cat(dist_shape, "\n")
The distribution appears to be approximately symmetric with a slight right skew. Most delivery times are concentrated between 35-55 minutes. There are fewer deliveries at the extremes (very fast or very slow delivery times).
> |
```

```

# 4.
freq <- hist(Delivery_Times$Delivery_Time_.minutes., breaks = breaks, plot = FALSE)$counts
cum_freq <- cumsum(freq)

cat("\nFrequency distribution:\n")
freq_table <- data.frame(Interval = intervals, Frequency = freq, Cumulative = cum_freq)
print(freq_table)

plot(breaks[-1], cum_freq,
     type = "o",
     pch = 16,
     col = "red",
     main = "Cumulative Frequency Polygon (Ogive) of Delivery Times",
     xlab = "Delivery Time (minutes)",
     ylab = "Cumulative Frequency",
     xlim = c(20, 70),
     ylim = c(0, max(cum_freq) + 5))

grid()

text(breaks[-1], cum_freq, labels = cum_freq, pos = 3, col = "blue")

png("delivery_times_histogram.png", width = 800, height = 600)
hist(Delivery_Times$Delivery_Time_.minutes.,
     breaks = breaks,
     right = TRUE,

```

7 (Top Level) R 5

```

Frequency distribution:
> freq_table <- data.frame(Interval = intervals, Frequency = freq, Cumulative = cum_freq)
> print(freq_table)
      Interval Frequency Cumulative
1 (20, 25.555555555556]      2         2
2 (25.555555555556, 31.111111111111]      3         5
3 (31.111111111111, 36.666666666667]      6        11
4 (36.666666666667, 42.222222222222]      9        20
5 (42.222222222222, 47.777777777778]      6        26
6 (47.777777777778, 53.333333333333]      3        29
7 (53.333333333333, 58.888888888889]      6        35
8 (58.888888888889, 64.444444444444]      3        38
9 (64.444444444444, 70]          2        40
>
>
> plot(breaks[-1], cum_freq,
+      type = "o",
+      pch = 16,
+      col = "red",
+      main = "Cumulative Frequency Polygon (Ogive) of Delivery Times",
+      xlab = "Delivery Time (minutes)",
+      ylab = "Cumulative Frequency",
+      xlim = c(20, 70),
+      ylim = c(0, max(cum_freq) + 5))
>
> grid()
>
> text(breaks[-1], cum_freq, labels = cum_freq, pos = 3, col = "blue")
>
> png("delivery_times_histogram.png", width = 800, height = 600)
> hist(Delivery_Times$Delivery_Time_.minutes.,
+      breaks = breaks,
+      right = TRUE,
+      main = "Histogram of Delivery Times",

```

```

> dev.off()
RStudioGD
2

>
> png("delivery_times_ogive.png", width = 800, height = 600)
> plot(breaks[-1], cum_freq,
+     type = "o",
+     pch = 16,
+     col = "red",
+     main = "Cumulative Frequency Polygon (Ogive) of Delivery Times",
+     xlab = "Delivery Time (minutes)",
+     ylab = "Cumulative Frequency",
+     xlim = c(20, 70),
+     ylim = c(0, max(cum_freq) + 5))
> grid()
> text(breaks[-1], cum_freq, labels = cum_freq, pos = 3, col = "blue")
> dev.off()
RStudioGD
2

>
> cat("\nAnalysis completed successfully!\n")

Analysis completed successfully!
> cat("Plots have been saved as 'delivery_times_histogram.png' and 'delivery_times_ogive.png'\n")
Plots have been saved as 'delivery_times_histogram.png' and 'delivery_times_ogive.png'
> |

```

