

API Endpoint Table – QuickBite

Abisheak S (IT21244384) · Base URL: <https://<service>.onrender.com> · Auth header: Authorization: Bearer <JWT>

#	Method	Endpoint	Access	Purpose	Success	Errors
1	GET	/api/health	Public	Health check used by Render	200	–
2	POST	/api/auth/register	Public	Create account; returns JWT + user	201	400, 409
3	POST	/api/auth/login	Public	Log in; returns JWT + user	200	400, 401
4	GET	/api/auth/me	User	Current user from token	200	401
5	GET	/api/menu?category=&search=&available=	User	List / filter menu items	200	400, 401
6	GET	/api/menu/categories	User	Allowed categories	200	401
7	GET	/api/menu/:id	User	Read one menu item	200	400, 404
8	GET	/api/menu/:id/image	Public	Image bytes for <Image>	200	404
9	POST	/api/menu (multipart)	Admin	Create item + optional image	201	400, 403, 409
10	PUT	/api/menu/:id (multipart)	Admin	Update fields / replace image	200	400, 403, 404
11	DELETE	/api/menu/:id	Admin	Delete item (blocked if in active order)	200	403, 404, 409
12	POST	/api/orders	User	Place order {items, deliveryAddress, notes}	201	400, 404, 409
13	GET	/api/orders?status=	User	Own orders (admin: all orders)	200	400, 401
14	GET	/api/orders/:id	Owner/Admin	Read one order	200	403, 404
15	PUT	/api/orders/:id	Owner	Edit items/address/notes while Pending	200	403, 409
16	PATCH	/api/orders/:id/cancel	Owner	Cancel Pending order; stock returned	200	403, 409
17	PATCH	/api/orders/:id/status	Admin	Advance status along workflow	200	400, 403, 409
18	DELETE	/api/orders/:id	Owner/Admin	Delete Pending/Cancelled/Completed order	200	403, 404, 409

Access levels: Public = no token; User = any valid JWT; Owner = the customer who placed the order; Admin = JWT of a user with isAdmin = true. All errors are returned as JSON { message, details[] }. 400 validation · 401 not authenticated · 403 not allowed · 404 not found · 409 business-rule conflict.