BSc (Hons) in **Information Technology**
Specialized in AI

IT3012 : Intelligent Agents

Year 3 · Semester 1 · 2026 Semester 2

Faculty of Computing

Practical 02

> **Objective & Lecture Mapping:** In Lecture 03, we learned that a mathematically perfect "Table-Driven Agent" is impossible to build due to combinatorial explosion. Instead, we must write Agent Programs. Today, you will implement a **Simple Reflex Agent** using Condition-Action rules, observe its fatal flaws in a partially observable environment, and then upgrade it to a **Model-Based Agent** that maintains an internal memory state.

Part 1: Practical Implementation — Coding the Architectures

Step 1.1: Setting the Trap (Partial Observability)

> To see why Simple Reflex agents fail, we must handicap your agent's sensors. We are moving from a Fully Observable world to a Partially Observable one.

1. Open your `visual_grid_game.py` from Lab 01.
2. Locate the `get_percept(self)` method.
3. Modify it so it **no longer returns** the exact global coordinates (`agent_pos`). Instead, it should only return local booleans, e.g., `{'wall_ahead': True/False, 'food_here': True/False}` based on checking the adjacent cell in its current facing direction.

Step 1.2: The Simple Reflex Agent (Implementation & Failure)

1. Create a new class called `SimpleReflexAgent` .
2. Implement a `sense_and_act(self, percept)` method that uses strictly IF-THEN logic (Condition-Action rules). *Do not use an* `__init__` *method to store history.*

Example Logic: `IF food_here THEN suck; IF wall_ahead THEN turn_left; ELSE move_forward`

3. Run the simulation. **Observe:** Watch the agent get trapped in a corner or a U-shaped wall, infinitely repeating a cycle (e.g., turn left, step forward, hit wall, turn left...).

Step 1.3: The Model-Based Agent (Memory & State)

1. Create a new class called `ModelBasedAgent` .
2. Implement an `__init__(self)` method to initialize an internal memory state (e.g., `self.visited_cells = set()` or a relative movement tracker).
3. In `sense_and_act(self, percept)` , first **update the state** (Transition & Sensor Model) by recording the current percept and the last action taken.
4. Update your IF-THEN rules to query the memory.
   Example Logic: `IF wall_ahead AND left_is_visited THEN turn_right`
5. Run the simulation. **Observe:** The agent should now remember where it has been, realize it is in a loop, and choose an alternate path to escape.

Part 2: Theoretical Evaluation & Lecture Mapping

> Based on your practical observations above, answer the following questions to map your code directly to the architectural theories covered in Lecture 02.

1. (Remember) According to Lecture 02, why is it impossible to program a mathematically perfect "Table-Driven Agent" for complex environments like Chess? What happens as the agent's lifetime increases?

A Table-Driven Agent is impractical for complex environments like chess because it requires storing an action for every possible sequence of percepts. Chess has an enormous number of possible board positions and games, making the lookup table impossibly large. It would require unrealistic amounts of memory, time, and computation to create and maintain. As the agent's lifetime increases, the number of possible percept sequences grows exponentially, causing the lookup table to become larger and eventually impossible to store or search efficiently. Therefore, modern AI

2. (Understand) Look at the code you wrote for your `SimpleReflexAgent`. Identify and explain the specific lines of code that represent the "Condition-Action Rules" discussed in the lecture.

```
if percept == "Dirty":
    return "Suck"
else:
    return "Move"
```

The condition percept == "Dirty" checks the current environment, and the action return "Suck" tells the agent to clean the location. If the condition is false, the else statement makes the agent perform the "Move" action. These rules allow the agent to

3. (Analyze) Your `SimpleReflexAgent` likely got stuck in an infinite loop during Step 1.2. Based on the lecture, analyze exactly why this happened. How did the combination of "Partial Observability" and a lack of "Percept History" cause this failure?

The Simple Reflex Agent entered an infinite loop because it operates in a partially observable environment and has no percept history (memory). It can only observe the current room and cannot determine the state of other rooms. Since it does not remember previous actions or percepts, it cannot recognize that it has already cleaned both rooms. After finding a clean room, it simply follows its condition-action rule to move to another room, causing it to move back and forth endlessly. Therefore, the combination of partial observability and the lack of memory prevents the agent

4. (Evaluate) In Step 1.3, you added an internal state to your `ModelBasedAgent`. Evaluate how your specific code handles the "Transition Model" (how the world evolves) and the "Sensor Model" (how the agent's actions affect the world).

In the ModelBasedAgent, the Sensor Model is implemented by updating the internal state with the current percept, for example self.model[location] = status. This allows the agent to remember the condition of each room after sensing it. The Transition Model is implemented by updating the internal model after an action, such as self.model[location] = "Clean" after performing the Suck action. This reflects the expected change in the environment caused by the agent's action. By combining these two models, the agent maintains an accurate internal representation of the

Finalize and Lock Lab 02 Documentation

FACULTY OF COMPUTING