BSc (Hons) in **Information Technology**
Specialized in AI

IT3012 : Intelligent Agents

Year 3 · Semester 1 · 2026 Semester 2

Faculty of Computing

Practical 04

> **Module Objective:** In previous weeks, your Drow Ranger agent used A* Search to find a physical path to the goal. However, it blindly assumed every non-wall tile was safe. Today, we implement a **Knowledge Base (KB)** and a **Forward Chaining Inference Engine**. Your agent must now mathematically prove a cell is logically *Feasible* before taking a step, using real-time rules about map vision and enemy threats.

Part 1: The Logic Engine Architecture

Step 1.1: Building the Knowledge Base (KB)

> Instead of hardcoding hundreds of nested `if-else` statements in our agent's movement logic, we will build a declarative Knowledge Base. You need to design a Python class that stores **Facts** (current percepts) and **Rules** (Horn Clauses).

1. Create a new file named `logic_engine.py` .
2. Implement a `KnowledgeBase` class based on the following structural requirements:

```
CLASS KnowledgeBase:
   // Attributes
   DECLARE facts AS Set                     // To store unique string fact
   DECLARE rules AS List                    // To store rules as Tuples: (

   // Methods
   FUNCTION tell_fact(fact_string):
       ADD fact_string TO facts

   FUNCTION tell_rule(premise_list, conclusion_string):
       APPEND Tuple(premise_list, conclusion_string) TO rules
```

```
    FUNCTION clear_facts():
        EMPTY the facts Set
```

Part 2: Implementing Forward Chaining

Step 2.1: The Inference Algorithm

> The agent needs an Inference Engine to deduce new information from its raw sensors. Translate the following Data-Driven **Forward Chaining** algorithm into a Python method inside your `KnowledgeBase` class.

1. Write the `forward_chain()` method.
2. Ensure you use a `while` loop that continues to iterate over the rules until a full pass results in absolutely no new facts being deduced.

```
FUNCTION forward_chain():
    DECLARE new_facts_added = TRUE

    WHILE new_facts_added == TRUE:
        new_facts_added = FALSE

        FOR EACH (premises, conclusion) IN rules:
            IF conclusion IS NOT IN facts:

                // Modus Ponens Check
                IF ALL premises ARE IN facts:
                    ADD conclusion TO facts
                    new_facts_added = TRUE
```

Part 3: Hooking Logic into the Grid Game

Step 3.1: Defining the Game Constraints

> Now we translate the game's safety constraints into our logic engine using Propositional Logic.

1. In your main `agent.py`, instantiate the KB in the `__init__` method: `self.kb = KnowledgeBase()`.
2. Use your `tell_rule` method to define the following safety rules:
   Rule 1: `TargetVisible ∧ HasDust ⇒ SafeToEngage`
   Rule 2: `SafeToEngage ∧ BloodseekerMissing ⇒ Retreat`

Step 3.2: Validating Feasibility in A*

> Modify your existing A* pathfinding algorithm to consult the Knowledge Base before expanding a node.

1. Locate the neighbor-generation loop in your A* code (where you normally check for physical walls).
2. Before adding a neighbor to the `open_list`, clear the KB facts.
3. Feed the current percepts for that specific tile into the KB using `tell_fact()`.
4. Run `self.kb.forward_chain()`.
5. If `'Retreat'` is deduced and exists in `self.kb.facts`, mark the tile as **Infeasible**. Skip it (do not add it to the open list), even if it is physically reachable.

Part 4: Self-Evaluation Test Cases

4.1 Automated Validation

Create a file named `test_logic.py`. Copy and run the following Python assert statements to verify your Forward Chaining engine works correctly mathematically before you attempt to integrate it into the visual grid.

```python
 from logic_engine import KnowledgeBase

def test_forward_chaining():
    kb = KnowledgeBase()

    # Add Domain Rules
    kb.tell_rule(['TargetVisible', 'HasDust'], 'SafeToEngage')
    kb.tell_rule(['SafeToEngage', 'BloodseekerMissing'], 'Retreat')

    # Test Case 1: Safe Engagement
    kb.clear_facts()
    kb.tell_fact('TargetVisible')
    kb.tell_fact('HasDust')
    kb.forward_chain()
    assert 'SafeToEngage' in kb.facts, "Test 1 Failed: Should deduce Sa
    assert 'Retreat' not in kb.facts, "Test 1 Failed: Should NOT deduce

    # Test Case 2: Unsafe Engagement (Bloodseeker Missing)
    kb.clear_facts()
    kb.tell_fact('TargetVisible')
    kb.tell_fact('HasDust')
    kb.tell_fact('BloodseekerMissing')
    kb.forward_chain()
    assert 'Retreat' in kb.facts, "Test 2 Failed: Should deduce Retreat

    print("✅ All Logic Engine Test Cases Passed!")

if __name__ == "__main__":
    test_forward_chaining()
```

Part 5: Theory-to-Implementation Mapping

> Based on the code you just wrote and the lecture on Logical Reasoning, complete the following analytical questions to explain *how* your code implements the theory.

1. Reachability vs. Feasibility (Apply)
In Step 3.2, you modified the A* algorithm's neighbor-generation loop. How does your

new code differentiate between checking if a node is "Reachable" (like a wall collision) versus checking if it is "Feasible"? Explain how the Knowledge Base enforces feasibility.

- **Reachability:** Determined by physical environment constraints—such as grid boundaries and structural obstacles like walls—to verify if an adjacent tile can be physically traversed.
- **Feasibility:** Evaluated logically through the Knowledge Base and Forward Chaining inference engine. Even if a tile is physically open and reachable, the KB processes current percepts to determine tactical safety (e.g., checking if 'Retreat' is deduced), allowing the agent to skip valid physical spaces that are logically unsafe.

2. Declarative vs. Procedural Paradigms (Analyze)
Why did we build a `KnowledgeBase` class with a `forward_chain()` loop instead of simply writing `if 'TargetVisible' in percepts and 'HasDust' in percepts:` directly inside the agent's movement code? What happens to the agent's code complexity if we add 50 new game rules?

- **Separation of Concerns:** A declarative KB completely decouples domain rules from execution code, whereas procedural `if-else` blocks hardcode business logic directly into control flows.
- **Scalability:** Managing 50 new game rules procedurally creates a combinatorial explosion of messy, heavily nested branching code. A declarative KB keeps code complexity flat by allowing new rules to be cleanly injected as data tuples into the rule list without rewriting the inference loop.

3. Modus Ponens & Horn Clauses (Understand)
The rule `['TargetVisible', 'HasDust'] ⇒ 'SafeToEngage'` is formally known as a Horn Clause. Briefly explain how your Python implementation of the `forward_chain()` `while` loop acts as a mathematical execution of the *Modus Ponens* inference rule.

- **Horn Clause Structure:** Defines a rule with a conjunction of positive premises leading to a single positive conclusion (e.g., `['TargetVisible', 'HasDust'] ⇒ 'SafeToEngage'`).
- **Modus Ponens Execution:** The `forward_chain()` while loop operationalizes Modus Ponens by checking if `ALL premises ARE IN facts`. When matched, it

dynamically asserts the conclusion into the fact set, repeating the process until a stable fixed point is reached.

Finalize and Lock Lab 05 Implementation

FACULTY OF COMPUTING