

Standard Name11 of 21

↑ AESU Silver DawnS23 ↓

Visual Hue Request: Blue (Reddish)

New Std	Retrieve Std	Store Std	List Std
---------	--------------	-----------	----------

Instrument Setup:%R LAV SCI UV Cal
Date: 27-Oct-23Time: 15:11:57


Batch Name3 of 3

↑ 2024-310875. 137178 EXP2400221 SILVE ↓

New Bat	Retrieve Bat	Store Bat	List Bat
---------	--------------	-----------	----------

Instrument Setup: %R LAV SCI UV Cal
Date: 15-May-24Time: 09:46:41

DeltaD65 / 10F11 / 10



Single/All	Zoom In	Zoom Out	CMC Plot	Print Form
------------	---------	----------	----------	------------

DataColor TOOLS 2.8.1S/N NO. 8823242

Standard %R						
400-450nm	66.00	64.29	61.26	58.51	56.55	53.58
460-510nm	54.29	56.13	54.86	52.79	51.07	48.42
520-570nm	45.87	45.73	45.79	44.85	44.27	45.49
580-630nm	47.67	48.47	49.23	49.83	49.08	47.89
640-690nm	47.84	50.61	55.98	68.09	79.10	82.82
700nm	87.92					

CMC DE Pass/Fail Tolerance: 0.80

I:c Ratio: (2.00 1.00)

Batch Name	III/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/F	Color	Comments	
70018391 CM35-2024-310875. 137178 EXP2400221 SILVE	D65 10 Deg	-0.36	-0.01	-0.06	-0.14	0.04	-0.04	0.15		Pass	too dark	too bright	too blue
70018391 CM35-2024-310875. 137178 EXP2400221 SILVE	F11 10 Deg	-0.36	0.07	-0.11	-0.14	0.11	0.02	0.18	0.10	Pass	too dark	too bright	too red