

Standard Name363 of 365

Putty BeigeS25 AFDN

Visual Hue Request: GREEN/YELLOWISH

New Std	Retrieve Std	Store Std	List Std
---------	--------------	-----------	----------

Instrument Setup:%R LAV SCI UV Cal

Date: 19-Mar-24Time: 19:41:01

Batch Name1 of 1


70005400 2000118429 182217 DOM24018

New Bat	Retrieve Bat	Store Bat	List Bat
---------	--------------	-----------	----------

Instrument Setup: %R LAV SCI UV Cal

Date: 14-Dec-24Time: 13:40:46

DeltaD65 / 10F11 / 10



Single/All	Zoom In	Zoom Out	CMC Plot	Print Form
------------	---------	----------	----------	------------

DataColor TOOLS 2.8.1S/N NO. 8823242

Standard %R

400-450nm	24.22	20.90	19.07	18.19	18.25	19.04
460-510nm	21.03	23.91	27.82	28.79	27.61	25.66
520-570nm	24.08	23.10	22.65	22.54	22.83	23.98
580-630nm	25.43	26.01	25.97	25.46	25.58	26.49
640-690nm	29.00	33.02	37.63	45.06	52.25	56.96
700nm	63.08					

CMC DE Pass/Fail Tolerance: 0.80

I:c Ratio: ( 2.00 1.00)

Batch Name	III/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/F	Color	Comments	
70005400 2000118429 182217 DOM2401804	D65 10 Deg	0.22	0.05	-0.10	0.09	-0.09	-0.06	0.15		Pass	too light	too dull	too red
70005400 2000118429 182217 DOM2401804	F11 10 Deg	0.33	-0.16	0.06	0.14	0.03	0.24	0.28	0.28	Pass	too light	too bright	too green