Sprint 4 — Presentation Script

Who says what, slide by slide. Target **14–15 minutes** including a 3-minute live demo. Deck: `SPRINT4_Slides.pptx` (speaker notes in Presenter View) or `SPRINT4_Slides.pdf`.

Check the names and roles. The Sprint 3 deck listed Albin Roy as Product Owner and Merajun Nabi as Tester; the home page's team section lists Kenny George Joseph (Product Owner) and Albin Roy (Tester). This script follows the Sprint 3 deck — change the `@@` lines if your split differs.

Who covers what

SPEAKER	ROLE	SLIDES	APPROX.
Shafiullah Anik	Scrum Master	1–2, 18–19	2½ min
Albin Roy	Product Owner	3–6	3 min
Mushfiqur Rahman	Lead Developer	7–13 (incl. live demo)	6½ min
Merajun Nabi	Tester	14–17	3 min
All four	—	20 (questions)	—

Handover rule: finish your sentence, say the next person's name, step back. There are only four handovers — each section is one continuous block.

The story we are telling: the client gave us six requirements. We walked into a broken live platform, fixed it, shipped all six, redesigned every page, and proved it works in the database, in the browser and live. Say numbers plainly; don't oversell — the evidence does it.

Slide 1 · Title

Shafiullah Anik SCRUM MASTER

> *"Good morning. This is our Sprint 4 review for the Pedagogy Evaluation Platform."*

> *"This sprint we shipped a personal dashboard, three years of history, proper handling of two attempts, historical comparison with graphs, ten-minute sessions, and anonymous storage only on completion — plus a full redesign of every page."*

> *"Albin will cover what the client asked for, Mushfiqur will show how it works, Merajun will show how we tested it, and I'll close with handover and next steps."*

Keep it under 40 seconds.

Slide 2 · Sprint 4 in numbers

Shafiullah Anik SCRUM MASTER

> "*These numbers come straight from the repository — they're not estimates.*"

> "*Six of six backlog items shipped. Seven pages redesigned end to end. Three production releases, each verified on the live site. Around five and a half thousand lines added and over three thousand removed, across twenty-eight files.*"

> "*Forty-eight automated database checks, all passing. And one production outage we diagnosed and recovered before we could even start.*"

Point at the **0** last: "*And zero data is written before an evaluation is submitted — Merajun will prove that one.*"

→ **Hand to Albin.**

Slide 3 · Six backlog items. Six shipped.

Albin Roy PRODUCT OWNER

> "*These six came out of sprint planning with Dr Firmin.*"

Don't read the table. Summarise:

> "*A dashboard for the user. Three years of stored results. Two attempts handled properly, with the option to delete the previous one. Comparison with past years, shown as graphs. A ten-minute session. And the evaluation stays anonymous until it's completed.*"

> "*The right-hand column is the point — every one is shipped and live today.*"

Slide 4 · Redesign — before and after

Albin Roy PRODUCT OWNER

> "*On the left is the home page at the start of the sprint. It looked impressive, but it read like a template — dark background, decorative animation, a custom cursor.*"

> *"This is a research tool that academics use once a year. Clarity and trust matter more than effects. So on the right: a light, calm design, real typography, and colour used only where it means something — the four framework categories."*

> *"Every page was rebuilt this way: the questionnaire, results, report, the dashboard and the admin console."*

Slide 5 · Home page

Albin Roy PRODUCT OWNER

> *"Two things changed for the participant."*

> *"First, the very first statement is on the home page. You can answer it before signing up, and your answer carries into the assessment."*

> *"Second, we explain the choice in plain language. With an account you get a dashboard and your history. Anonymously, nothing is stored until you submit. And it works on a phone — that's the right-hand screenshot."*

Slide 6 · Two attempts — the user decides

Albin Roy PRODUCT OWNER

> *"Requirement three was the one with the most nuance: what happens when someone takes the evaluation twice."*

> *"Your newest attempt is always your active result — that's the one that counts. The previous one is kept so you can compare. Straight after you submit a second attempt, you choose: keep both, or delete the previous one so only the current attempt counts."*

> *"You can also delete it later from the dashboard. And your active result can never be deleted by accident — the database refuses."*

→ **Hand to Mushfiqur.**

Slide 7 · Day one — the platform was down

Mushfiqur Rahman LEAD DEVELOPER

> *"Before we could build anything, the live site was broken. Sign-in failed and anonymous mode failed."*

> *"It wasn't our code. The database address no longer existed — we confirmed it with two different DNS resolvers. The free database had been paused for inactivity, and the access token we'd been handed was revoked."*

> *"We restored the project, applied the migrations in order, and verified every rule against the live database. We also made the sign-in error human: instead of 'Failed to fetch', it now says the service can't be reached and offers anonymous mode."*

> *"The lesson feeds into handover — Shafiullah will come back to it."*

Slide 8 · 10-minute session

Mushfiqur Rahman LEAD DEVELOPER

> *"Every evaluation is a ten-minute session. The clock starts when you begin, it's always visible, and it survives a page refresh or closing the tab."*

> *"At two minutes it turns amber, at one minute red, and screen-reader users are told."*

> *"When time runs out — right-hand screenshot — the unsubmitted answers are cleared and nothing is stored. And this isn't only in the browser: the database checks the start time and rejects anything submitted late."*

Slide 9 · User dashboard

Mushfiqur Rahman LEAD DEVELOPER

> *"This is the dashboard — requirements one and two. It answers one question: am I improving?"*

> *"Top row: your active result, whether your overall practice improved compared with your previous attempt, and how much history is stored and until when."*

> *"This screenshot uses test data, but everything is built from real stored attempts."*

Slide 10 · Improved, decreased or stayed similar

Mushfiqur Rahman LEAD DEVELOPER

> *"Requirement four. Pick any earlier attempt from the dropdown, and every category shows whether it improved, decreased or stayed similar."*

> *"We deliberately treat a change of two points or less as 'stayed similar', so a tiny difference isn't presented as progress or decline."*

Slide 11 · Three years on one chart

Mushfiqur Rahman LEAD DEVELOPER

> *"And year to year: each year's result for up to three years. The bold line is overall, the dashed lines are the four categories, and the table underneath says it in words."*

> *"After three years, data is purged automatically."*

Slide 12 · The rules live in the database

Mushfiqur Rahman LEAD DEVELOPER

> *"The important engineering decision: the rules are enforced in the database, not just in the page."*

> *"There is exactly one way to store an evaluation — a function called submit_assessment. It checks all twenty answers, checks the session started within ten minutes, recalculates the scores itself so they can't be faked, stores everything in one transaction, and applies the two-attempt rule."*

> *"A second function deletes previous attempts, and refuses to delete your active one."*

Slide 13 · Live demo

Mushfiqur Rahman LEAD DEVELOPER — DRIVING

Three minutes. Follow the four steps on the slide. **See the Demo Runbook below.**

> "*Let's use it.*"

1. Home → answer statement 1 → **Or continue anonymously**. "*Notice it starts at question two.*"
2. Point at the timer. Answer a few, click **Review answers**, then submit if all answered

(or show the review screen). "*Only now does anything get stored.*"

1. Sign in with the test account → **Dashboard** → change **Compare with** → show a trend chip.
2. Open **admin.html** (already signed in on another tab) → refresh → the new result is there.

If anything fails: "*We'll use the slides — the screenshots are from the same build.*" and go back to slide 9.

→ **Hand to Merajun.**

Slide 14 · Nothing leaves the browser until you submit

Merajun Nabi TESTER

> "*For requirement six I didn't want a promise, I wanted proof.*"

> "*I monitored every network request during a full anonymous run. While the participant answers and reviews: zero requests. On submit: exactly one database call, which stores the session and all twenty answers together.*"

> "*And if the ten-minute session expires first, nothing is ever sent.*"

Slide 15 · Admin dashboard

Merajun Nabi TESTER

> "*The admin console was redesigned too. One change matters for the research: when a participant keeps a previous attempt, only their active attempt is counted in the averages — so nobody is counted twice.*"

Slide 16 · How we tested

Merajun Nabi TESTER

> *"We tested at three levels."*

> *"In the database: forty-eight automated checks against the full schema in a real Postgres engine — on a fresh database and on top of the earlier draft, each run twice. Late submissions, invalid answers, the two-attempt rule, deleting, and one user trying to touch another's data."*

> *"In the browser: every dashboard state, the timer at each threshold, expiry mid-question, and the mobile layout."*

> *"And live: we sent requests to the real database that can't write data, and confirmed every rule is enforced there."*

Slide 17 · What we caught

Merajun Nabi TESTER

> *"The honest one first. Our first version of the attempt migration would have deleted same-year attempts — which the refined requirement wanted kept. We caught it before it ran on the live database and rewrote it."*

> *"We also found anonymous mode quietly creating database records at the start, which broke requirement six; a button showing before it should; a card cut off on phones; and an unhelpful error during outages. All fixed and re-tested."*

→ **Hand to Shafiullah.**

Slide 18 · Handover — it can run for free

Shafiullah Anik SCRUM MASTER

> *"The platform can run at no cost: GitHub Pages hosts it, Supabase's free plan covers fifty thousand monthly users, and Resend's free plan covers three thousand emails a month."*

> *"Two risks. The free database pauses after a week of inactivity — exactly what happened to us — so we add a daily keep-alive ping. And there are no automatic backups on the free plan, so Dr Firmin exports a CSV each month."*

> *"For verification codes and results emails to reach every participant, we need university IT to add DNS records for a sender address. That's about ten minutes of their time."*

Slide 19 · Sprint 5

Shafiullah Anik SCRUM MASTER

> *"Next sprint is about handing it over properly: email that reaches everyone, moving the accounts to university ownership and rotating every key, a written handover guide, and research views that break scores down by demographics."*

> *"That's Sprint 4. Happy to take questions."*

Slide 20 · Questions

All four — whoever owns the area takes the question

Route by topic: scope and requirements → **Albin**; technical and build → **Mushfiqur**; testing and defects → **Merajun**; timeline, handover and cost → **Shafiullah**.

Likely questions, and honest answers

"Is it live?" — Mushfiqur

> *"Yes. Everything on these slides is deployed at lmctpro2026.github.io/pedagogy-evaluation-platform, and the database rules are applied."*

"Can someone get around the ten-minute limit?" — Mushfiqur

> *"Not by refreshing or opening a new tab — the start time is kept. The database also rejects late submissions. Someone technical could fake the start time their browser reports, so it's a strong guard for normal use rather than exam-grade proctoring."*

"Why keep two attempts instead of one?" — Albin

> *"That was the client's requirement: handle the previous and current result, and let the user delete or override the previous one. Keeping it by default means nobody loses data they wanted to compare against."*

"What happens to someone who retakes three times in a year?" — Albin

> *"The newest two are kept; the oldest is removed. The screen tells them before they start."*

"Is anonymous data really anonymous?" — Merajun

> *"Nothing is linked to a name or account, and nothing is stored until submission. The optional 'email me my results' box is the participant's choice — it's used to send them a copy. It isn't formally anonymised research data, so if the ethics approval needs that, it's a decision to make deliberately."*

"Do verification emails work?" — Shafiullah or Mushfiqur

> *"Today, email is sent through a test sender that only reliably reaches the account owner. For all participants we need a verified university sender — that's first in Sprint 5. For the demo we use a test account."*

"How much will it cost the university?" — Shafiullah

> *"Nothing on the free plans at this scale. If they want automatic backups and no pausing, Supabase Pro is about US$25 a month."*

"How many users can it handle?" — Mushfiqur

> *"The free plan allows fifty thousand monthly active users. We haven't load-tested it, so if they expect a very large cohort we'd test first."*

Demo Runbook

Before the presentation (15 minutes, the day before)

1. **Test account.** On the live site, create an account with an email you control and

verify it. If the code doesn't arrive, turn off *Confirm email* in Supabase → Authentication → Sign In / Providers → Email for the demo.

1. **Give it history.** Complete the evaluation **twice** with that account (different

answers), and choose **Keep both** the second time — so the dashboard has a comparison.

1. **Admin tab.** Sign in at `/admin.html` in a separate browser profile or window.
2. **Clean browser for the anonymous part.** Use a private window.
3. **Wake the database.** Load the site once an hour before — free projects can be slow on

first request.

On the day — tabs, left to right

1. Slides (Presenter View)
2. Private window: home page
3. Normal window: signed in as the test account, on the dashboard
4. Admin dashboard, signed in

If something goes wrong

PROBLEM	SAY	DO
Site won't load	"*We'll use the screenshots — same build.*"	Slides 8–11
Sign-in fails	"*That's the free email setup Shafiullah covers.*"	Use tab 3 (already signed in)
Timer runs out mid-demo	"*That's requirement five working.*"	Show the expired screen, start again