Authx Reference - API Extra

ProfilerMiddleware

Warning

You need to install dependencies to use The Profiler.

```
$ pip install authx_extra
```

class authx_extra.profiler.ProfilerMiddleware

```
ProfilerMiddleware(app, *, server_app=None, profiler_interval=0.0001, profiler_output_type='text',
is_print_each_request=True, **profiler_kwargs)
```

Source code in `authx_extra/profiler.py`

```
def __init__(
    self,
    app: ASGIApp,
    *,
    server_app: Optional[Router] = None,
    profiler_interval: float = 0.0001,
    profiler_output_type: str = "text",
    is_print_each_request: bool = True,
    **profiler_kwargs,
):
    self.app = app
    self._profiler = Profiler(interval=profiler_interval)

    self._server_app = server_app
    self._output_type = profiler_output_type
    self._print_each_request = is_print_each_request
    self._profiler_kwargs: dict = profiler_kwargs
```

attr app `instance-attribute`

```
app = app
```

meth get_result `async`

```
get_result()
```

Source code in `authx_extra/profiler.py`

```python
async def get_result(self):
    if self._output_type == "text":
        print(self._profiler.output_text(**self._profiler_kwargs))

    elif self._output_type == "html":
        html_name = self._profiler_kwargs.get("html_file_name")
        if html_name is None:
            html_name = "authx_profiling_results.html"

        html_code = renderers.HTMLRenderer().render(
            session=self._profiler.last_session
        )
        with codecs.open(html_name, "w", "utf-8") as f:
            f.write(html_code)

    elif self._output_type == "json":
        json_name = self._profiler_kwargs.get("json_file_name")
        if json_name is None:
            json_name = "authx_profiling_results.json"

        json_code = renderers.JSONRenderer().render(
            session=self._profiler.last_session
        )
        with codecs.open(json_name, "w", "utf-8") as f:
            f.write(json_code)
```

March 20, 2026 March 19, 2026 GitHub