FastAPI Reference

Status Codes

You can import the `status` module from `fastapi`:

```
from fastapi import status
```

`status` is provided directly by Starlette.

It contains a group of named constants (variables) with integer status codes.

For example:

- `200`: `status.HTTP_200_OK`
- `403`: `status.HTTP_403_FORBIDDEN`
- etc.

It can be convenient to quickly access HTTP (and WebSocket) status codes in your app, using autocompletion for the name without having to remember the integer status codes by memory.

Read more about it in the FastAPI docs about Response Status Code.

Example

```
from fastapi import FastAPI, status

app = FastAPI()


@app.get("/items/", status_code=status.HTTP_418_IM_A_TEAPOT)
def read_items():
    return [{"name": "Plumbus"}, {"name": "Portal Gun"}]
```

mod fastapi.status

HTTP codes See HTTP Status Code Registry: https://www.iana.org/assignments/http-status-codes/http-status-codes.xhtml

And RFC 9110 - https://www.rfc-editor.org/rfc/rfc9110

attr HTTP_100_CONTINUE module-attribute

```
HTTP_100_CONTINUE = 100
```

attr HTTP_101_SWITCHING_PROTOCOLS module-attribute

```
HTTP_101_SWITCHING_PROTOCOLS = 101
```

attr HTTP_102_PROCESSING module-attribute

Ask AI

```
HTTP_102_PROCESSING = 102
```

attr HTTP_103_EARLY_HINTS module-attribute

```
HTTP_103_EARLY_HINTS = 103
```

attr HTTP_200_OK module-attribute

```
HTTP_200_OK = 200
```

attr HTTP_201_CREATED module-attribute

```
HTTP_201_CREATED = 201
```

attr HTTP_202_ACCEPTED module-attribute

```
HTTP_202_ACCEPTED = 202
```

attr HTTP_203_NON_AUTHORITATIVE_INFORMATION module-attribute

```
HTTP_203_NON_AUTHORITATIVE_INFORMATION = 203
```

attr HTTP_204_NO_CONTENT module-attribute

```
HTTP_204_NO_CONTENT = 204
```

attr HTTP_205_RESET_CONTENT module-attribute

```
HTTP_205_RESET_CONTENT = 205
```

attr HTTP_206_PARTIAL_CONTENT module-attribute

```
HTTP_206_PARTIAL_CONTENT = 206
```

attr HTTP_207_MULTI_STATUS module-attribute

```
HTTP_207_MULTI_STATUS = 207
```

attr HTTP_208_ALREADY_REPORTED module-attribute

```
HTTP_208_ALREADY_REPORTED = 208
```

attr HTTP_226_IM_USED module-attribute

```
HTTP_226_IM_USED = 226
```

attr HTTP_300_MULTIPLE_CHOICES module-attribute

```
HTTP_300_MULTIPLE_CHOICES = 300
```

attr HTTP_301_MOVED_PERMANENTLY module-attribute

```
HTTP_301_MOVED_PERMANENTLY = 301
```

attr HTTP_302_FOUND module-attribute

```
HTTP_302_FOUND = 302
```

attr HTTP_303_SEE_OTHER module-attribute

```
HTTP_303_SEE_OTHER = 303
```

attr HTTP_304_NOT_MODIFIED module-attribute

```
HTTP_304_NOT_MODIFIED = 304
```

attr HTTP_305_USE_PROXY module-attribute

```
HTTP_305_USE_PROXY = 305
```

attr HTTP_306_RESERVED module-attribute

```
HTTP_306_RESERVED = 306
```

attr HTTP_307_TEMPORARY_REDIRECT module-attribute

```
HTTP_307_TEMPORARY_REDIRECT = 307
```

attr HTTP_308_PERMANENT_REDIRECT module-attribute

```
HTTP_308_PERMANENT_REDIRECT = 308
```

attr HTTP_400_BAD_REQUEST module-attribute

```
HTTP_400_BAD_REQUEST = 400
```

attr HTTP_401_UNAUTHORIZED module-attribute

```
HTTP_401_UNAUTHORIZED = 401
```

attr HTTP_402_PAYMENT_REQUIRED module-attribute

```
HTTP_402_PAYMENT_REQUIRED = 402
```

attr HTTP_403_FORBIDDEN module-attribute

```
HTTP_403_FORBIDDEN = 403
```

attr HTTP_404_NOT_FOUND module-attribute

```
HTTP_404_NOT_FOUND = 404
```

attr HTTP_405_METHOD_NOT_ALLOWED module-attribute

```
HTTP_405_METHOD_NOT_ALLOWED = 405
```

attr HTTP_406_NOT_ACCEPTABLE module-attribute

```
HTTP_406_NOT_ACCEPTABLE = 406
```

attr HTTP_407_PROXY_AUTHENTICATION_REQUIRED module-attribute

```
HTTP_407_PROXY_AUTHENTICATION_REQUIRED = 407
```

attr HTTP_408_REQUEST_TIMEOUT module-attribute

```
HTTP_408_REQUEST_TIMEOUT = 408
```

attr HTTP_409_CONFLICT module-attribute

```
HTTP_409_CONFLICT = 409
```

attr HTTP_410_GONE module-attribute

```
HTTP_410_GONE = 410
```

attr HTTP_411_LENGTH_REQUIRED module-attribute

```
HTTP_411_LENGTH_REQUIRED = 411
```

attr HTTP_412_PRECONDITION_FAILED module-attribute

```
HTTP_412_PRECONDITION_FAILED = 412
```

attr HTTP_413_CONTENT_TOO_LARGE module-attribute

```
HTTP_413_CONTENT_TOO_LARGE = 413
```

attr HTTP_414_URI_TOO_LONG module-attribute

```
HTTP_414_URI_TOO_LONG = 414
```

attr HTTP_415_UNSUPPORTED_MEDIA_TYPE module-attribute

```
HTTP_415_UNSUPPORTED_MEDIA_TYPE = 415
```

attr HTTP_416_RANGE_NOT_SATISFIABLE module-attribute

```
HTTP_416_RANGE_NOT_SATISFIABLE = 416
```

attr HTTP_417_EXPECTATION_FAILED module-attribute

```
HTTP_417_EXPECTATION_FAILED = 417
```

attr HTTP_418_IM_A_TEAPOT module-attribute

```
HTTP_418_IM_A_TEAPOT = 418
```

attr HTTP_421_MISDIRECTED_REQUEST module-attribute

```
HTTP_421_MISDIRECTED_REQUEST = 421
```

attr HTTP_422_UNPROCESSABLE_CONTENT module-attribute

```
HTTP_422_UNPROCESSABLE_CONTENT = 422
```

attr HTTP_423_LOCKED module-attribute

```
HTTP_423_LOCKED = 423
```

attr HTTP_424_FAILED_DEPENDENCY module-attribute

```
HTTP_424_FAILED_DEPENDENCY = 424
```

attr HTTP_425_TOO_EARLY module-attribute

```
HTTP_425_TOO_EARLY = 425
```

attr HTTP_426_UPGRADE_REQUIRED module-attribute

```
HTTP_426_UPGRADE_REQUIRED = 426
```

attr HTTP_428_PRECONDITION_REQUIRED module-attribute

```
HTTP_428_PRECONDITION_REQUIRED = 428
```

attr HTTP_429_TOO_MANY_REQUESTS module-attribute

```
HTTP_429_TOO_MANY_REQUESTS = 429
```

attr HTTP_431_REQUEST_HEADER_FIELDS_TOO_LARGE module-attribute

```
HTTP_431_REQUEST_HEADER_FIELDS_TOO_LARGE = 431
```

attr HTTP_451_UNAVAILABLE_FOR_LEGAL_REASONS module-attribute

```
HTTP_451_UNAVAILABLE_FOR_LEGAL_REASONS = 451
```

attr HTTP_500_INTERNAL_SERVER_ERROR module-attribute

```
HTTP_500_INTERNAL_SERVER_ERROR = 500
```

attr HTTP_501_NOT_IMPLEMENTED module-attribute

```
HTTP_501_NOT_IMPLEMENTED = 501
```

attr HTTP_502_BAD_GATEWAY module-attribute

```
HTTP_502_BAD_GATEWAY = 502
```

attr HTTP_503_SERVICE_UNAVAILABLE module-attribute

```
HTTP_503_SERVICE_UNAVAILABLE = 503
```

attr HTTP_504_GATEWAY_TIMEOUT module-attribute

```
HTTP_504_GATEWAY_TIMEOUT = 504
```

attr HTTP_505_HTTP_VERSION_NOT_SUPPORTED module-attribute

```
HTTP_505_HTTP_VERSION_NOT_SUPPORTED = 505
```

attr HTTP_506_VARIANT_ALSO_NEGOTIATES module-attribute

```
HTTP_506_VARIANT_ALSO_NEGOTIATES = 506
```

attr HTTP_507_INSUFFICIENT_STORAGE module-attribute

```
HTTP_507_INSUFFICIENT_STORAGE = 507
```

attr HTTP_508_LOOP_DETECTED module-attribute

```
HTTP_508_LOOP_DETECTED = 508
```

attr HTTP_510_NOT_EXTENDED module-attribute

```
HTTP_510_NOT_EXTENDED = 510
```

attr HTTP_511_NETWORK_AUTHENTICATION_REQUIRED module-attribute

```
HTTP_511_NETWORK_AUTHENTICATION_REQUIRED = 511
```

WebSocket codes https://www.iana.org/assignments/websocket/websocket.xml # close-code-number https://developer.mozilla.org/en-US/docs/Web/API/CloseEvent

attr WS_1000_NORMAL_CLOSURE module-attribute

```
WS_1000_NORMAL_CLOSURE = 1000
```

attr WS_1001_GOING_AWAY module-attribute

```
WS_1001_GOING_AWAY = 1001
```

attr WS_1002_PROTOCOL_ERROR module-attribute

```
WS_1002_PROTOCOL_ERROR = 1002
```

attr WS_1003_UNSUPPORTED_DATA module-attribute

```
WS_1003_UNSUPPORTED_DATA = 1003
```

attr WS_1005_NO_STATUS_RCVD module-attribute

```
WS_1005_NO_STATUS_RCVD = 1005
```

attr WS_1006_ABNORMAL_CLOSURE module-attribute

```
WS_1006_ABNORMAL_CLOSURE = 1006
```

attr WS_1007_INVALID_FRAME_PAYLOAD_DATA module-attribute

```
WS_1007_INVALID_FRAME_PAYLOAD_DATA = 1007
```

attr WS_1008_POLICY_VIOLATION module-attribute

```
WS_1008_POLICY_VIOLATION = 1008
```

attr WS_1009_MESSAGE_TOO_BIG module-attribute

```
WS_1009_MESSAGE_TOO_BIG = 1009
```

attr WS_1010_MANDATORY_EXT module-attribute

```
WS_1010_MANDATORY_EXT = 1010
```

attr WS_1011_INTERNAL_ERROR module-attribute

```
WS_1011_INTERNAL_ERROR = 1011
```

attr WS_1012_SERVICE_RESTART module-attribute

```
WS_1012_SERVICE_RESTART = 1012
```

attr WS_1013_TRY_AGAIN_LATER module-attribute

```
WS_1013_TRY_AGAIN_LATER = 1013
```

attr WS_1014_BAD_GATEWAY module-attribute

```
WS_1014_BAD_GATEWAY = 1014
```

attr WS_1015_TLS_HANDSHAKE module-attribute

```
WS_1015_TLS_HANDSHAKE = 1015
```