

[T]-Theory: Psychiatry

P10 · Clinical Soma · For: The Psychiatrist

Clinical Operator Propagator — DSM categories as attractor basins.

Diagnostic reframing:

- ASD = altered W_8 coupling geometry (reduced CO, ME)
- ADHD = elevated field temperature T_{field} , shallow basins
- Depression = over-deep EM/ME wells, reduced T_{field}
- Anxiety = narrow, sharp wells; high sensitivity to k

Pharmacological model:

- SSRIs $\approx$ raise T_{field} (loosen well walls)
- Antipsychotics $\approx$ lower k (broaden correlation length)
- Stimulants $\approx$ raise k (sharpen focus, narrow ℓ)
- Ketamine $\approx$ temporary $k \rightarrow 0$ (global field perturbation)

I · The Clinical Operator Propagator

The resolvent of the Hopfield Hamiltonian in the clinical parameter regime:

$$G_{\text{clinical}}(\lambda) = (H - \lambda I)^{-1}$$

Poles of G_{clinical} at eigenvalues λ_i of W_8 = normal modes of the emotional processing system. Clinical presentation = which pole dominates the dynamics.

DSM-5 categories $\approx$ attractor basin topology classifications: disordered configurations of the same 8-dimensional field.

II · Neurodevelopmental Phenotypes

The Pre-Verbal Manifold (P18): neurodevelopmental phenotypes arise from altered W_8 structure set during early field formation:

- ASD: reduced Contagion (CO) weight $\rightarrow$ social field coupling deficit
- ADHD: high temporal $k \rightarrow$ rapid basin switching, poor well retention
- Twice-exceptional: multiple deep wells with high T_{field} $\rightarrow$ creative instability

These are **field geometries**, not deficits. Different landscapes support different cognitive styles.

III · The Limbic Axis in Psychiatry

The CO (Contagion) mechanism maps to the Limbic Axis $D_8 = S^1/\mathbb{Z}_2$ in the USF geometry. The two boundary branes correspond to:

- **Sympathetic activation:** field temperature rises, escape probability increases
- **Parasympathetic regulation:** field cools, basin stabilises

The therapeutic window = the field operating above the sympathetic floor and below the parasympathetic ceiling.

IV · Falsifiable Predictions

- ASD coupling matrix W_8 should show reduced off-diagonal CO entries
- ADHD should show higher spontaneous field temperature (HRV marker)
- Treatment response $\propto$ shift in dominant eigenvalue of W_8
- Remission = basin reshaping to a shallower, broader well

G-ID: *Clinical Operator Propagator* — resolvent of the Hopfield Hamiltonian in the clinical regime. ORCID: 0009-0007-2194-0850 · CC BY 4.0 · Zurich 2026