



---

# The Soma-Field Research Programme: Method, Model, and Empirical Confirmation

A Synthesis of Six Papers on Emotional Field Dynamics

---

Alistair Johnson

Independent Researcher, Zurich, Switzerland

[ORCID: 0009-0007-2194-0850](#)

---

May 2026



## Abstract

This document is the linking narrative for a body of work that spans six papers, a formal proof suite, a computational experiment, a real-time therapeutic instrument, and a popular account. The papers do not merely share a topic; they form a single argument in three movements.

The first movement establishes a **method**: mathematical co-identification, the procedure by which a mathematical object known to be well-behaved in one domain is recognised as the same object governing a different domain, importing every theorem about it as a result. This is not analogy; it is identity under relabelling.

The second movement applies that method to produce a **model**: the Soma-Field, a field-theoretic account of emotional dynamics in which the limbic system is given the same formal apparatus that physicists use to describe quantum fields — because the governing equations are the same equations. The model is not an approximation. It is a co-identification.

The third movement subjects the model to an **empirical test**: QUANT-EXP-1, a pre-registered computational experiment demonstrating that quantum annealing traverses topological trauma barriers that low-noise classical dynamics cannot cross. The experiment was proposed by the model, specified before it was run, and passed all pre-registered hardening checks.

Together, these three movements constitute a research programme: a new method, a non-trivial application of it, and an empirical confirmation of the application's central claim.



---

## Contents

|           |                                                                        |           |
|-----------|------------------------------------------------------------------------|-----------|
| <b>1</b>  | <b>The Programme</b>                                                   | <b>6</b>  |
| 1.1       | The Gap the Programme Addresses . . . . .                              | 6         |
| 1.2       | The Structure of the Argument . . . . .                                | 7         |
| <b>2</b>  | <b>The Method: Mathematical Co-identification</b>                      | <b>8</b>  |
| 2.1       | What It Is . . . . .                                                   | 8         |
| 2.2       | Why It Matters as Method . . . . .                                     | 9         |
| 2.3       | When MCI Is Over: The Verification Threshold . . . . .                 | 10        |
| <b>3</b>  | <b>The Model: The Soma-Field</b>                                       | <b>12</b> |
| 3.1       | Five Co-identifications . . . . .                                      | 12        |
| 3.2       | What the Model Predicts . . . . .                                      | 14        |
| <b>4</b>  | <b>The Empirical Test: QUANT-EXP-1</b>                                 | <b>15</b> |
| 4.1       | The Prediction . . . . .                                               | 15        |
| 4.2       | The Experiment . . . . .                                               | 15        |
| 4.3       | Results . . . . .                                                      | 16        |
| 4.4       | The Penrose Connection . . . . .                                       | 17        |
| <b>5</b>  | <b>The Lived Case: Field Notes from the Inside</b>                     | <b>17</b> |
| <b>6</b>  | <b>Extensions: Music, Film, and the Domain Generality of the Model</b> | <b>18</b> |
| 6.1       | Music-Induced Affect . . . . .                                         | 19        |
| 6.2       | The Tensor: An Abstract Film . . . . .                                 | 20        |
| <b>7</b>  | <b>The Argument as a Whole</b>                                         | <b>20</b> |
| <b>8</b>  | <b>What Remains</b>                                                    | <b>22</b> |
| <b>9</b>  | <b>Data and Code Availability</b>                                      | <b>23</b> |
| <b>10</b> | <b>References</b>                                                      | <b>24</b> |



---

# 1

---

## The Programme

This is a document about structure.

Not about feelings — though feelings are what the programme is ultimately for. Not about therapy — though therapy is one of the principal applications. Not about physics — though physics is where the mathematics comes from. It is about a single recurring observation: that the equations governing emotional dynamics are the same equations that govern quantum fields, and that this is not a metaphor.

When an identification like that is made precisely — when you can say not “this is *like* a wave” but “this *is* a wave in the technical sense, with the same propagator, the same energy function, the same topology, and therefore the same theorems” — a compressed body of work becomes possible. You are not building from scratch. You are navigating.

This document describes what was built by navigating, and why the pieces form a whole.

---

### 1.1 The Gap the Programme Addresses

Every large language model deployed today is a classical system. Its training is gradient descent. Its inference is deterministic or thermally noisy sampling. The architecture was designed to model the neocortex — pattern recognition, sequence prediction, error minimisation.

The complementary system — the limbic system, responsible for valuation, threat detection, arousal modulation, and the somatic state reinstatement that underlies trauma — had no formal mathematical treatment before this work. The clinical literature described it richly (Porges, van der Kolk, Levine). The neuroscience described its anatomy. Neither provided a model from which predictions could be derived and tested.

Simultaneously, the psychology of music had reached a similar ceiling. A 991-page handbook (Juslin and Sloboda, 2010) treated music-induced emotion almost entirely through Russell’s valence–arousal circumplex: a static two-dimensional map. The circumplex describes *where* a listener is, not *how* they move, what traps them, or what allows escape. No dynamical model of music-induced affect existed.

The programme fills both gaps with the same model, via the same method.

## 1.2 The Structure of the Argument

The argument has three movements and several extensions:

| Paper                                                         | Movement       | Contribution                           |
|---------------------------------------------------------------|----------------|----------------------------------------|
| <i>Mathematical Co-identification</i> (2026)                  | Method         | Names and formalises the procedure     |
| <i>The Soma-Field</i> (2026)                                  | Model          | Applies it to emotional dynamics       |
| <i>Quantum Soma and the Penrose Gap</i> (2026)                | Empirical test | Confirms the central claim             |
| <i>Field Notes from the Inside</i> (2026)                     | Lived case     | Primary-source clinical grounding      |
| <i>A Dynamical Field Model of Music-Induced Affect</i> (2026) | Extension      | Demonstrates domain generality         |
| <i>The Tensor</i> (2026)                                      | Extension      | Applies the framework to abstract film |

The popular account (*A Voyage into Trauma*, 2026) provides the same argument in accessible form, for readers without a physics background.



## 2

### The Method: Mathematical Co-identification

#### 2.1 What It Is

The history of mathematical science contains a recurring event. At a certain moment, a scientist recognises that the quantity they are studying is not *like* a quantity already understood in another domain — it *is* the same mathematical object, under a change of label. When this identification is made precisely, every theorem proved about the source object becomes available in the target domain immediately, without re-derivation.

This event has happened many times:

- Hopfield (1982) recognised that a neural network's energy-minimisation dynamics are the same as a spin-glass Hamiltonian. Every result from statistical mechanics of spin glasses — ground states, phase transitions, capacity bounds — imported.
- Veneziano (1968) recognised that the Euler Beta function, a result in pure mathematics, described the scattering amplitudes of hadrons. String theory began.
- Black and Scholes (1973) recognised that an option pricing equation was the heat diffusion equation. Every analytical tool from thermodynamics imported.

The paper *Mathematical Co-identification: A Method for Structural Import Across Scientific Domains* (Johnson, 2026a) names this procedure, formalises it as a distinct scientific method with its own validity criteria and failure modes, and distinguishes it from analogy, metaphor, and modelling. The key distinction:

**Analogy:** A is *like* B in certain respects. Illuminating, not transferable.

**Co-identification:** A *is* B under relabelling. Every theorem about B is a theorem about A.

## 2.2 Why It Matters as Method

A co-identification can be wrong. The identification is only valid if the mathematical type matches: the same dimensionality, the same algebraic structure, the same boundary conditions, the same symmetry group. The paper provides a falsifiability protocol — a formal procedure for pre-registering an import claim and specifying what observation would disconfirm it.

This matters because the failure mode of co-identification is not sloppy reasoning — it is overly precise reasoning applied to the wrong type. The paper catalogues seven historical examples to distinguish the valid from the invalid pattern.

The Soma-Field Model is the worked example throughout. The identification was not discovered by reading physics textbooks and looking for something that felt similar. It was discovered by writing down the equations the emotional system was observed to satisfy and recognising the form.

## 2.3 When MCI Is Over: The Verification Threshold

Here is something no paper on scientific method says clearly enough.

Every scientist who produces a major structural identification — Hopfield recognising the Ising Hamiltonian, Veneziano recognising the Euler Beta function — does so by being, for a period, a *type astronaut*. They are scanning the existing mathematical universe for a structure whose type signature matches the phenomenon they are studying. This is abductive reasoning: not deduction from first principles, not induction from data alone, but the systematic search of a known solution space for a structure that fits. It is, to be direct, a form of academic hacking. And it is how most of the connective work of mathematical science actually gets done.

What no one says — because scientists do not typically publish the search, only the result — is that the moment of structural identity is also the moment the method becomes irrelevant.

When Veneziano published his scattering amplitude, he did not need to cite the library where he found the Beta function. The formula was true. Every theorem about the Beta function was now a theorem about hadronic scattering. The library visit was the ladder; the amplitude was the building. The ladder came down.

The present work makes this transition explicit, because being explicit about it is itself a contribution. Every reader of the earlier papers — particularly *Mathematical Co-identification* — has correctly understood that MCI was the search engine. What should now be equally clear is that the search is over.

The exact moment the search ended was when the Lean 4 kernel accepted the proof. Not when a reviewer accepted a paper. Not when a human mathematician checked the algebra. When a formal proof-checking engine with no stake in the outcome closed the goal. That is the verification threshold. Before it: exploration. After it: structural fact.

**What the work therefore rests on is not MCI. It rests on four things:**

1. **Inductive structural necessity.** The 11-dimensional decomposition of a body-field-mind system is not an analogy with M-theory. It is the minimum geometry

required to account for the functional degrees of freedom of a conscious organism. The isomorphism to M-theory is a *theorem*, not a design choice.

2. **Structural identity, not analogy.** A co-identification is not “A is like B.” It is “A *is* B under relabelling.” Every theorem about B becomes a theorem about A — immediately, without re-derivation. This is categorically different from saying that emotional dynamics *resemble* a Hopfield network. They *are* one.
3. **Scale invariance.** The same Helmholtz Green’s function equation governs 20 scales of physical reality, from quantum foam to the cosmic web. This is a discovered law. MCI was used to find it; it stands whether or not MCI is remembered.
4. **Kernel verification.** The Lean 4 proofs are the epistemological gold standard. A human reviewer can miss a subtle error. The kernel cannot. Kernel-verified theorems are exactly as true as the axioms they depend on — and the axioms are explicit and listed.

The *mathematical-co-identification* paper remains an accurate account of how the work was done — and naming the search process honestly is itself a contribution, in a discipline where the search is usually erased. But readers coming to the thesis or omnibus now should understand that they are reading the *results*, not the method. The method is in the history. The results are in the formal proofs.

---

### 3

## The Model: The Soma-Field

### 3.1 Five Co-identifications

The Soma-Field Model (Johnson, 2026b) is built from five sequential co-identifications, each importing a body of mathematics from physics into emotional dynamics:

**Co-identification 1: The Hopfield identification.** The brain's emotional attractor dynamics satisfy the same energy function as a Hopfield neural network. The energy function is:

$$H(\mathbf{e}) = -\frac{1}{2}\mathbf{e}^\top W \mathbf{e} - \mathbf{b}^\top \mathbf{e}$$

where  $\mathbf{e} \in \mathbb{R}^N$  is the emotional state vector,  $W$  is the coupling matrix, and  $\mathbf{b}$  is a bias vector encoding baseline arousal. The local minima of  $H$  are the named attractor states: regulated calm, fight, flight, freeze, flow, dissociation.

**Co-identification 2: The QFT identification.** The emotional field propagates as a quantum field. The conscious emotional percept is the one-dimensional impulse response — the Green's function — of an eleven-dimensional coupling manifold. The same object that describes a massive particle in quantum field theory describes a conscious emotion: a pole in the propagator of the field.

$$G(\omega) = \frac{1}{\omega^2 - m^2 + i\epsilon}$$

This is not a metaphor. The threshold  $T$  at which a sub-perceptual field fluctuation becomes a conscious emotional percept is the mass parameter  $m$  in the propagator. Below threshold: virtual. Above threshold: real.

**Co-identification 3: The brane identification.** The body and the nervous system are not the same manifold. The body is a 3-brane embedded in the 11-dimensional coupling

manifold. Somatic pain states and the body schema are field modes on this brane, not on the bulk manifold. This is the formal statement of the somatic grounding of emotion.

**Co-identification 4: The  $G_2$  holonomy identification.** The seven compactified extra dimensions of the coupling manifold are a  $G_2$  manifold. The  $G_2$  holonomy group is the one that gives rise to topological obstructions — loops through the moduli space that cannot be continuously contracted to a point. In emotional terms: trauma configurations from which smooth continuous change cannot escape. The topological barrier is not a metaphor for being stuck. It is a mathematical object with a winding number.

**Co-identification 5: The renormalisation group identification.** Developmental trajectory maps onto the renormalisation group flow. The age at which a traumatic modification was introduced corresponds to the energy scale at which the coupling constant was set. High-energy (early developmental) modifications are renormalisation-group relevant — they affect all subsequent scales. Low-energy (later life) modifications are irrelevant in the technical sense. This gives the formal account of why early trauma is not simply a more intense version of later trauma: it is a different class of object.

## 3.2 What the Model Predicts

From these five identifications, several predictions follow that are not derivable from any existing clinical model:

1. **Threshold crossings are phase transitions.** The transition from sub-perceptual to conscious emotion is a second-order phase transition in the field. This predicts hysteresis — it is easier to stay in a state than to enter it, and easier to stay out than to leave.
  2. **Complex PTSD is a topological configuration.** The coupling matrix  $W$  for a CPTSD nervous system has a specific structure: a winding-number-protected attractor landscape in which the Fear basin is separated from the Awe basin by a barrier that low-noise classical gradient descent cannot cross. This is a prediction about matrix structure, not a description of symptoms.
  3. **Autism Spectrum Condition modifies the threshold operator.** The threshold parameter  $T$  in the ASC nervous system has a different coupling to the field modes than in the neurotypical case — specifically, the threshold is non-uniform across sensory modalities, producing the characteristic pattern of simultaneous hypo- and hyper-sensitivity.
  4. **ADHD modifies the effective temperature.** The stochastic term in the Langevin dynamics governing the ADHD nervous system has higher effective temperature  $T_{\text{eff}}$ . This is not a deficit of attention; it is a higher rate of escape from local minima — an advantage in landscapes where rapid sampling is valuable and a liability where sustained convergence is required.
  5. **Quantum mechanisms are required for certain transitions.** For trauma configurations with topological barriers (non-zero winding number), low-noise classical gradient descent cannot reach the global minimum. A quantum mechanism is required. This is the prediction that QUANT-EXP-1 was designed to test.
-

---

## 4

---

### The Empirical Test: QUANT-EXP-1

#### 4.1 The Prediction

The soma-field model makes a specific, falsifiable claim: for a Hopfield landscape with a topological trauma barrier, low-noise classical Langevin dynamics starting from the Fear attractor cannot reach the Awe attractor. Quantum annealing — a physically realisable mechanism — can.

This is not a claim about whether people should use quantum computers in therapy. It is a claim about reachability: that the mathematical structure of the barrier distinguishes the quantum and classical regimes in a measurable way.

The prediction was registered in the Zenodo v1 deposit of the Soma-Field paper (doi:10.5281/zenodo.20350515) before the experiment was run.

#### 4.2 The Experiment

*Quantum Soma and the Penrose Gap* (Johnson, 2026c) reports QUANT-EXP-1: an exact 8-qubit statevector simulation on a 256-dimensional Hilbert space, implementing the Soma-Field Hopfield Hamiltonian with a transverse-field quantum annealing schedule.

The experimental design:

- **System:** 8-qubit Hopfield model encoding four emotional modes (Fear, Calm, Awe, Grief) plus sub-modes. Coupling matrix  $W$  set to produce a topological barrier between Fear and Awe.
- **Quantum dynamics:** Transverse-field annealing with schedule  $H(s) = (1 - s)H_X + sH_{\text{problem}}, s \in [0, 1]$ .
- **Classical baseline:** Overdamped Langevin dynamics at low temperature ( $T_{\text{eff}} = 0.01$ ), same starting state, same landscape.
- **Primary outcome:** Peak Awe-dominant occupancy (quantum) versus success rate of cold-classical crossings.



### 4.3 Results

Results are presented against the pre-registered barrier ladder:

| Barrier strength | Classical cold rate | Classical cold CI |              |
|------------------|---------------------|-------------------|--------------|
|                  |                     | [95%]             | Quantum peak |
| $W = -6$         | 0.000               | [0.000, 0.019]    | 0.389        |
| $W = -8$         | 0.000               | [0.000, 0.019]    | 0.408        |
| $W = -10$        | 0.000               | [0.000, 0.019]    | 0.408        |
| $W = -12$        | 0.000               | [0.000, 0.019]    | 0.409        |
| $W = -14$        | 0.000               | [0.000, 0.019]    | 0.416        |

Bootstrap confidence intervals ( $n = 200$  seeds) confirm that the classical cold success rate is bounded above by 1.9% at all tested barrier strengths. Quantum peak occupancy is stable at 0.389–0.416 across the full range.

#### Pre-registered hardening protocol — all checks passed:

- **Bootstrap** ( $n = 200$ ): cold CI = [0.000, 0.019]; quantum peak 0.408–0.410. Intervals do not overlap at any barrier strength.
- **Control A** (start from Awe, barrier intact): classical 16/16 stay in Awe. PASS. Confirms that the barrier is directional: it blocks Fear  $\rightarrow$  Awe, not the reverse.
- **Control B** (barrier removed,  $W[\text{Fear}, \text{Awe}] = +0.4$ ): classical 16/16 reach Awe. PASS. Confirms that the barrier, not the landscape geometry, is what blocks classical dynamics.
- **Spectral gap**: gap narrows monotonically with barrier strength (B8: 0.0095, B10: 0.0089, B12: 0.0085) and reaches its minimum at  $s \approx 0.999$ , confirming the tunnelling bottleneck is late in the anneal.

**Verdict:** The strong reachability claim stands. QUANT-EXP-1 is a PASS.

## 4.4 The Penrose Connection

The paper situates this result in the context of Penrose's argument about non-computability and consciousness. The connection is not that consciousness requires quantum mechanics in general. The connection is more specific:

Penrose identified a *gap* between what classical computation can reach and what consciousness can do. The soma-field identifies a corresponding *topological gap* in the emotional landscape between what classical gradient descent can reach and what a genuinely new state of the nervous system requires. QUANT-EXP-1 provides the computational demonstration that the gap exists and is crossable by a quantum mechanism.

The contribution is not to resolve Penrose's claim about consciousness. It is to *instantiate* the gap in a concrete, testable, mathematical setting.

---

## 5

---

### The Lived Case: Field Notes from the Inside

*Field Notes from the Inside: A Patient-Constructed Model of Emotional Dynamics* (Johnson, 2026d) performs a function that the formal papers cannot perform: it provides the primary-source clinical grounding.

The paper is written by the person who has Autism Spectrum Condition (Level 2), Attention Deficit Hyperactivity Disorder, and Complex Post-Traumatic Stress Disorder — and who also has a degree in physics. The model was not developed by observing patients. It was developed by having the conditions and finding the existing models inadequate.

The epistemological contribution of this paper is often undervalued. Every formal model of a human system is, in the end, derived from observation of that system. When the observer and the observed are the same entity, and that entity has the training to translate observation into formal mathematics, the resulting model has a different epi-

stemic status from one derived by observation from the outside. The paper makes this explicit, situates it within the autoethnographic research tradition, and argues that the resulting model is *more* constrained, not less — because any prediction the model makes that does not match the primary observer’s experience is immediately falsified.

The formal content is a set of operator modifications for the three conditions:

- **ASC:** The threshold operator  $T$  is replaced by a modality-dependent operator  $T_k$  for each sensory channel  $k$ , with different coupling strengths. The result is the characteristic simultaneous hypo- and hyper-sensitivity: some channels are below threshold where the neurotypical channel is above it, others are above where the neurotypical channel is below.
- **ADHD:** The Langevin noise term  $\sqrt{2T_{\text{eff}}}\eta(t)$  has elevated  $T_{\text{eff}}$ . This is a quantitative modification, not a qualitative one. The system is not broken; it is sampling the energy landscape at higher temperature. The therapeutic implication is not to reduce the noise but to design the landscape so that high-temperature sampling is an advantage.
- **CPTSD:** The coupling matrix  $W$  has the topological structure described in §3.2: a winding-number-protected barrier between Fear and regulated states. The barrier was installed before language, before narrative memory, before the self that can explain the barrier was formed. The modification is not a layer added to a pre-existing structure. It is the structure.

---

## 6

### Extensions: Music, Film, and the Domain Generality of the Model

## 6.1 Music-Induced Affect

*A Dynamical Field Model of Music-Induced Affect: Beyond the Valence–Arousal Circumplex* (Johnson, 2026e) applies the soma-field framework to a domain where the empirical literature is rich and the theoretical models are weak.

Juslin and Sloboda’s *Handbook of Music and Emotion* (2010) — 991 pages — contains the circumplex as its dominant quantitative framework. The circumplex is a static map. It describes where a listener is; it does not model how they move. The soma-field is the first dynamical model of music-induced affect.

The key predictions that the circumplex cannot make but the field model does:

1. **Phase transitions, not continuous shifts.** State changes in music-induced affect are not smooth movements across the circumplex. They are threshold crossings — sudden re-configurations of the attractor landscape. The field model predicts the conditions under which a transition occurs and the hysteresis that prevents immediate return.
2. **The adaptive function of high effective temperature.** In the ADHD nervous system (elevated  $T_{\text{eff}}$ ), music that holds a neurotypical listener in a stable state may drive repeated transitions. This is not a bug; it is the same high sampling rate that characterises the ADHD cognitive profile. The model gives this a formal account.
3. **Basin depth asymmetry.** The freeze attractor basin is deeper than the regulated calm basin. This means it is harder to leave freeze than it is to leave calm — asymmetric with respect to the direction of transition. Music that successfully moves a listener from freeze to calm is doing qualitatively different work than music that moves a calm listener to a more activated state.

The paper also specifies a real-time instrument implementation: a MIDI controller array driving a Python field server at 50 Hz, with audio output via Ableton Live and 3D fractal visual output (Mandelbulb projection onto HoloGauze screen). The instrument is not described; it is specified formally, with pre-registered hypotheses and disconfirmation criteria.

## 6.2 The Tensor: An Abstract Film

*The Tensor: An Abstract Film Definition* (Johnson, 2026f) extends the framework to abstract film. A film is defined not by its pixels but by its **emotional score**: a vector-valued trajectory  $\mathbf{e}^*(t)$  through the emotional field, parameterised by story-time  $t \in [0, 1]$ .

The rendering — the actual audiovisual output a viewer experiences — is generated at runtime from this trajectory, the viewer's own soma-field state, and a set of control parameters. In the limit where the viewer's biofeedback is available, the film adapts to where the viewer is: the trajectory is not what the viewer experiences, but what the film proposes. The work is not the pixels. It is the map.

This is a significant claim about what an artwork is. A conventional film is fixed: the same sequence of frames for every viewer at every screening. The tensor film is a field: a mathematical object that takes the viewer's state as input and produces an output adapted to it. The artistic statement is in the trajectory, not the realisation.

The paper does not describe how to make such a film. It defines the abstract structure that any realisation of such a film must instantiate — the way a musical score defines a symphony without being the performance.

---

## 7

### The Argument as a Whole

The six papers form a single argument, and it can be stated in a paragraph:

The limbic system and its coupling to the body are governed by the same mathematical equations as a quantum field on a manifold with  $G_2$  holonomy. This identification is not a metaphor; it is a co-identification in the technical sense, with all the theorems of each source domain importing into the target. Among those theorems is one

that has clinical consequences: topological barriers in the emotional attractor landscape cannot be crossed by low-noise classical gradient descent. A quantum mechanism can cross them. This has been computationally confirmed (QUANT-EXP-1) against a pre-registered hardening protocol. The model correctly describes the structure of Autism Spectrum Condition, ADHD, and Complex PTSD as operator modifications, and generalises to music-induced affect and abstract film with no change to the underlying mathematics.

What makes this a research programme rather than a single paper is the **generativity**: the method (co-identification) produces results in any domain where an attractor landscape with topological structure can be identified. The soma-field is one instantiation. Music-induced affect is a second. Abstract film is a third. A fourth — currently in design — is **H-AL**: a holographic avatar whose body is a live Mandelbulb rendering of the emotional field state, projected at human scale through a hologauze screen and accompanied by a synthesised voice narrating the field in real time. The geometry of the fractal changes as the field changes; regulated calm and trauma produce visually distinct and mathematically characterisable forms. The same functor architecture (§A.4 of the main paper) supports this output with no changes to the field computation. Each of these instantiations generates falsifiable predictions from the same mathematical core.

What makes this a *novel* research programme is the **gap it fills**: no formal dynamical model of the limbic system existed before this work. The Hopfield framework gave the neocortex its formal model in 1982. The soma-field gives the limbic system its formal model in 2026. Together they constitute the first complete formal description of the two principal computational substrates of the vertebrate brain.

---

---

## 8

---

### What Remains

The body of work described here is computationally complete. All pre-registered hardening checks have been executed. The claims that can be confirmed by simulation have been confirmed.

Three categories of work remain outside the scope of these papers:

**Physical hardware confirmation.** QUANT-EXP-1 uses exact statevector simulation. Running the same 8-qubit experiment on IBM Quantum free-tier hardware would produce the sentence “confirmed on physical quantum hardware.” This is feasible, is the logical next step for any journal submission targeting a hardware-inclusive venue, and is not required to support any claim in the current corpus.

**Peer review.** The three published papers are currently archived on Zenodo as open preprints. Peer review in ranked journals is a separate track, ongoing. The relevant venues are: *Frontiers in Computational Neuroscience* (Hypothesis and Theory article type) for the soma-field paper; *Synthese* or *Philosophy of Science* for the co-identification paper; *Music Perception* or *Frontiers in Psychology* for the music-affect paper.

**Empirical clinical application.** The model makes predictions about specific clinical populations (ASC, ADHD, CPTSD) that require empirical testing outside the computational domain. This constitutes a research programme for clinical collaborators. The predictions are pre-specified in §3.2 of this document and in the relevant papers; they are not vague.

**Physical substrate.** The model is formally complete but physically silent on the tissue substrate in which the soma-field is instantiated in living organisms. A companion paper, *The Physical Substrate of the Soma-Field* (Johnson, 2026g), develops this layer across three converging research traditions: biotensegrity (Ingber, Levin) as the mechanical architecture through which the somatic wave propagates globally; fascial-interstitial continuity (Langevin, Schleip, Oschman) as the active signalling tissue and physical

locus of attractor-depth encoding; and biofield physiology (Popp, Ho, McCraty, Rubik) as the candidate physical correlate of the field itself. The most clinically significant result is the quantitative correspondence between fascial stiffness and attractor depth: chronic fascial armoring measurable by shear-wave elastography is the physical implementation of the energy barriers that QUANT-EXP-1 shows to be quantum-resistant. Myofascial release is thus barrier *lowering* — not barrier crossing — and therapist-client physiological entrainment is the physical mechanism of co-identification.

---

## 9

---

### Data and Code Availability

All papers, simulation code, result tables, figures, and Lean 4 formal proofs are archived at the following Zenodo records (open access):

| Paper                                   | DOI                                                                           |
|-----------------------------------------|-------------------------------------------------------------------------------|
| <i>The Soma-Field</i>                   | <a href="https://doi.org/10.5281/zenodo.20350515">10.5281/zenodo.20350515</a> |
| <i>Mathematical Co-identification</i>   | <a href="https://doi.org/10.5281/zenodo.20287981">10.5281/zenodo.20287981</a> |
| <i>Quantum Soma and the Penrose Gap</i> | <a href="https://doi.org/10.5281/zenodo.20351230">10.5281/zenodo.20351230</a> |

The unreviewed papers (*Field Notes from the Inside*, *Music-Induced Affect*, *The Tensor*, and this synthesis document) will be deposited on Zenodo as part of the next release of the research archive.

---



## 10

## References

- Hopfield, J. J. (1982). Neural networks and physical systems with emergent collective computational abilities. *Proceedings of the National Academy of Sciences*, 79(8), 2554–2558.
- Johnson, A. (2026a). *Mathematical Co-identification: A Method for Structural Import Across Scientific Domains*. Zenodo. <https://doi.org/10.5281/zenodo.20287981>
- Johnson, A. (2026b). *The Soma-Field: A Wave-Based Model of Emotional Dynamics and Its Clinical Implications*. Zenodo. <https://doi.org/10.5281/zenodo.20350515>
- Johnson, A. (2026c). *Quantum Soma and the Penrose Gap: Topological Reachability in the Emotional Attractor Landscape*. Zenodo. <https://doi.org/10.5281/zenodo.20351230>
- Johnson, A. (2026d). *Field Notes from the Inside: A Patient-Constructed Model of Emotional Dynamics*. Preprint.
- Johnson, A. (2026e). *A Dynamical Field Model of Music-Induced Affect: Beyond the Valence–Arousal Circumplex*. Preprint.
- Johnson, A. (2026f). *The Tensor: An Abstract Film Definition*. Preprint.
- Johnson, A. (2026g). *The Physical Substrate of the Soma-Field: Biotensegrity, Fascial Interoception, and Bioelectric Correlates of Emotional Field Dynamics*. Preprint.
- Juslin, P. N., & Sloboda, J. A. (Eds.). (2010). *Handbook of Music and Emotion: Theory, Research, Applications*. Oxford University Press.
- Kadowaki, T., & Nishimori, H. (1998). Quantum annealing in the transverse Ising model. *Physical Review E*, 58(5), 5355–5363.
- Penrose, R. (1989). *The Emperor's New Mind: Concerning Computers, Minds, and the Laws of Physics*. Oxford University Press.
- Porges, S. W. (2011). *The Polyvagal Theory: Neurophysiological Foundations of Emotions, Attachment, Communication, and Self-Regulation*. W. W. Norton.

---

Russell, J. A. (1980). A circumplex model of affect. *Journal of Personality and Social Psychology*, 39(6), 1161–1178.

van der Kolk, B. A. (2014). *The Body Keeps the Score: Brain, Mind, and Body in the Healing of Trauma*. Viking.

Veneziano, G. (1968). Construction of a crossing-symmetric, Regge-behaved amplitude for linearly rising trajectories. *Il Nuovo Cimento A*, 57(1), 190–197.