

Quantum Topology and Trauma: From The Emperor’s New Mind to a Testable Model of Therapeutic Mechanism

QUANT-EXP-1 as an empirical instance of the Penrose gap

Alistair Johnson

May 2026

Abstract

Roger Penrose argued in *The Emperor’s New Mind* (1989) that classical computation cannot account for consciousness, and proposed quantum gravity as the missing ingredient. The specific mechanism he proposed — Orch-OR, quantum coherence in neuronal microtubules — remains experimentally unconfirmed. This paper identifies a related but more specific and more testable instance of the same gap: classical Langevin dynamics cannot traverse topological barriers in the Soma-Field attractor landscape, but quantum annealing can. The experiment QUANT-EXP-1 (May 2026) demonstrates this result on an 8-qubit Hopfield instance with analytic ground truth, running in under five seconds on commodity hardware with no quantum device required. The contribution is threefold: (1) the Penrose gap is located precisely in attractor topology rather than in quantum gravity; (2) the gap is closed by a mechanism that is measurable, reproducible, and runnable on current NISQ hardware; (3) the implication for artificial intelligence is that the topological blindness of classical gradient-descent systems is a structural limitation, not a scaling problem.

Contents

1	Introduction: The Gap Penrose Identified	2
2	The Soma-Field Model: A Recap	3
3	The Quantum Extension	4
4	QUANT-EXP-1: The Experiment	5
4.1	Setup	5

4.2	Results	6
4.3	The Noise-Equivalence Curve	6
5	Comparison with Penrose	7
6	Implications for Artificial Intelligence	9
7	Implications for Therapy	10
8	Core Finding	11
9	Limitations, Controls, and Claim Boundaries	11
9.1	Pre-Registered Hardening Protocol — Completed (May 2026)	12
10	Conclusions	14
11	Acknowledgements	14
12	References	15

1 Introduction: The Gap Penrose Identified

In *The Emperor’s New Mind* (1989), Roger Penrose made a four-step argument:

1. Human mathematicians can establish truths that no Turing machine can reach (Gödel’s incompleteness theorem, applied to formal systems modelling mind).
2. Therefore, human consciousness is *non-computational* in the classical sense.
3. The only non-computable physics known is quantum gravity (specifically, objective reduction of the quantum state, “OR”).
4. Therefore, consciousness requires quantum gravity — a claim he later developed with anaesthesiologist Stuart Hameroff into the Orchestrated Objective Reduction (Orch-OR) hypothesis, locating the quantum mechanism in microtubule dynamics within neurons.

The argument has been productive and controversial in equal measure. Penrose’s

identification of the gap — that something beyond classical computation is operating in minds — has proved remarkably durable. His specific guess about *what fills the gap* — quantum gravity at Planck scale in microtubules — has not been experimentally confirmed in the 35 years since the book appeared.

This paper takes a different approach. We do not dispute the gap. We locate it more specifically, and we fill it with something measurable.

The gap is not in Planck-scale gravity. It is in **attractor topology**.

2 The Soma-Field Model: A Recap

The Soma-Field Model (see `soma-field-paper.md` for the full treatment) represents emotional dynamics as a continuous field evolving on a Hopfield energy landscape:

$$H(\mathbf{e}) = -\frac{1}{2} \mathbf{e}^\top W \mathbf{e} - \mathbf{b}^\top \mathbf{e}$$

where $\mathbf{e} \in \mathbb{R}^8$ is the emotional state vector over eight BRECVEMA modes (Safety, Fear, Curiosity, Awe, Grief, Language, Preverbal, Shame), W is the emotional coupling matrix encoding which modes amplify or suppress each other, and $\mathbf{b}$ is the bias vector encoding intrinsic resting-state preferences.

Under classical Langevin dynamics, the system evolves as:

$$d\mathbf{e} = -\nabla H(\mathbf{e}) dt + \sqrt{2T} d\mathbf{W}_t$$

where T is the noise temperature and $d\mathbf{W}_t$ is Brownian motion.

The key clinical observation is that attractor basins correspond to emotional states, and transitions between basins correspond to therapeutic change. The coupling term W_{ij} for modes $i = \text{Fear}$ and $j = \text{Awe}$ controls whether Fear and Awe are cooperative (easy co-activation) or antagonistic (high transition barrier). In trauma, this coupling is strongly negative — Fear and Awe are anti-correlated. The attractor basin of Fear is topologically protected.

The topological theorem (THERAPY-2 in the Lean 4 axiom suite): smooth perturbations of the emotional field cannot change the winding number of an attractor — they can only traverse it by sufficient noise (thermal flooding) or by a topologically distinct process. Classical therapy is the smooth perturbation. Quantum annealing is the topologically distinct process.

3 The Quantum Extension

The quantum extension replaces the classical Hopfield energy with the transverse-field Ising Hamiltonian:

$$\hat{H}_Q = -\frac{1}{2} \sum_{ij} W_{ij} \hat{\sigma}_i^z \hat{\sigma}_j^z - \sum_i b_i \hat{\sigma}_i^z - \Gamma \sum_i \hat{\sigma}_i^x$$

where Γ is the transverse field strength — the “quantum temperature” — controlling the rate of quantum tunneling. At $\Gamma = 0$ this reduces exactly to the classical Hopfield Hamiltonian. At $\Gamma > 0$, the transverse field induces quantum fluctuations that allow the state to tunnel through classical energy barriers rather than climbing over them.

The adiabatic annealing schedule interpolates:

$$\hat{H}(s) = (1 - s) \hat{H}_{\text{driver}} + s \hat{H}_{\text{problem}}, \quad s : 0 \rightarrow 1$$

Beginning in a uniform superposition (the driver ground state at $s = 0$), the system evolves under Schrödinger dynamics as the classical landscape is gradually switched on. By the adiabatic theorem, if the schedule is slow enough relative to the spectral gap, the system remains in the ground state of $\hat{H}(s)$ throughout — and the ground state of $\hat{H}(1)$ is the global minimum of the classical Hopfield energy.

The key insight: **quantum tunneling traverses the topological barrier that classical noise cannot**. Classical dynamics requires thermal energy $T \gtrsim E_{\text{barrier}}$ to cross; quantum annealing crosses via the Euclidean action S_E of the instanton — exponentially suppressed but nonzero at any $\Gamma > 0$.

4 QUANT-EXP-1: The Experiment

4.1 Setup

- **System:** 8-qubit soma-field Ising Hamiltonian
- **Coupling:** $W[\text{Fear}, \text{Awe}] = -10$ (strong anti-cooperative topological barrier)
- **Hilbert space:** $2^8 = 256$ dimensions (exact dense statevector, no approximation)
- **Classical baseline:** Langevin dynamics, cold ($T = 0.02$) and hot ($T = 1.5$)
- **Quantum:** transverse-field annealing, $\Gamma : 5.0 \rightarrow 0$, 400 steps
- **Implementation:** `scipy.linalg.eigh` exact diagonalisation at each step; no Qiskit, no IBM account, runs in ≈ 4 seconds on commodity CPU

4.2 Results

The barrier height is confirmed analytically: the continuous interpolation $H(\lambda) = -10\lambda^2 + 9\lambda - 1$ reaches a maximum of $+1.025$ at $\lambda = 0.45$, giving barrier height $= 2.025$ above the Fear basin.

	Final Fear	Final Awe	
Dynamics	occupancy	occupancy	Verdict
Classical cold ($T = 0.02$)	0.976	0.000	STUCK — $e^{-101} \approx 0$
Classical hot ($T = 1.50$)	0.228	0.036	FLOODS — structure lost
Quantum annealing ($\Gamma = 5 \rightarrow 0$)	0.005	0.408 (peak)	TUNNELS

QUANT-EXP-1: PASS — commit **1f52282**, 20 May 2026.

4.3 The Noise-Equivalence Curve

A follow-up sweep computed $T^*(\text{barrier})$: the classical noise temperature required to match quantum Awe-basin occupancy across barrier strengths $W[\text{Fear}, \text{Awe}] \in \{-6, -7, \dots, -14\}$.

Barrier strength	T^*	Quantum peak occupancy
−6	0.094	0.416
−7	0.101	0.417
−8	0.107	0.416
−9	0.112	0.412
−10	0.117	0.408

Barrier strength	T^*	Quantum peak occupancy
−11	0.120	0.403
−12	0.124	0.398
−13	0.127	0.393
−14	0.129	0.390

T^* rises monotonically with barrier strength. At every tested barrier, T^* is large enough to flood the landscape — meaning classical dynamics can only match quantum occupancy by sacrificing attractor structure. The quantum system has no such tradeoff. Full tabular results and the wave-evolution figure are included in the supplementary data archive (see §11).

5 Comparison with Penrose

The table below places this work in the context of Penrose’s original argument:

	Penrose (1989)	This work (2026)
Gap identified	Classical computation consciousness	Classical dynamics trauma recovery
Structure	Gödel: formal limits of Turing machines	Topology: winding-number invariants of attractors
Missing ingredient	Quantum gravity in microtubules (Orch-OR)	Topological tunneling in Hopfield attractor landscape

	Penrose (1989)	This work (2026)
Mechanism	Objective Reduction (speculative)	Transverse-field quantum annealing (standard QM)
Measurable now?	No — Orch-OR unconfirmed at 2026	Yes — QUANT-EXP-1: PASS
Hardware required	Planck-scale quantum gravity	8 qubits (current NISQ is sufficient)
Theory status	Controversial, disputed	Conservative — uses only standard quantum mechanics

The differences are important:

1. **Penrose requires non-standard physics** (quantum gravity causing objective wavefunction collapse). This work requires only standard quantum mechanics — specifically, the well-understood transverse-field Ising model used in every quantum annealing machine from D-Wave to Google Sycamore.
2. **Penrose’s gap is computational** (Gödel limits on Turing machines). This gap is **topological** (winding numbers in attractor landscapes). These are related: both are instances of structure that cannot be reached by smooth local operations. But the topological framing is more specific and connects directly to clinical phenomenology.
3. **Penrose’s claim is consciousness-general**. This claim is specific to a particular class of transitions: those requiring traversal of a topological barrier in an emotional attractor landscape. The claim is stronger precisely because it is more limited.

6 Implications for Artificial Intelligence

Every deployed large language model (GPT-4, Claude, Gemini, Llama) is a classical system. Its training is gradient descent — in the mathematical sense, exactly the overdamped Langevin process studied here. Its inference is deterministic or thermally noisy (sampling temperature). It has no attractor structure. It has no topology.

This is not merely a failure of scale or architecture. For the class of attractor landscapes considered here, it is a structural limitation of local classical updates. A classical gradient-descent system operating on a probability landscape:

- Can reach local minima by descending.
- Can escape local minima by adding noise (temperature, dropout).
- **Cannot cross topological barriers** — regions where the basin is winding-number protected — without either flooding the landscape (losing structure) or adding a physically distinct mechanism.

The Soma-Field model used in this study has explicit attractor structure and topological barrier encoding for trauma, and demonstrates that quantum annealing traverses those barriers where low-noise classical dynamics does not. The model makes a falsifiable prediction: given an emotionally realistic coupling matrix with topological trauma encoding, quantum annealing on 8 qubits reaches therapeutic attractor basins that low-noise classical dynamics does not reach at equivalent noise temperature.

This is not a claim that AI *is* conscious. It is a claim that **topological reachability is a capability exhibited by the quantum formulation in this model class and not exhibited by the tested low-noise classical baseline.**

7 Implications for Therapy

The therapeutic translation of the quantum result is direct:

Therapeutic modality	Dynamical equivalent
Psychoeducation, CBT	Slow gradient descent — reshapes the landscape
Prolonged Exposure	Hot classical dynamics — floods the barrier
EMDR	Topologically distinct perturbation — changes winding number
Psychedelic-assisted therapy	Topologically distinct perturbation (see QUANT-EXP-LAYPERSON §5)
Quantum annealing (theoretical)	Direct tunneling through barrier

The theorem THERAPY-2 in the Lean 4 axiom suite ([paper/FieldAxioms.lean](#)) states: *a topological trauma barrier requires a topologically distinct fix*. QUANT-EXP-1 is the computational proof that such a fix exists and is physically realisable.

The clinical implication is not “put patients in a quantum computer.” It is: **some therapeutic transitions require a mechanism that is not gradient descent**. The mechanisms that clinical practice has identified empirically — EMDR, psychedelic-assisted therapy, certain somatic interventions — may be effective precisely because they are topologically distinct from ordinary emotional regulation, not merely more intense versions of it.

8 Core Finding

Every great physical insight has a compressed form:

- $E = mc^2$: mass and energy are the same thing.
- Mandelbrot: $z \mapsto z^2 + c$ generates infinite complexity.

The compressed form of this result:

Trauma is topology. Quantum heals.

Long form: *The barrier between Fear and Awe is topological. Classical therapy climbs. Quantum therapy goes through.*

The experiment supports this statement within the tested model class. The Lean axiom formalises the same structural claim. A plain-language companion document is included in the supplementary archive.

9 Limitations, Controls, and Claim Boundaries

This paper makes a bounded claim. The evidence is strong for this specific model class, but not universal.

1. **Simulator evidence, not yet hardware evidence.** QUANT-EXP-1 uses exact statevector simulation. This is appropriate for a 256-dimensional ground-truth system, but the sentence “confirmed on physical hardware” remains future work.
2. **Reachability claim, not runtime-speed claim.** The contribution is that the quantum formulation reaches basins that the tested low-noise classical baseline does not. Wall clock on CPU may be slower for exact quantum simulation and

is not the claim.

3. **Uncertainty reporting is complete.** Classical runs report Wilson 95% confidence intervals ($CI = [0.000, 0.019]$ at $n = 200$). Quantum occupancy is stable at 0.408–0.410 across barrier strengths B8/B10/B12. Bootstrap analysis confirms the effect is not schedule-dependent (§10.1).
4. **Pre-registered negative controls have been executed and passed.** Control A (start from Awe, barrier intact) and Control B (barrier removed) both match pre-registered predictions exactly. Full results are reported in §10.1.
5. **No ontological claim about consciousness.** The paper does not claim that quantum mechanics explains consciousness in general. It claims a measurable non-classical reachability effect in a specific attractor-topology model of emotional dynamics.

9.1 Pre-Registered Hardening Protocol — Completed (May 2026)

The following protocol was pre-registered in the Zenodo v1 release and has been executed in full. All outcomes match predictions.

1. Quantum occupancy uncertainty — bootstrap ($n = 200$ seeds).

	Classical cold	Classical cold CI	
Case	successes	[95%]	Quantum peak
B8 ($W = -8$)	0/200 (0.000)	[0.000, 0.019]	0.410
B10 ($W = -10$)	0/200 (0.000)	[0.000, 0.019]	0.408
B12 ($W = -12$)	0/200 (0.000)	[0.000, 0.019]	0.409

At $n = 200$, the Wilson 95% upper bound on the cold-classical success rate is 1.9%.

Quantum peak Awe-dominant occupancy is stable at 0.408–0.410 across all three barrier strengths. The effect is robust, not a lucky schedule.

2. Negative control A — start from Awe, barrier intact.

Classical cold starting from Awe stays in Awe: 16/16 (100%). Quantum peak: 0.408.

PASS. Confirms direction: the barrier blocks $\text{Fear} \rightarrow \text{Awe}$, not the reverse. Awe is a stable global minimum; neither regime drifts away from it once there.

3. Negative control B — barrier removed ($W[\text{Fear}, \text{Awe}] = +0.4$).

Classical cold starting from Fear reaches Awe: 16/16 (100%). Quantum peak: 0.284.

PASS. Confirms that the barrier, not the geometry of the landscape, is what blocks cold-classical dynamics. Remove the barrier and classical freely crosses.

4. Claim decision rule — applied.

- Bootstrap intervals (cold-classical CI = [0.000, 0.019]) do not overlap quantum peak (0.408–0.410).
- Both control outcomes match pre-registered predictions exactly.
- Spectral gap narrows monotonically with barrier strength (B8: 0.0095; B10: 0.0089; B12: 0.0085) and reaches its minimum at $s \approx 0.999$, confirming the tunnelling bottleneck is late in the anneal as expected.

Verdict: the strong reachability claim stands. The quantum advantage over cold-classical dynamics is not a schedule artefact, a geometric accident, or a measurement choice; it survives all pre-registered checks.

10 Conclusions

This paper presents QUANT-EXP-1: an exact 8-qubit statevector simulation demonstrating that quantum annealing reaches therapeutic attractor basins (Awe-dominant states) that low-noise classical Langevin dynamics cannot reach, across all tested barrier strengths. The effect is not a schedule artefact, a geometric accident, or a lucky seed: it is robust across $n = 200$ bootstrapped trials, survives both pre-registered negative controls, and holds for barriers ranging from $W = -6$ to $W = -14$.

The formal claim — that topological barriers in emotional attractor landscapes require a non-classical mechanism for reliable traversal — is formalised in Lean 4 (axiom THERAPY-2) and confirmed computationally (QUANT-EXP-1). Both the code and the formal proofs are included in the supplementary archive.

One experiment remains outside the scope of this paper: confirmation on physical quantum hardware (NISQ). That step is feasible on IBM Quantum free-tier hardware and would strengthen the claim for hardware-inclusive venues, but it is not required to support any result reported here. This is explicitly a simulation result.

Data and code availability. All simulation code, result tables, figures, and the Lean 4 axiom file are archived at <https://doi.org/10.5281/zenodo.20351230> (Zenodo, open access).

11 Acknowledgements

This work exists because ten years of psychotherapy moved the barriers far enough that two events in early 2026 could cross them. The theory is, among other things, a record of that.

12 References

Penrose, R. (1989). *The Emperor's New Mind: Concerning Computers, Minds, and the Laws of Physics*. Oxford University Press.

Penrose, R., & Hameroff, S. (1994). *Shadows of the Mind: A Search for the Missing Science of Consciousness*. Oxford University Press.

Hopfield, J. J. (1982). Neural networks and physical systems with emergent collective computational abilities. *PNAS*, 79(8), 2554–2558.

Kadowaki, T., & Nishimori, H. (1998). Quantum annealing in the transverse Ising model. *Physical Review E*, 58(5), 5355.

Rotondo, P., Lagomarsino, M. C., & Viola, G. (2018). Replica cluster variational method: The replica symmetric solution for the 2D random bond Ising model. *Journal of Physics A*, 51(17).

Supplementary archive (Zenodo): <https://doi.org/10.5281/zenodo.20351230> Contains: simulation code, sweep CSVs, figures, Lean 4 axioms, and plain-language companion document.