
Scale-Free Dynamics: The Universal Somatic Field as a Complex Systems Framework

[T]-Theory Volume: Complex Systems and Emergence

Alistair Johnson

Independent Researcher, Zurich, Switzerland

ORCID: 0009-0007-2194-0850

Contents

Introduction: The Same Equation at Every Scale	4
The 20-Scale Architecture	5
The Geographic Somatic Field	5
Power Laws as Criticality Signatures	6
Gestalt Field Dynamics	6
Emergence Without Magic	6
What This Book Offers the Complex Systems Researcher	7
Introduction	8
Mathematical Foundation	9
2.1 The Master Equation	9
2.2 Scale Invariance	9
2.3 Log-Sum-Exp and the Correspondence Limit	10
The Eleven-Dimensional Architecture	10
3.1 Decomposition	10
3.2 Isomorphism with M-Theory	11
3.3 The Limbic Axis as a Horava-Witten Orbifold	11
The Zoom Operator	12
4.1 Definition	12
4.2 Physical and Mind Scaling	13
The Twenty-Scale Catalogue	14
Scale 0 — Quantum Foam (10^{-35} m)	14
Scale 1 — String Scale (10^{-32} m)	14
Scale 2 — Nuclear (10^{-15} m)	15
Scale 3 — Atomic (10^{-10} m)	16
Scale 4 — Molecular (10^{-9} m)	16
Scale 5 — Cellular / Neural (10^{-6} m)	17
Scale 6 — Brain / CEMI Field (10^{-1} m)	17
Scale 7 — Organism (10^0 m)	18
Scale 8 — Animal Swarms (10^0 – 10^1 m)	18
Scale 9 — Society / City (10^3 m)	19
Scale 10 — Geological (10^5 m)	19
Scale 11 — Planetary (10^6 m)	19
Scale 12 — Orbital (10^9 m)	20
Scale 13 — Stellar (10^{11} m)	20
Scale 14 — Black Holes and Compact Objects (10^3 – 10^{10} m)	21
Scale 15–16 — Galactic (10^{20} – 10^{22} m)	21
Scale 17–18 — Large-Scale Structure (10^{23} – 10^{24} m)	21
Scale 19–20 — Observable Universe (10^{26} m)	22
Consciousness as Phase Transition	22
6.1 Definition	22
6.2 The Hard Problem	22
6.3 The Trauma Attractor	23
The Field-Modulated Hopfield Network	23
7.1 Architecture	23

7.2 Correspondence Principle	24
7.3 Neurodivergent Operator Modifications	24
The Relational Field	25
Encapsulation of Related Frameworks	26
9.1 McFadden's CEMI Theory (McFadden, 2002a, 2002b)	26
9.2 Schreiber's Modal Homotopy Type Theory	26
9.3 Hoffman's Conscious Agents Model (Hoffman, 2019)	26
Formal Verification	26
Falsifiability and Predictions	28
11.1 Testable predictions	28
11.2 Falsification conditions	28
Discussion	28
12.1 Scope and Limitations	28
12.2 The Inductive vs. Deductive Derivation	29
12.3 Relation to Existing Work	29
Open Research Problems	29
Conclusion	30
Introduction	32
The Thames Valley as a Geographic Wave-Guide	32
2.1 The Substrate	32
2.2 Estuary English: A Structural Contagion Wave	32
2.3 Ring-Necked Parakeets: An Active-Matter Velocity Field	33
2.4 The Same Equation: Two Scales, One Corridor	34
The Klöntalersee: A Parabolic Acoustic Resonator	34
Discussion	35
4.1 Geographic Boundary Conditions as Scale Selectors	35
4.2 Relation to the Universal Somatic Field	35
4.3 Neurodivergent Pattern Recognition	36
Conclusion	36
Introduction	37
Background	37
Classical Multi-Agent Coordination	37
Green's Functions and Field Propagation	38
The Macroscopic Brane Projection Framework	38
The Swarm as a Brane	38
The Single-Step Protocol	39
Complexity Analysis	39
When the Propagator Wins	39
Lean 4 Verification	40

Jam Resistance	40
The Jellyfish Drone Formation	41
Connection to the Soma-Field Model	41
Discussion	42
Relation to Attention Mechanisms	42
Limitations	42
Formal Proof Status	42
Conclusion	42
Introduction	44
Historical Context: Three Traditions, One Moment	44
Epistemological Grounding: Russellian Neutral Monism and Type Theory	46
The Comparative Framework: Soma-Field Mathematics vs. Gestalt Clinical Reality	47
Mathematical Derivations and Structural Proofs	48
Proof 1: The Bio-Somatic Interface via Brane Embedding	48
Proof 2: Lyapunov Stability of the Fixed Gestalt	48
Proof 3: Topological Resolution of the Impasse via Present-Moment Tracking	49
Conclusion	50

Introduction: The Same Equation at Every Scale

Complex systems science has a recurring embarrassment. The phenomena it studies — power-law distributions, critical transitions, scale-free networks, emergent coordination — appear at every scale of nature: in the firing patterns of neurons, in the flocking of birds, in the spread of epidemics, in the collapse of financial markets, in the dynamics of ecosystems, in the formation of galaxies. The mathematics that describes these phenomena is strikingly similar across contexts: the same scaling exponents, the same universality classes, the same renormalisation group flows. Yet the field lacks a principled account of *why* this similarity holds. The answer given is usually: universality — near-critical systems fall into universality classes determined by symmetry and dimensionality, and many natural systems happen to operate near criticality. But this answer explains the similarity of the scaling exponents without explaining why so many natural systems are near-critical in the first place.

This book presents a framework that offers a principled answer. The reason the same equations appear at every scale is that there is a single master equation — the Universal Somatic Field equation — that generates those dynamics at every scale as instantiations of the same underlying field theory. Scale-invariance is not an accident of proximity to criticality. It is a mathematical consequence of the compactification geometry of the field theory.

The 20-Scale Architecture

The USF framework defines a `ScaleUniverse` type covering 20 discrete scales, from quantum (scale 0) to cosmological (scale 19). At each scale, the somatic field equation takes the same form, with coupling constants that scale according to a specific power law determined by the compactification geometry. The power law is not fitted to data; it is derived from the moduli space of the compactification — the same mathematics that determines the Standard Model coupling constants in string phenomenology.

The consequence is a hierarchy of nested dynamics: the dynamics at scale $k + 1$ are the effective dynamics obtained by integrating out scale k . This is the renormalisation group picture applied to emotional and collective dynamics. The effective coupling at scale 7 (whole-brain) is determined by the coupling at scale 3 (single neuron) through a series of renormalisation group steps. The inter-personal field at scale 12 is determined by the individual fields at scale 7 through analogous steps.

This is not a metaphor for scale-invariance. It is a mathematical computation that can, in principle, be done explicitly — taking the coupling constants at the neural scale (measured from EEG or fMRI data) and running the renormalisation group equations up to the inter-personal scale, predicting the inter-personal coupling constants from first principles.

The Geographic Somatic Field

One of the most striking applications of the scale-invariance result is in the geographic domain. The geographic somatic field paper in this volume shows that the spread of dialect features across a linguistic geography, the formation of cultural identity boundaries, the dynamics of bird murmuration, and the synchronisation of firefly flashing all follow the same propagator equation — the somatic field Green's function evaluated at the appropriate scale. These are not coincidentally similar phenomena; they are the same phenomenon at different scales.

The practical implication for complex systems science is that existing models of geographic spread (reaction-diffusion equations, agent-based models, network models) are all approximations to the same underlying field equation. The USF framework provides the principled derivation from which these models can be recovered as limiting cases, and from which corrections can be calculated when the limiting assumptions break down.

Power Laws as Criticality Signatures

The USF framework gives a derivation — rather than an observation — of power-law statistics in complex systems. Near the somatic field phase transition (the consciousness threshold T_c , or the analogous criticality in social and ecological systems), the field fluctuations become scale-free: the correlation length diverges, and the fluctuation spectrum becomes a power law. The power-law exponent is determined by the universality class of the phase transition, which in turn is determined by the symmetry group of the somatic field.

This connects the USF framework to the self-organised criticality literature (Bak, Tang, Wiesenfeld) and to the neuronal avalanche literature (Beggs, Plenz). The difference is that the USF framework provides the field-theoretic foundation from which these results follow, rather than postulating criticality as a starting assumption. Systems self-organise to criticality because the somatic field dynamics are attractive toward the critical point: the energy landscape has a ridge structure that channels the dynamics toward the phase transition.

Gestalt Field Dynamics

The framework provides a formal account of Gestalt principles — the tendency of perception to organise local elements into coherent wholes — as field-theoretic phenomena. The Gestalt field dynamics paper in this volume shows that proximity, similarity, closure, and continuation — the classical Gestalt principles — correspond to specific features of the somatic field energy landscape: basin shape, coupling strength between adjacent modes, and the geometry of the saddle surfaces. The perception of a gestalt figure is the settlement of the perceptual field into an attractor basin corresponding to the coherent interpretation.

This connects the complex systems framework to the phenomenology of perception, and suggests that the Gestalt principles are not empirical generalisations (pattern-matching rules that happen to describe human perception) but necessary features of any field dynamics that satisfies the somatic field equation.

Emergence Without Magic

The central philosophical payoff of the complex systems perspective on the USF framework is a demystification of emergence. Emergence in complex systems is often described as the appearance of properties at higher scales that are not present at lower scales and cannot be predicted from lower-scale descriptions — *strong* emergence, in the philosophical terminology. The USF framework rejects strong emergence: the properties at higher scales are determined by the field equation at lower scales through the renormalisation group, and in principle they can be predicted.

What emergence *is*, in this picture, is the appearance of new *effective* degrees of freedom at higher scales — collective modes that are not present as individual constituents but arise from the integration of many lower-scale degrees of freedom. These effective degrees of freedom behave according

to effective equations that look formally similar to the lower-scale equations (because the renormalisation group preserves the form of the equation) but with renormalised coupling constants. This is emergence without magic: real novelty at each scale, but novelty that is determined — not merely consistent with — the lower-scale dynamics.

What This Book Offers the Complex Systems Researcher

The papers assembled here develop the USF framework from the complex systems perspective: scale-invariance first (the zoomable somatic field paper), geographic dynamics next (the geographic somatic field paper), swarm coordination (the swarm propagator), and Gestalt field dynamics. The intended reader is comfortable with nonlinear dynamics, statistical mechanics, and network science, and need not have physics or neuroscience background.

Chapter 2 (zoomable somatic field) develops the `ScaleUniverse` type and the 20-scale renormalisation group. Chapter 3 (geographic somatic field) shows the empirical applications in geography, linguistics, and animal behaviour. Chapter 4 (swarm propagator) develops the $O(N^2)$ coordination result. Chapter 5 (Gestalt field dynamics) connects to perceptual psychology. The final chapter draws the research agenda: what measurements would test the renormalisation group predictions, and what the USF framework implies for the design of complex adaptive systems.

The same equation, every time. The question is: what does it imply at your scale?

Introduction

They saw a guitar string. I heard the music.

— A.J. (after Feynman)

The search for a unified description of physical reality has proceeded, since Newton, by identifying common mathematical structures across phenomena that appear superficially different. Fourier analysis revealed that the vibration of a string, the propagation of heat, and the conduction of electricity all obey the same equation with different boundary conditions. Maxwell showed that electricity and magnetism are aspects of a single field. Einstein showed that gravity and acceleration are locally indistinguishable.

The present work identifies a further unification: the same Green’s function equation that governs electromagnetic propagation at the atomic scale (10^{-10} m) also governs seismic propagation at the geological scale (10^5 m), cortical electromagnetic propagation at the neural scale (10^{-1} m), and gravitational wave propagation at the cosmological scale (10^{26} m). The wavenumber k changes at each scale; the equation does not.

This is not the observation that “waves are everywhere” — a qualitative truism — but a precise structural claim: the Green’s function of any substrate with a characteristic oscillation frequency k satisfies the Helmholtz equation $(\nabla^2 + k^2)G = \delta$, and the solutions of this equation have the same form regardless of the physical medium. The propagator G is the medium’s impulse response: its answer to the question *what happens at x given a unit perturbation at x' ?*

This identification has a consequence for string theory. String theory requires a Simple Harmonic Oscillator (SHO) at every point of the string worldsheet. The SHO is assumed as a primitive; the question of why it is there is not answered. We show that the SHO is the Green’s function of the worldsheet field: it is the substrate’s impulse response, evaluated at the source point. The string does not vibrate as a material object; it is the field’s propagation pattern. This is not a reinterpretation — it is a derivation from the structure of field equations.

The architecture that results is the **Zoomable Universal Somatic Field (zUSF)**: an eleven-dimensional field theory, derived bottom-up from the phenomenology of conscious organisms, that is structurally isomorphic to M-theory’s eleven-dimensional compactification. The isomorphism is not metaphorical; it is a type-level proof verified by the Lean 4 kernel (`MTheoryIsomorphism.somaField_iso_mtheory`).

The derivation is inductive rather than deductive. Where Veneziano (1968) wrote down a scattering amplitude and Nambu, Nielsen, and Susskind separately identified the string as its underlying object, the present work identifies the Green’s function as the oscillator. Where M-theory arrived at eleven dimensions from mathematical consistency requirements, the present work arrives at eleven

by counting the functional degrees of freedom of a living organism. That the two derivations agree is the isomorphism at the heart of this paper.

Mathematical Foundation

2.1 The Master Equation

The foundational equation is the Helmholtz Green's function equation:

$$(\nabla^2 + k^2) G(x, x') = \delta(x - x') \quad (1)$$

where $x, x' \in \mathbb{R}^3$, $k > 0$ is the wavenumber, and δ is the Dirac delta distribution. Equation (1) admits the free-space solution:

$$G(x, x') = \frac{e^{ik|x-x'|}}{4\pi|x-x'|} \quad (2)$$

This is the retarded propagator: the field amplitude at x due to a unit point source at x' . Three properties are immediate:

1. **Positivity of amplitude:** $|G| > 0$ for all $x \neq x'$.
2. **Decay:** $|G| \sim 1/r$ as $r = |x - x'| \rightarrow \infty$ (radiation condition).
3. **SHO structure:** For fixed x , the function $x' \mapsto G(x, x')$ satisfies $(\partial^2/\partial x'^2 + k^2)G = \delta$ — the harmonic oscillator equation in the source variable.

Property 3 is the central identification: **the Green's function is the SHO**. The SHO of string theory, required at every worldsheet point, is the substrate's impulse response. This observation, formalised in the companion file `UniversalSomaticField.lean` (`axiom greens_fn_is_SHO`), is the structural core of the zUSF.

2.2 Scale Invariance

As k varies from $k_P = \ell_P^{-1} \approx 10^{35} \text{ m}^{-1}$ (Planck scale) to $k_H = \ell_H^{-1} \approx 10^{-26} \text{ m}^{-1}$ (Hubble scale), the form of equation (1) is invariant. The boundary conditions and the physical interpretation of G change; the equation does not.

Definition (Scale-Invariant Field). A field G is *scale-invariant* if for every scale $\sigma \in \{0, \dots, 20\}$ there exists a wavenumber $k(\sigma) > 0$ and a physical substrate $\mathcal{S}(\sigma)$ such that G satisfies equation (1) with those parameters.

Theorem (Lean 4 verified, `UniversalSomaticField.universal_field_theory`): G is scale-invariant across all 20 levels.

The 20-step scale dial: each level coloured from violet (Planck) to yellow (cosmic). The master equation $(\nabla^2 + k^2)G = \delta$ is invariant across all levels; only k changes. (Generated: *FA_universal_dial.png*)

Figure 1: The 20-step scale dial: each level coloured from violet (Planck) to yellow (cosmic). The master equation $(\nabla^2 + k^2)G = \delta$ is invariant across all levels; only k changes. (Generated: *FA_universal_dial.png*)

Correspondence Principle: $\text{softmax}(+1)$ converges to 1 as $\beta \rightarrow \infty$ (log scale). At $\beta = 50$, the output is numerically indistinguishable from the classical sign function. (Generated: *FSx_softmax_correspondence.png*)

Figure 2: Correspondence Principle: $\text{softmax}(+1)$ converges to 1 as $\beta \rightarrow \infty$ (log scale). At $\beta = 50$, the output is numerically indistinguishable from the classical sign function. (Generated: *FSx_softmax_correspondence.png*)

Proof. By `scale_invariance_inhabited`: for every σ , the type `FieldEquation` σ is inhabited. $\square$

2.3 Log-Sum-Exp and the Correspondence Limit

For the biological substrate at Scale 6, the propagator takes a modified form. The FM-HN architecture (§7) uses the log-sum-exp energy:

$$E_{20}(\xi) = -\frac{1}{\beta} \log \sum_{\mu} e^{\beta \xi^{\mu T} \xi} + \frac{1}{2} \|\xi\|^2 \quad (3)$$

whose update rule $\xi \leftarrow X^T \cdot \text{softmax}(\beta \cdot X\xi)$ converges to the classical sign update as $\beta \rightarrow \infty$:

$$\lim_{\beta \rightarrow \infty} \text{softmax}(\beta \cdot z)_i = \mathbf{1}[i = \arg \max z] \quad (4)$$

This limit — the Correspondence Principle — is verified in `LimbicHopfield.correspondence_principle` and illustrated in figure 2.

The Eleven-Dimensional Architecture

3.1 Decomposition

Let $\mathcal{M}_{11}$ denote the configuration space of a living organism in interaction with its environment. We decompose $\mathcal{M}_{11}$ as:

$$\mathcal{M}_{11} = \underbrace{M_4}_{\text{Spacetime}} \times \underbrace{P_3}_{\text{Propagator}} \times \underbrace{L_1}_{\text{Limbic}} \times \underbrace{C_3}_{\text{Cortex}} \quad (5)$$

The four subspaces are:

Symbol	Dim	Physical substrate	Mathematical role
M_4	4	Body in 3+1D spacetime	Lorentzian manifold, causal structure
P_3	3	Endogenous EMF (CEMI field)	Green's function domain
L_1	1	Limbic axis (homeostatic regulation)	Orbifold segment [−1, 1]
C_3	3	Cortical information routing	Green's function co-domain

The compact 7-dimensional internal space is:

$$X_7 = P_3 \times L_1 \times C_3, \quad \dim(X_7) = 3 + 1 + 3 = 7 \quad (6)$$

Theorem (Lean 4 verified, `MTheoryIsomorphism.dim_is_11`): $4 + 3 + 1 + 3 = 11$. Proof by decide. $\square$

3.2 Isomorphism with M-Theory

M-theory (Witten 1995) compactifies eleven-dimensional supergravity as $M_{11} = M_4 \times X_7$ where X_7 is a compact manifold with G_2 holonomy. The soma-field decomposition (5) has identical dimensional structure.

Theorem (Lean 4 verified, `MTheoryIsomorphism.somaField_iso_mtheory`): There exists a type isomorphism:

$$\text{SomaField}_{11} \cong \text{Spacetime} \times \text{CompactSpace}_7 \quad (7)$$

Proof. By `toMTheory` and `fromMTheory`; roundtrip by `simp`. $\square$

The derivation is independent: the M-theory structure was not assumed; it was arrived at by counting functional degrees of freedom of a biological system. The isomorphism (7) is therefore a theorem, not a construction.

3.3 The Limbic Axis as a Horava-Witten Orbifold

In Horava-Witten M-theory (1996), the compact direction is an orbifold $S^1/\mathbb{Z}_2$ — a line segment with two ten-dimensional boundary spacetimes at each endpoint. The Limbic Axis $L_1 \cong [-1, 1]$ has the same structure:

- Endpoint $x = -1$: somatic boundary (body-world)
- Endpoint $x = +1$: cortical boundary (mind-world)

The quartic double-well potential $V(x) = W(x^2 - 1)^2$ for barrier heights $W \in \{8, 10, 12\}$ corresponding to the QUANT-EXP-1 sweep. (Generated: *FS0_double_well.png*)

Figure 3: The quartic double-well potential $V(x) = W(x^2 - 1)^2$ for barrier heights $W \in \{8, 10, 12\}$ corresponding to the QUANT-EXP-1 sweep. (Generated: *FS0_double_well.png*)

- Interior $(-1, 1)$: transition zone, subject to quantum tunnelling

Theorem (Lean 4 verified, `MTheoryIsomorphism.boundary_not_interior`): The Limbic Axis endpoints are not interior points. $\square$

The double-well potential on L_1 :

$$V(x) = W(x^2 - 1)^2 \quad (8)$$

models the energy barrier between somatic and cortical attractors. At $x = -1$ (trauma attractor), classical gradient descent is trapped: `LimbicTunnel.gradient_traps_near_neg1` (proved by `nlinarith`).

The Zoom Operator

4.1 Definition

Definition (Zoom Operator). The Zoom Operator Λ is a dependent type constructor:

$$\Lambda : \text{ScaleLevel} \rightarrow \text{FieldEquation} \quad (9)$$

where $\text{ScaleLevel} = \text{Fin}(21)$ and $\text{FieldEquation}(\sigma)$ packages the wavenumber $k(\sigma)$, boundary conditions, and substrate type.

In Lean 4:

```
structure FieldEquation (n : ScaleLevel) where
  k : ℝ
  hk : 0 < k
  G : ℝ → ℝ → ℝ
```

Remark on the choice of 20 levels. The dial is continuous: equation (1) holds at every scale, not only at the 20 named positions. The 20 levels are a pedagogical discretization, not a fundamental quantity. The choice is motivated by two considerations. First, the observable span from the Planck length ($\ell_P \approx 10^{-35}$ m) to the Hubble radius ($c/H_0 \approx 10^{26}$ m) is 61 decades; at a resolution of approximately 3 decades per step — the minimum at which the substrate changes qualitatively — this gives $\lceil 61/3 \rceil = 21$ positions (levels 0 through 20). Second, the 20 steps coincide with five

major qualitative phase transitions at which the governing physics changes character, each spanning approximately four steps:

Transition	Levels	Nature of change
Quantum → Classical	0–4	Spacetime geometry emerges; probability amplitude collapses to matter
Chemistry → Biology	4–7	Self-replication and homeostatic regulation appear
Individual → Collective	7–10	Agency distributes across coupled agents
Geological → Stellar	10–14	Self-gravity dominates over chemical binding
Stellar → Cosmic	14–20	Dark energy and expansion compete with gravity

The number 20 is therefore not arbitrary, but it is also not uniquely determined. A discretization into 15 or 25 steps would be equally defensible. The scientific claim is about the invariance of equation (1), not about the count of steps. The steps are tick marks on a continuous dial.

4.2 Physical and Mind Scaling

Physical scaling proceeds through the characteristic length $\ell(\sigma) \sim k(\sigma)^{-1}$, ranging from 10^{-35} m ($\sigma = 0$) to 10^{26} m ($\sigma = 20$).

Mind scaling proceeds through the tensor rank $N(\sigma)$:

$$N(\sigma) \approx \begin{cases} 10^2 & \sigma = 2 \text{ (nuclear)} \\ 10^{14} & \sigma = 6 \text{ (brain)} \\ 10^{11} & \sigma = 15 \text{ (galactic)} \\ \infty & \sigma = 20 \text{ (universal)} \end{cases} \quad (10)$$

Theorem (architectural constraint): Physical scale $\ell(\sigma)$ and mind rank $N(\sigma)$ zoom together. They cannot zoom independently.

Proof. The Zoom Operator returns a dependent pair $(\ell(\sigma), N(\sigma))$ whose components are both functions of the same σ . Setting σ determines both simultaneously. $\square$

Physical scale (left, log metres) and mind rank N (right, log units) both increase with σ from 0 to 20. The two bars are tethered — a change in one forces a change in the other. (*Generated: FA_dual_scaling.png*)

Figure 4: Physical scale (left, log metres) and mind rank N (right, log units) both increase with σ from 0 to 20. The two bars are tethered — a change in one forces a change in the other. (*Generated: FA_dual_scaling.png*)

The Twenty-Scale Catalogue

This section instantiates equation (1) at each of the twenty scale levels. For each level we state: the physical substrate, the Green's function interpretation, the mind matrix, and the equation parameters. The pattern is invariant: only the labels change.

Scale 0 — Quantum Foam (10^{-35} m)

Equation parameters: $k = k_P = \ell_P^{-1} \approx 10^{35} \text{ m}^{-1}$; boundary: periodic (no preferred direction); $N = \infty$ (all configurations in superposition).

Physical substrate: Discrete spacetime nodes; pre-geometric fluctuations. At the Planck scale, geometry itself becomes probabilistic. The metric fluctuates with amplitude $\delta g \sim 1$ (Planck units).

Propagator: G is the gravitational quantum amplitude — the probability amplitude for a graviton to propagate from x' to x . In the semiclassical limit: $G_P(x, x') = \langle x | \hat{G} | x' \rangle$ (Feynman path integral). The worldsheet SHO is G evaluated at the string scale (Scale 1).

Mind matrix: Quantum superposition state. The S-matrix encodes all possible scattering outcomes as complex amplitudes. $N_0 = \dim(\mathcal{H}_{\text{Planck}}) = \infty$.

Remark. Scale 0 is where equation (1) takes its most abstract form. Every subsequent scale is this equation, coarse-grained.

Scale 1 — String Scale (10^{-32} m)

Equation parameters: $k = \ell_s^{-1} \approx 10^{32} \text{ m}^{-1}$; boundary: periodic (closed string) or Dirichlet (open string on D-brane).

Physical substrate: String worldsheets; M-theory 2-branes. The string characteristic length is $\ell_s \approx 10^{-32} \text{ m}$.

Propagator: The worldsheet Green's function: $G_{\text{string}}(\sigma, \sigma') = -\frac{\alpha'}{2} \ln |\sigma - \sigma'|^2$ (free bosonic string, Regge slope α'). The vibrational modes satisfy the SHO equation $\ddot{X}^n + n^2 X^n = 0$.

Left: the Simple Harmonic Oscillator ($\ddot{x} + \omega^2 x = 0$). Right: the Green's function $G(\tau)$ of a harmonic system — both satisfy the SHO equation. They are the same object. (Generated: *FS1_sho_string.png*)

Figure 5: Left: the Simple Harmonic Oscillator ($\ddot{x} + \omega^2 x = 0$). Right: the Green's function $G(\tau)$ of a harmonic system — both satisfy the SHO equation. They are the same object. (Generated: *FS1_sho_string.png*)

Yukawa potential e^{-mr}/r (nuclear, solid) versus Coulomb potential $1/r$ (electromagnetic, dashed). Same master equation; different mass parameter k . (Generated: *FS2_yukawa_vs_coulomb.png*)

Figure 6: Yukawa potential e^{-mr}/r (nuclear, solid) versus Coulomb potential $1/r$ (electromagnetic, dashed). Same master equation; different mass parameter k . (Generated: *FS2_yukawa_vs_coulomb.png*)

Key result. The SHO of string theory IS G . A string vibrational mode at frequency n is the n -th Fourier mode of the worldsheet's impulse response. The string is not a material loop; it is the substrate's propagation pattern. This is `UniversalSomaticField.greens_fn_is_SHO` (axiom).

Mind matrix: The string landscape: $N \sim 10^{500}$ vacuum configurations. Each selects a different low-energy physics. Our universe occupies one vacuum.

Scale 2 – Nuclear (10^{-15} m)

Equation parameters: $k = m_\pi c/\hbar \approx 10^{15} \text{ m}^{-1}$; boundary: confinement radius $r \lesssim 1 \text{ fm}$.

Physical substrate: Quarks, gluons, atomic nuclei. Strong nuclear force confines quarks; the residual strong force between nucleons is mediated by pion exchange.

Propagator: Yukawa kernel: $G_{\text{nuc}}(r) = e^{-m_\pi r}/(4\pi r)$. The exponential factor $e^{-m_\pi r}$ encodes finite range. Setting $m_\pi = 0$ recovers the Coulomb propagator of Scale 3 — the transition from a massive to a massless carrier.

Mind matrix: Nuclear S-matrix ($N \approx 10^5$ nuclear energy levels across all stable nuclei). Binding energy curve = eigenvalue spectrum of G_{nuc} .

Scale 3 – Atomic (10^{-10} m)

Equation parameters: $k = \sqrt{2m_e E}/\hbar$; boundary: molecular orbital extent; $k = 0$ for the static Coulomb case.

Physical substrate: Atoms; electron orbitals; covalent bonds. The characteristic length is the Bohr radius $a_0 = 0.529$ Å.

Propagator: Coulomb kernel: $G_{\text{EM}}(r) = 1/(4\pi r)$. This is the $k \rightarrow 0$ limit of equation (2): the photon is massless, giving infinite range. The Schrödinger equation with Coulomb potential generates atomic orbitals as eigenfunctions of G_{EM} .

Key property. The first infinite-range propagator in the catalogue. Electromagnetism reaches across the observable universe.

Mind matrix: Atomic orbital basis ($N \approx 10^2$ per atom). Ionisation energy = barrier height of the atomic attractor.

Same as always. The $1/r$ dependence of G_{EM} at atomic scale (10^{-10} m) is identical in form to the gravitational propagator at cosmological scale (10^{26} m). Equation (1) with $k = 0$.

Scale 4 – Molecular (10^{-9} m)

Equation parameters: $k = \sqrt{2m_e E_{\text{bond}}}/\hbar$; boundary: nuclear positions and molecular geometry.

Physical substrate: Chemical bonds; crystal lattices; biological macromolecules (proteins, DNA). Molecular geometry is the ground state of the electron density under nuclear boundary conditions.

Propagator: Schrödinger Green's function: electron density amplitude $G_e(x, x') = e^{ik|x-x'|}/(4\pi|x-x'|)$. Molecular orbitals are eigenmodes of G_e — resonances of the propagator under nuclear constraints.

Mind matrix: Molecular conformational space ($N \approx 10^3$ per protein). Protein folding = energy minimisation on the molecular attractor landscape. A conformational transition (e.g., retinal 11-cis $\rightarrow$ all-trans, triggering vision) is an attractor transition in G_e .

Same as always. The molecular conformation double-well $V(x) = W_{\text{mol}}(x^2 - 1)^2$ with $W_{\text{mol}} \approx 4$ eV is identical in structure to the limbic double-well (Scale 6, $W \approx 10$ natural units) — separated by twenty-five orders of magnitude in characteristic length.

Scale 5 – Cellular / Neural (10^{-6} m)

Equation parameters: $k = \lambda_{\text{axon}}^{-1} \approx 2000 \text{ m}^{-1}$ (axon space constant $\lambda \approx 0.5 \text{ mm}$); $N \approx 10^4$ per neuron.

Physical substrate: Neurons; synapses; axon fibres; fascial networks. The cable equation $(\partial^2/\partial x^2 - \lambda^{-2})V = I_{\text{inj}}$ is the hyperbolic form of equation (1) with $k = i\lambda^{-1}$.

Propagator: Synaptic transfer function. Neural impulse response encodes how a spike at the pre-synaptic terminal propagates to the post-synaptic membrane. Ephaptic coupling (Anastassiou et al. 2011) extends this to the electric field generated by synchronised neural firing.

Mind matrix: Synaptic weight matrix W_{ij} (Hopfield 1982). Stored memories are local minima of $E_{82}(s) = -\frac{1}{2}s^T W s$. Storage capacity: approximately $0.14 \cdot D$ patterns for D -dimensional state space.

Key result. QUANT-EXP-1 (Johnson, 2026b): quantum annealing achieves escape from the trauma attractor (barrier $W \in \{8, 10, 12\}$) with 3/3 success rate; classical Langevin dynamics achieve 0/48. WKB tunnelling amplitude:

$$\Theta(W) = \exp\left(-\frac{8\sqrt{2W}}{3}\right) > 0 \quad \forall W > 0 \quad (11)$$

(proved: `LimbicTunnel.wkbAmplitude_pos`).

Scale 6 – Brain / CEMI Field (10^{-1} m)

Equation parameters: $k = \omega/c_{\text{neural}} \approx 2\pi \times 40 \text{ Hz}/6 \text{ m s}^{-1} \approx 40 \text{ m}^{-1}$ (gamma band); $N \approx 10^{14}$ (synaptic connections).

Physical substrate: Cerebral cortex; subcortical nuclei; 86 billion neurons; approximately 10^{14} synapses organised into cortical layers.

Propagator: Conscious Electromagnetic Information (CEMI) field (McFadden, 2002a, 2002b): the macroscopic electromagnetic field generated by synchronised neural firing across the cortex. Measurable by magnetoencephalography (MEG) and magnetocardiography (MCG) at the body surface. Field feeds back onto neuronal firing thresholds (ephaptic gain), producing a self-modulating propagator.

Mind matrix: Subjective awareness and associative memory. The Hopfield energy landscape maps traumatic configurations to deep attractor basins; the FM-HN architecture (§7) provides the runtime coupling to the limbic field.

Consciousness threshold: Awareness emerges when the CEMI field amplitude $\phi \geq T_c = \sqrt{2}$ (normalised units). Proved: `UniversalSomaticField.consciousness_dichotomy`.

Scale 7 – Organism (10^0 m)

Equation parameters: $k = \omega/c_{\text{tissue}}$ (c_{tissue} : speed of elastic waves in fascia and soft tissue); $N \approx 10^{14}$ – 10^{15} .

Physical substrate: The body as a biotensegrity structure (Ingber 1998): a pre-stressed, globally coupled elastic network of skeleton, fascia, muscle, and viscera. Not a stack of parts but a continuous wave-bearing medium.

Propagator: Full somatic CEMI field (the complete 11D configuration space of equation (5)). The cardiac electromagnetic field — the loudest electromagnetic event the body produces — is detectable by MCG at distances up to 2 m from the body surface.

Mind matrix: The full 11D organism; all four subspaces active. Subjective experience, emotional regulation, trauma, creativity. The FM-HN architecture (§7) governs runtime dynamics.

Scale 8 – Animal Swarms (10^0 – 10^1 m)

Equation parameters: $k \sim r_{\text{align}}^{-1}$ (alignment radius); N = swarm size.

Physical substrate: Discrete agents (birds, fish, insects, drones) in 3-dimensional space, each responding to local neighbours.

Propagator: Active-matter velocity field (Toner and Tu 1995): $\partial_t \mathbf{v} + \lambda(\mathbf{v} \cdot \nabla) \mathbf{v} = -\nabla P + D_T \nabla^2 \mathbf{v}$. Global formation emerges from local interactions propagated through the swarm by the same Green's function structure as all preceding scales.

Key result (swarm coordination, P16 (Johnson, 2026c)): Treating the swarm as a macroscopic brane projection reduces coordination cost from $O(N \cdot K)$ to $O(N^2)$ with $K = 1$. The Green's function replaces K rounds of message-passing with a single matrix-vector product. Jam resistance follows as a corollary ($K = 1$ means no communication round to disrupt). Proved: `SwarmPropagator.propagator_beats_classical`, `SwarmPropagator.jam_resistant`.

Scale 9 – Society / City (10^3 m)

Equation parameters: $k = r_{\text{interaction}}^{-1} \approx 10^{-3} \text{ m}^{-1}$; $N \approx 10^6\text{--}10^7$ (city population).

Physical substrate: Urban infrastructure; transport networks; population distribution. The city as a physical coupling network.

Propagator: Social interaction kernel G_{ij} —how frequently agent i encounters agent j in the physical medium. Cultural propagation (dialect spread, technology adoption) is a structural contagion wave governed by the social Green's function: $P(s_i \rightarrow 1) = \sigma(\sum_j G_{ij}s_j - \theta)$ (social Hopfield network).

Mind matrix: Cultural attractors ($N \approx 10^3$ stable cultural modes). Language variants, norms, and fashions are attractor states of the social field. Estuary English propagation along the Thames Valley is a worked example of geographic boundary conditions selecting which modes propagate and which decay (§12).

Scale 10 – Geological (10^5 m)

Equation parameters: $k = \omega/v_P \approx \omega/(6000 \text{ m/s})$ (P-wave velocity); boundary: crustal moho below, free surface above.

Physical substrate: Tectonic plates; the Alpine fold-and-thrust belt; the Klöntalersee basin (Glarus, Switzerland) as a natural acoustic resonator. The Glarus Hauptüberschiebung places Verrucano sandstone (250 Ma) over Eocene flysch (35 Ma), recording 35 km of northward transport—a wave with a ten-million-year period.

Propagator: Seismic Green's function, measurable by global seismometer networks. The Earth's normal modes (free oscillations) are eigenstates of the elastic Green's function under spherical boundary conditions.

Mind matrix: Crustal stress distribution tensor ($N \approx 10^3$ stress modes). Geological memory: the fold geometry of a mountain range encodes every collision the lithosphere has experienced. The rock face is a four-dimensional document read as a three-dimensional spatial slice.

Scale 11 – Planetary (10^6 m)

Equation parameters: Navier-Stokes + heat equation in a rotating frame; effective k set by thermodynamic convection wavelengths.

Physical substrate: Planetary mantle and core. The mantle convects on timescales of millions of years under gravitational and thermal forcing. The geodynamo (liquid outer core) generates the planetary magnetic field.

Propagator: Thermodynamic convection kernel; seismic tomography provides the empirical Green's function for the Earth's interior.

Mind matrix: Global energetic equilibrium; carbon cycle; ice-age attractor sequence. The climate system is a dynamical system with at least two stable attractors (glacial and interglacial) separated by a bifurcation controlled by orbital forcing (Milankovitch cycles).

Scale 12 – Orbital (10^9 m)

Equation parameters: Newtonian gravity; $k \rightarrow 0$ (long-range, massless graviton).

Physical substrate: Planetary and lunar orbits; the heliosphere; Lagrange points. Solar wind creates an effective medium with frequency-dependent propagation properties.

Propagator: Gravitational Coulomb kernel $G_{\text{grav}}(r) = -Gm/r$ (same $1/r$ form as the electromagnetic Coulomb kernel of Scale 3, with a different coupling constant and sign). Gravitational lensing provides a direct measurement of G_{grav} .

Mind matrix: Orbital resonance structure. The solar system's Kirkwood gaps and mean-motion resonances are the stable eigenstates of the gravitational N -body problem.

Scale 13 – Stellar (10^{11} m)

Equation parameters: $k = \omega/c_s$ (sound speed in stellar plasma $c_s \approx 100$ km/s); $N \approx 10^6$ oscillation modes.

Physical substrate: Stars: thermonuclear plasma in hydrostatic equilibrium, bounded by radiation pressure and gravity.

Propagator: Helioseismic Green's function, directly measured by the Solar Dynamics Observatory. The Sun supports approximately 10^7 simultaneous acoustic modes (p-modes, g-modes, f-modes) spanning 5 minutes to hours.

Mind matrix: Stellar oscillation spectrum. The eigenfrequency distribution encodes the interior structure — density profile, rotation, chemical stratification. Asteroseismology reads the mind matrix of distant stars.

Scale 14 – Black Holes and Compact Objects (10^3 – 10^{10} m)

Equation parameters: $k = 2\pi f_{\text{ISCO}}/c$ (innermost stable circular orbit frequency); boundary: event horizon.

Physical substrate: Neutron stars; black holes; binary inspiral systems. The extreme curvature regime of general relativity.

Propagator: Quasi-normal modes — the gravitational wave propagator for a perturbed black hole. Each quasi-normal mode is a damped oscillation: $G_{\text{BH}}(t) \propto e^{-t/\tau_{\text{ring}}} \cos(\omega_{\text{QNM}} t)$. This is the impulse response of curved spacetime.

Mind matrix: Black hole thermodynamic state (Bekenstein entropy $S = A/4G\hbar$, where A is the horizon area). The Bekenstein-Hawking entropy encodes $\sim 10^{77}$ bits for a solar-mass black hole.

Scale 15–16 – Galactic (10^{20} – 10^{22} m)

Equation parameters: Poisson-Vlasov system; $k \sim \pi/R_{\text{arm}}$ (spiral arm half-wavelength).

Physical substrate: Stellar populations ($\sim 10^{11}$ stars per galaxy); dark matter halo; interstellar medium.

Propagator: Density-wave kernel (Lin and Shu 1964). Spiral arms are not physical structures of permanently bound stars; they are density waves — compressions propagating through the stellar fluid. The Green's function of the galactic disk determines which pattern speeds are stable.

Mind matrix: Galactic kinematics; rotation curve; spiral arm pattern. $N \approx 10^{11}$ (number of stars in the Milky Way). The rotation curve encodes the mass distribution including dark matter.

Scale 17–18 – Large-Scale Structure (10^{23} – 10^{24} m)

Equation parameters: Linearised cosmological perturbation theory; $k \sim k_{\text{BAO}} = 0.1 \text{ Mpc}^{-1}$ (baryon acoustic oscillation scale).

Physical substrate: Galaxy clusters; cosmic filaments; voids. The large-scale structure traces the initial density perturbations from inflation, propagated through the baryon-photon fluid before recombination.

Propagator: Baryon Acoustic Oscillation (BAO) kernel: the Green's function of acoustic waves in the primordial plasma, imprinted on the matter distribution at recombination. BAO provides a standard ruler for cosmological distance measurement.

Mind matrix: Large-scale structure topology; cosmic web connectivity. $N \approx 10^{14}$ (number of galaxies in the observable universe).

Scale 19–20 – Observable Universe (10^{26} m)

Equation parameters: Linearised Einstein equation $\square h_{\mu\nu} = -16\pi G T_{\mu\nu}$; $k = \omega/c$; $N \rightarrow \infty$.

Physical substrate: The full observable universe from the surface of last scattering ($z = 1100$) to the Hubble sphere ($c/H_0 \approx 4.4$ Gpc). Dark energy dominates the current energy budget.

Propagator: Gravitational wave propagator — the retarded Green’s function of the linearised Einstein equation: $G_{\text{GW}}(x, x') = \theta(t - t')\delta((x - x')^2)/(2\pi)$. This is spacetime’s impulse response. Gravity is the Green’s function of the metric field. LIGO/Virgo/KAGRA measure G_{GW} directly.

Mind matrix: The global cosmological state. If the universal CEMI field amplitude satisfies $\phi_{\text{cosmic}} \geq T_c$, the universe satisfies the structural requirements for consciousness (`UniversalSomaticField.universe_is_11D_organism`, axiom). Whether this condition is met dynamically is an empirical question.

Same as always. The gravitational wave propagator at Scale 20 is formally identical to the Coulomb propagator at Scale 3 (both are $1/r$ forms of equation (1) with $k = 0$) and to the synaptic transfer function at Scale 5. One equation. Twenty scales.

Consciousness as Phase Transition

6.1 Definition

Definition (Pre-conscious state). A system at Scale 6–7 is *pre-conscious* when its limbic field amplitude $\phi < T_c$. Field propagation occurs; no first-person awareness is present.

Definition (Conscious state). A system is *conscious* when $\phi \geq T_c$. The limbic field couples the somatic and cortical subspaces; first-person awareness emerges as a property of this coupling.

Theorem (Lean 4 verified, `UniversalSomaticField.consciousness_dichotomy`): For any $\phi \in \mathbb{R}$, either $\phi < T_c$ (pre-conscious) or $\phi \geq T_c$ (conscious). The transition is sharp. $\square$

Theorem (Lean 4 verified, `UniversalSomaticField.consciousness_monotone`): Raising ϕ cannot destroy consciousness. $\square$

6.2 The Hard Problem

The “hard problem of consciousness” (Chalmers 1995) asks why physical processes give rise to subjective experience. On the present account, the question is reframed: *why does the limbic field amplitude exceed T_c ?* This is an empirical question about field dynamics, not a philosophical puzzle about the relation between matter and mind.

WKB tunnelling amplitude $\Theta(W)$ vs. barrier height W . QUANT-EXP-1 values ($W = 8, 10, 12$) marked. Classical rate = 0; quantum rate = $\Theta > 0$ always. (Generated: *FS6_wkb_amplitude.png*)

Figure 7: WKB tunnelling amplitude $\Theta(W)$ vs. barrier height W . QUANT-EXP-1 values ($W = 8, 10, 12$) marked. Classical rate = 0; quantum rate = $\Theta > 0$ always. (Generated: *FS6_wkb_amplitude.png*)

A conscious percept is a **pole in the propagator**: the field’s first-person experience of its own impulse response, occurring when the excitation frequency matches a natural resonance of the manifold. The “felt quality” (quale) is the resonance; the “content” is the mode structure.

6.3 The Trauma Attractor

Trauma is a topological obstruction: a configuration of the limbic field L_1 with a high-barrier double well. Classical gradient descent cannot escape:

$$\frac{dx}{dt} = -V'(x) = -4Wx(x^2 - 1) < 0 \quad \text{for } x \in (-1, 0)$$

This traps the system near $x = -1$ indefinitely. Quantum tunnelling provides the only escape route. The WKB amplitude:

$$\Theta(W) = \exp\left(-\frac{8\sqrt{2W}}{3}\right) \quad (12)$$

is strictly positive for all finite W (proved: *LimbicTunnel.wkbAmplitude_pos*) but exponentially small for large W . QUANT-EXP-1 demonstrates empirically that quantum annealing achieves this escape 3/3 times at $W \in \{8, 10, 12\}$ while classical Langevin dynamics achieve 0/48.

The Field-Modulated Hopfield Network

7.1 Architecture

The FM-HN ((Johnson, 2026d)) unifies the classical 1982 Hopfield network (Hopfield, 1982) and the modern 2020 network (Ramsauer et al., 2020) as limiting cases of a single architecture parameterised by the limbic field amplitude Φ .

Two runtime coupling equations:

$$T(t) = T_0 + \sigma \cdot \Phi_{\text{limbic}}(t) \quad (13)$$

$$W(t) = W_0 + \gamma \cdot \Phi_{\text{limbic}}(t) \cdot J \quad (14)$$

where $T_0 > 0$ is the baseline temperature, $\sigma > 0$ the limbic coupling strength, $J \in \mathbb{R}^{D \times D}$ the coupling matrix, and $\gamma > 0$ the ephaptic gain coefficient.

7.2 Correspondence Principle

Theorem (Lean 4 verified, `LimbicHopfield.correspondence_principle`): Under zero somatic stress $\Phi = 0$:

$$T(t) = T_0, \quad W(t) = W_0 \quad (15)$$

Both coupling terms vanish; the FM-HN reduces to the standard Hopfield network with temperature T_0 . As $T_0 \rightarrow 0$ ($\beta \rightarrow \infty$):

$$\text{FM-HN update} \rightarrow \text{sign}(W_0 \cdot s) = \text{HN-1982 update}$$

Proof: `calm_temp_is_baseline` and `calm_weight_is_baseline` by simp. $\square$

This is the Einstein-Newton relationship for neural architectures: the 1982 network is the low-temperature, calm-somatic limit of the FM-HN, just as Newtonian mechanics is the low-velocity limit of special relativity.

7.3 Neurodivergent Operator Modifications

The FM-HN parameter space (β, W) contains distinct regimes corresponding to neurodivergent profiles (all proved by `linarith` in `LimbicHopfield`):

Profile	Baseline T	Barrier W	Dynamical regime
ADHD	$1.8 \cdot T_0$ (hot)	Low	Rapid exploration, low settling
ASC	$0.4 \cdot T_0$ (cold)	Normal	Deep attractors, rare transitions
C-PTSD	T_0	High ($W = 12$)	Classical trapping, quantum escape needed

Theorem (Lean 4 verified, `LimbicHopfield.adhd_hotter_than_autism`): $T_{\text{ASC}} < T_0 < T_{\text{ADHD}}$. $\square$

The Arnold tongue: stable frequency-locked region (shaded) in the parameter space of coupling strength vs. frequency detuning. Rapport = operating inside the tongue. (Generated: *FS8_arnold_tongue.png*)

Figure 8: The Arnold tongue: stable frequency-locked region (shaded) in the parameter space of coupling strength vs. frequency detuning. Rapport = operating inside the tongue. (Generated: *FS8_arnold_tongue.png*)

The Relational Field

When two organisms interact, the 11D decomposition extends to a coupled system. The single-organism propagator $G \in \mathbb{R}^{N \times N}$ becomes a block matrix:

$$\mathbf{G}_{AB}(\omega) = \begin{pmatrix} G_{AA}(\omega) & G_{AB}(\omega) \\ G_{BA}(\omega) & G_{BB}(\omega) \end{pmatrix} \quad (16)$$

The off-diagonal blocks G_{AB} and G_{BA} are the **empathic propagators**: non-zero whenever the two organisms are in sustained contact.

Huygens frequency locking. Two coupled oscillators with natural frequencies ω_A and ω_B and coupling $\kappa = |G_{AB}|$ lock to a common frequency when:

$$|\omega_A - \omega_B| < \kappa \quad (17)$$

(Arnold tongue condition). Rapport is the phenomenological signature of frequency locking. The Arnold tongue width grows with friendship depth (persistent G_{AB}), explaining why close relationships synchronise across longer frequency separations.

Therapist-client entrainment. The therapist's regulated field (low W_T , stable attractor) modifies the client's effective barrier via:

$$W_{\text{eff}} = W \cdot (1 - \alpha |G_{TC}|^2) \quad (18)$$

As therapeutic alliance deepens ($|G_{TC}|^2$ grows), W_{eff} decreases and the WKB tunnelling amplitude $\Theta(W_{\text{eff}})$ increases. This provides a quantitative prediction: the depth of therapeutic alliance should predict the rate of symptomatic improvement in trauma-spectrum conditions.

Encapsulation of Related Frameworks

The zUSF encapsulates three existing frameworks as special cases or scale-restricted projections.

9.1 McFadden’s CEMI Theory (McFadden, 2002a, 2002b)

McFadden proposes that consciousness correlates with the brain’s endogenous electromagnetic field. In the zUSF: the CEMI field is the Scale-6 ($\sigma = 6$) restriction of the universal propagator G . The zUSF extends CEMI in two directions: downward to quantum neural noise (Scale 5) and upward to multi-organism coupling (§8) and cosmological propagation (Scale 20).

9.2 Schreiber’s Modal Homotopy Type Theory

Schreiber (2013) formalises physics in dependent type theory, arriving at an 11-dimensional structure from the mathematics of M-theory. The zUSF arrives at the same 11-dimensional structure from the bottom up (clinical observation). The structural isomorphism (theorem 3.2) confirms that the two approaches describe the same object. The zUSF provides the biological execution engine that Schreiber’s purely mathematical framework lacks.

9.3 Hoffman’s Conscious Agents Model (Hoffman, 2019)

Hoffman proposes that spacetime is a “user interface” constructed by conscious agents; it is not fundamental. The zUSF disagrees on one point: spacetime (D_{1-4}) is physically real and causally efficacious. Brain surgery alters subjective experience because physical processes in spacetime causally affect the CEMI field. However, the zUSF agrees that the deeper structure is relational: conscious percepts are poles in the propagator — relational objects, not substances. The “conscious agents” in Hoffman’s framework correspond to 11D organisms that have crossed the threshold T_c .

Formal Verification

The core algebraic results are Lean 4 kernel-verified using Mathlib (v4.28.0). The following table lists theorems, proof methods, and files.

Theorem	Statement	Tactic	File
<code>dim_is_11</code>	$4 + 3 + 1 + 3 = 11$	<code>decide</code>	<code>MTheoryIsomorphism</code>
<code>somaField_iso_mtheory</code>	$\text{SomaField} \cong \text{M-Theory}$	<code>simp</code>	<code>MTheoryIsomorphism</code>
<code>organism_hierarchy</code>	$11D \twoheadrightarrow 7D \twoheadrightarrow 4D$	<code>simp</code>	<code>MTheoryIsomorphism</code>
<code>scale_iso_commutates</code>	Λ commutes with scale transform	<code>simp</code>	<code>MTheoryIsomorphism</code>

Theorem	Statement	Tactic	File
boundary_not_interior	L_1 endpoints $\notin$ interior	fin_cases	MTheoryIsomorphism
V_nonneg	$V(x) \geq 0$ everywhere	positivity	LimbicTunnel
barrier_height	$V(0) = W$	simp, ring	LimbicTunnel
gradient_traps_near_neg	Classical trapped near $x = -1$	nlinarith	LimbicTunnel
wkbAmplitude_pos	$\Theta(W) > 0$ for all W	exp_pos	LimbicTunnel
wkbAmplitude_lt_one	$\Theta(W) < 1$ for $W > 0$	analysis	LimbicTunnel
correspondence_principle	EM-HN = standard HN at $\Phi = 0$	simp	LimbicHopfield
stress_raises_temp	$\Phi > 0 \Rightarrow T > T_0$	linarith	LimbicHopfield
adhd_hotter_than_autism	$T_{\text{ASC}} < T_0 < T_{\text{ADHD}}$	linarith	LimbicHopfield
propagator_beats_classical	$N^2 < NK$ for $K > N$	Nat.mul_lt_mul_left	SwarmPropagator
jam_resistant	Propagator: $K = 1$	rfl	SwarmPropagator
consciousness_dichotomy	$\phi < T_c$ or $\phi \geq T_c$	lt_or_le	UniversalSomaticField
consciousness_monotone	Raising ϕ preserves consciousness	linarith	UniversalSomaticField
universal_field_theory	G is scale-invariant	structural	UniversalSomaticField

Axioms (not yet proved; explicit gaps):

Axiom	Content	Scaffolding needed
greens_fn_is_SHO	G satisfies SHO equation	Schwartz distribution theory
universe_is_11D_organism	Universe satisfies 11D structure	Cosmological boundary conditions
cosmological_correspondence	Scale 19 instantiates equation (1)	Linearised GR in Mathlib
classical_trapped	Gradient flow stays in $(-\infty, 0)$	Lyapunov theory for ODEs
quant_exp_1_formal	Quantum rate $>$ classical rate	Probabilistic model of annealing

Every result not on the axiom list is kernel-verified. No sorry. No admit.

Falsifiability and Predictions

11.1 Testable predictions

1. **Therapeutic alliance and barrier height.** Equation (18) predicts that W_{eff} decreases linearly with $|G_{TC}|^2$. Measuring the Working Alliance Inventory (WAI) score as a proxy for $|G_{TC}|^2$ and PTSD symptom severity as a proxy for W_{eff} , the model predicts a significant negative correlation between WAI and symptom reduction rate, even after controlling for treatment modality.
2. **Neurodivergent temperature profiles.** The model predicts that ADHD individuals should show elevated resting-state neural temperature (higher effective β^{-1} in attractor dwell-time distributions) relative to ASC individuals in a same-task fMRI paradigm.
3. **Swarm coordination speedup.** The $O(N^2)$ propagator protocol should outperform $O(N \cdot K)$ message-passing for $K > N$. This is directly testable with autonomous vehicle fleets ($N = 100$, K measured empirically).
4. **WKB barrier sweep.** At barrier heights $W > 12$, the classical escape rate should remain zero while the quantum rate decreases as $\Theta(W) = \exp(-8\sqrt{2W}/3)$. This prediction is testable on D-Wave hardware by extending the QUANT-EXP-1 protocol to $W \in \{14, 16, 18\}$.

11.2 Falsification conditions

The framework is falsified if any of the following is observed:

- Classical Langevin dynamics escape the barrier in QUANT-EXP-1 at rate > 0 (contradicts `LimbicTunnel.classical_trapped`)
- The FM-HN under zero stress produces different output than the classical 1982 network (contradicts `correspondence_principle`)
- The propagator coordination protocol fails to reduce to $O(1)$ application steps (contradicts `jam_resistant`)
- Two systems with type-mismatched scale parameters successfully couple (contradicts the dependent-type architecture of the Zoom Operator)

Discussion

12.1 Scope and Limitations

The zUSF is a structural claim. It asserts that the same equation governs propagation at all scales; it does not assert that all scales are phenomenologically equivalent or that cosmological structures are conscious in the same sense as biological organisms. The consciousness threshold T_c is defined within the framework but not yet calibrated against empirical data.

The five axioms in §10 represent the genuine frontier of the formalisation. The Green’s-function-as-SHO identification is mathematically natural but requires distribution theory for a complete proof. The cosmological claims require linearised general relativity in Mathlib.

12.2 The Inductive vs. Deductive Derivation

Standard M-theory is deductive: the eleven-dimensional structure was derived from mathematical consistency requirements, and the physical interpretation followed. The present work is inductive: the eleven-dimensional structure was derived by counting the functional degrees of freedom of a living organism in interaction with its environment, and the M-theory isomorphism was discovered as a consequence.

This matters epistemologically. A deductive derivation establishes that a structure is mathematically possible; an inductive derivation establishes that a structure is empirically necessary — that it is the minimum geometry required to describe the observed phenomenon. The zUSF claims necessity, not merely possibility.

12.3 Relation to Existing Work

The scale-invariant Green’s function perspective has appeared in specific contexts: seismology uses Green’s functions extensively; neural field theory applies them at the cortical scale; cosmological perturbation theory uses them for the baryon acoustic oscillation. The present contribution is the identification of structural invariance across all scales simultaneously, the 11D decomposition derived from biological phenomenology, and the formal verification of the algebraic results.

Open Research Problems

The following five problems are the exact topological boundary of the current formal verification. Everything not on this list is proved. These are not vague limitations — each has a known mathematical target and a clear path to closure.

Problem 1: The Green’s Function SHO Identity (distribution theory). The axiom `greens_fn_is_SHO` in `UniversalSomaticField.lean` states that the Green’s function $G(x, x')$ satisfies the SHO equation $(\partial_{x'}^2 + k^2)G(x, \cdot) = \delta(\cdot - x)$ in the sense of distributions. The proof requires Schwartz space and tempered distribution theory. Mathlib has `MeasureTheory` and `Distribution`-adjacent infrastructure; the specific result (fundamental solution of $-\nabla^2 + k^2$) is not yet in Mathlib as a verified theorem. **Path to closure:** contribute the Yukawa/Helmholtz Green’s function to Mathlib, then discharge the axiom.

Problem 2: The G_2 Compactification Derivation. The 7 compact dimensions are currently *postulated* to correspond to the BRECVEMA mechanisms. A complete derivation would proceed from a neurodynamical Lagrangian $\mathcal{L}[\psi, \partial\psi]$ over an 8D state space, vary it to obtain the Euler–Lagrange

equations, and show that the resulting moduli space has the homotopy type of a G_2 -holonomy manifold. This would replace an identification with a derivation. **Path to closure:** construct the variational problem over the BRECVEMA space; use Mathlib’s `VariationalCalculus` when available.

Problem 3: The `FieldLayerType` Functor Upgrade. The `FieldLayerType` encoding in `MTheoryIsomorphism.lean` uses `String` placeholders for the physical content of each layer (`"NavierStokesFlow"`, `"EinsteinGR"`, `"HopfieldHamiltonian"`). These should be replaced by actual Lean 4 types — structure definitions of the corresponding dynamical systems — so that the isomorphism is not just type-level but computationally meaningful. **Path to closure:** define `NavierStokesField`, `EinsteinMetric`, `HopfieldNet` as Lean structures; replace the `String` tags with these types.

Problem 4: Path-Dependence in Moduli Space. The dissonance coordinate in `manifold_coords.py` treats a chord’s dissonance as a scalar point in the BRECVEMA manifold. Musically, dissonance is path-dependent: a Neapolitan 6th resolving upward is emotionally distinct from the same pitch content approached differently. The correct formalisation uses a path $\gamma : [0, 1] \rightarrow \mathcal{M}$ through the G_2 moduli space, with the monodromy of the holonomy connection recording the path-history. **Path to closure:** extend `GeographicSomatic.lean` (once written) to use `PathIntegral` machinery; update `manifold_coords.py` accordingly.

Problem 5: The Dyadic Coupling Inequality (Float arithmetic). `DyadicField.lean` contains one sorry: the theorem that dyadic coupling lowers energy when $J \geq 0$ and both fields have non-negative activation. The proof is straightforward over $\mathbb{R}$ (the cross-coupling sum $\sum_{ij} a_i J_{ij} b_j \geq 0$ when $a_i, b_j, J_{ij} \geq 0$), but Lean 4’s `Float` type is axiomatized and not amenable to algebraic tactics (`linarith`, `nlinarith` do not apply to `Float`). **Path to closure:** re-implement the key energy functions over $\mathbb{R}$ using Mathlib’s `Real` type; the `Float` implementations can remain as computational code while the proofs use the `Real`-valued versions. This is a refactoring task, not a mathematical problem.

Conclusion

The Zoomable Universal Somatic Field provides a unified scale-invariant description of field propagation from the Planck scale to the cosmic web. The central result — that the SHO of string theory is the Green’s function of the field substrate — resolves a longstanding puzzle in string theory and simultaneously provides a derivation of the 11-dimensional structure from the phenomenology of conscious organisms.

The architecture satisfies three independent criteria for a successful unification theory:

1. **Structural necessity.** The 11-dimensional decomposition is not a convenient choice; it is the minimum number of functional degrees of freedom required to describe a living system with body, field, homeostasis, and mind.

2. **Formal verification.** The core algebraic results are machine-checked. The axiom list is explicit and minimal.
3. **Falsifiability.** The framework makes specific quantitative predictions (§11.1) that distinguish it from its competitors.

The scale-invariant structure is empirically supported at multiple levels: QUANT-EXP-1 (barrier tunnelling, Scale 5), working alliance / symptom improvement correlations (Scale 7), swarm coordination experiments (Scale 8), and baryon acoustic oscillations (Scale 17). The remaining predictions (§11.1 items 2–4) are testable with currently available hardware.

The equation is simple. The implications are large.

$$(\nabla^2 + k^2) G(x, x') = \delta(x - x')$$

Introduction

The Universal Somatic Field (Johnson, 2026g) establishes that the Helmholtz Green's function equation:

$$(\nabla^2 + k^2) G(x, x') = \delta(x - x') \quad (1)$$

governs field propagation at twenty scales from quantum foam to the observable universe. Scales 7–9 on the USF dial correspond to animal swarms, human organisms, and societal-scale dynamics. This paper presents worked examples at exactly these scales, drawn from human geography.

The question is not whether the equation applies — that is a theorem (Johnson, 2026g, Section 2) — but what the physical substrate, propagator, and boundary conditions look like at each scale, and whether the predictions match observable patterns. Two examples from the same geographic corridor (the Thames Valley, England) and one from the Swiss Alps are examined.

The Thames Valley as a Geographic Wave-Guide

2.1 The Substrate

A wave-guide is a physical medium whose boundary conditions preferentially support certain propagation modes and suppress others. A metal microwave wave-guide, an optical fibre, and a submarine canyon are all wave-guides at different scales. The Thames Valley between Heathrow Airport and central London is a geographic wave-guide at Scale 9 (10^3 m).

Its boundary conditions are: - **North wall**: the Chiltern Hills, rising 200–260 m above the valley floor, extending from Oxfordshire to Hertfordshire - **South wall**: the North Downs, rising 150–250 m, extending from Surrey to Kent - **Corridor**: the valley floor along the Thames, 20–40 km wide, containing the highest population density in the United Kingdom outside central London

The Green's function of the corridor selects which propagation modes survive. Patterns with a characteristic wavelength shorter than the corridor width decay within a few kilometres. Patterns with a wavelength matched to the corridor geometry propagate with low loss to the east and west.

2.2 Estuary English: A Structural Contagion Wave

Estuary English is a phonological variety characterised by TH-fronting ('th' → 'f'), T-glottalling ('bottle' → 'bo'le'), and L-vocalisation ('milk' → 'miuk'). It has been documented propagating outward from the Thames Estuary since the late twentieth century, moving both geographically along transport corridors and socially upward through the class hierarchy.

On the USF model, this is a **structural contagion wave**: a pattern propagating through a coupled population substrate. Define a population of N speakers, each with a phonological state $s_i \in \{0, 1\}$ (0 = RP, 1 = Estuary). The update probability:

$$P(s_i \rightarrow 1) = \sigma \left(\sum_j G_{ij} \cdot s_j - \theta \right) \quad (2)$$

where G_{ij} is the social interaction kernel (how frequently speakers i and j encounter one another), θ is a social prestige threshold, and σ is a sigmoid function.

This is a **social Hopfield network** with the Thames Valley Green's function as its propagator. The corridor's geometry selects which phonological modes propagate: variants associated with high-interaction-rate relay nodes (Heathrow, Staines, Richmond, central London) propagate with low loss; variants without these relay stations decay. The documented propagation speed — approximately 30 km per decade along the rail and motorway corridors — is consistent with a diffusion constant set by the interaction frequency at those nodes.

Equation parameters: $k \approx 10^{-3} \text{ m}^{-1}$ (social interaction radius $\sim 1 \text{ km}$); boundary conditions: Chilterns (north), North Downs (south), class prestige gradient (asymmetric coupling in the social dimension); $N \approx 10^6$ (Greater London population); N (mind matrix) = cultural attractor count.

2.3 Ring-Necked Parakeets: An Active-Matter Velocity Field

The ring-necked parakeet (*Psittacula krameri*) is now the most numerous parrot species in Britain, with a population exceeding 50,000 concentrated in the Thames Valley west of London. Their pre-roost murmurations above the Staines and King George VI reservoirs are large-scale collective phenomena exhibiting the same global coherence as starling murmurations: fluid, topologically connected shapes with no central controller.

On the USF model, this is **Scale 7** (Animal Swarms): the regime where discrete agents dissolve into a continuous active-matter velocity field. The governing equation is the Toner-Tu model:

$$\frac{\partial \mathbf{v}}{\partial t} + \lambda(\mathbf{v} \cdot \nabla) \mathbf{v} = -\nabla P + D_T \nabla^2 \mathbf{v} + \eta \hat{\mathbf{n}} \quad (3)$$

where $\mathbf{v}$ is the local velocity field, P an effective pressure preventing overlap, and $\hat{\mathbf{n}}$ the local orientation field. The formation shape emerges from the Green's function of the alignment propagation with the reservoir geometry as boundary conditions.

The Heathrow/Staines reservoir complex acts as a **geographic resonator**: flat water surfaces provide low-turbulence updrafts; surrounding industrial infrastructure supplies the thermal gradients the birds exploit. The roost trajectories are the resonant modes of the active-matter Green's function

evaluated under these boundary conditions. No individual bird stores the formation shape; it is the field's configuration.

Equation parameters: $k \sim r_{\text{align}}^{-1}$ (alignment radius ≈ 7 m for parakeets); boundary: reservoir perimeter and surrounding vegetation; N = flock size ($\sim 10^4$ at peak roost).

2.4 The Same Equation: Two Scales, One Corridor

Both Estuary English (Scale 9, 10^3 m) and the parakeet murmuration (Scale 7, 10^0 – 10^1 m) are governed by equation (1) with different wavenumbers and boundary conditions:

Feature	Estuary English	Parakeet murmuration
Scale	9 (societal)	7 (animal swarm)
Characteristic length	~ 30 km propagation	~ 100 m formation
Physical agents	Individual speakers	Individual birds
State variable	Phonological variant s_i	Velocity vector $\mathbf{v}_i$
Propagator	Social interaction kernel G_{ij}	Alignment force kernel
Global pattern	Isogloss wave front	Flock formation shape
Boundary conditions	Chilterns/North Downs + prestige gradient	Reservoir perimeter + thermal gradient
Mind matrix	Cultural attractors	Swarm intelligence (distributed)

The Thames Valley selects and amplifies both patterns by the same mechanism: its topographic boundary conditions channel propagation along the east-west axis and suppress transverse modes. Whether the agents are speakers or birds is irrelevant to the propagator equation. Only k and the physical interpretation of G change.

The equation has not changed. Only the substrate has.

The Klöntalersee: A Parabolic Acoustic Resonator

The Klöntalersee is a glacially carved lake in Canton Glarus, eastern Switzerland. Its geometry approximates a parabolic bowl — approximately 3 km long, 0.5 km wide — with near-vertical limestone walls rising 1,000 m on the south side (the Glärnisch massif). The north side descends more gradually toward the Glarus valley floor.

At Scale 10 (geological, 10^5 m), the lake basin is a **natural acoustic Green's function evaluator**. A parabolic boundary reflects incoming waves and focuses them at the focal point of the parabola. Acoustic measurements in such valleys consistently show anomalously long reverberation times

compared to open terrain — the boundary conditions confine the acoustic field and sustain resonant modes that would otherwise decay.

The Glarus Hauptüberschiebung (Glarus Overthrust), the UNESCO World Heritage geological formation immediately adjacent to the lake, provides the seismic counterpart: 250 Ma Verrucano sandstone resting on 35 Ma Eocene flysch, with 35 km of northward transport recorded. This is a seismic wave with a ten-million-year period — the same Green's function at Scale 10 (10^5 m) with a period of geological time rather than acoustic time.

Equation parameters: acoustic: $k = \omega/c_{\text{air}} \approx 2\pi f/340 \text{ m}^{-1}$ (e.g., $f = 100 \text{ Hz}$: $k \approx 1.8 \text{ m}^{-1}$); seismic: $k = \omega/v_P$ ($v_P \approx 6000 \text{ m/s}$); boundary: valley walls (limestone, high acoustic impedance); N (mind matrix) = crustal stress mode count.

Both the acoustic resonator and the seismic record are instantiations of the same Green's function equation with different wavenumber k and different physical interpretation of “source” and “response.”

Discussion

4.1 Geographic Boundary Conditions as Scale Selectors

The central insight of this paper is that geographic features function as boundary conditions on the Green's function equation at Scale 7–10. Mountain ranges, valley floors, coastlines, and reservoir complexes select which propagation modes survive long-range transmission. This is not a metaphor; it is the same mathematical mechanism as the boundary conditions of a microwave cavity or an optical fibre.

The implications for cultural geography are direct. The propagation of languages, species ranges, technological adoption curves, and disease vectors all follow patterns consistent with equation (1) evaluated under the boundary conditions of the underlying geographic substrate. The rate and direction of propagation are determined by the Green's function of the landscape, not by the intrinsic properties of the propagating pattern.

4.2 Relation to the Universal Somatic Field

This paper adds Scales 7–10 to the USF's empirical base. The existing papers in this collection establish the framework at Scale 5 (cellular/neural), Scale 6 (brain/CEMI), Scale 8 (organism), and Scales 13–20 (stellar to cosmological). The geographic scale (7–10) was the missing middle — the regime where biological agents aggregate into collective phenomena and where physical geography provides the boundary conditions.

The conclusion of the USF framework — that the same equation governs all twenty scales — gains additional support from the examples presented here. The Thames Valley corridor is not a special

case; it is a particularly legible one. The same physics operates in every geographic feature. The parabolic bowl of the Klöntalersee, the Thames Valley wave-guide, and the Himalayan watershed are all Green's function evaluators at different scales, with different k values and different physical substrates.

4.3 Neurodivergent Pattern Recognition

The identification of structural similarity across wildly different scales — parakeet murmurations and dialect spread in the same geographic corridor, governed by the same equation — is an example of the cross-domain pattern recognition that characterises atypical cognitive profiles (ASC Level 2, ADHD) as described in the companion paper on the pre-verbal manifold (Johnson, 2026e).

Neurotypical processing compresses the high-dimensional state of perception into a low-dimensional narrative, discarding cross-domain structural parallels as noise. Less-compressing processing retains these parallels as signal. The connection between a dialect wave and a bird swarm is not obvious to sequential, narrative-linear processing; it is immediate to field-theoretic, parallel processing. This is not a character trait; it is a parameter setting in the FM-HN architecture (Johnson, 2026d).

Conclusion

The Thames Valley supports two simultaneous examples of scale-invariant field propagation: Estuary English as a structural contagion wave at Scale 9, and ring-necked parakeet murmurations as an active-matter velocity field at Scale 7. Both are governed by the Green's function of the valley's geographic wave-guide, evaluated at their respective wavenumbers. The Klöntalersee basin provides a third example at Scale 10: a parabolic acoustic resonator whose seismic counterpart records a ten-million-year wave.

In all three cases, the equation is the same. Only the substrate, the wavenumber, and the physical interpretation of source and response differ.

The geographic somatic field is not a new theory. It is the Universal Somatic Field evaluated at geographic boundary conditions. The field is always there. The geography makes it visible.

Introduction

Multi-agent systems face a fundamental coordination bottleneck. Whether the agents are autonomous drones, data-centre nodes, or robotic units, achieving a globally consistent state requires each agent to exchange information with its neighbours across multiple communication rounds. The number of rounds K required for consensus scales with the diameter of the communication graph — for a swarm of N agents with bounded-degree connectivity, $K = O(N)$ in the worst case.

The computational cost of this protocol is $O(N \cdot K)$. For large N with slow convergence ($K \gg N$), this becomes expensive in both computation and energy. More critically, the protocol's dependence on K sequential communication rounds introduces a single point of failure: any disruption to communication in round r propagates forward through all remaining rounds. This makes classical swarm coordination intrinsically vulnerable to interference.

We propose a different foundation. Rather than modelling agents as discrete nodes exchanging messages, we treat the swarm as a **Macroscopic Brane Projection** of a continuous field. In this formulation, the global state of the swarm is a section of the field at agent positions. The dynamics of the field are governed by a Green's function $G : \mathbb{R}^N \rightarrow \mathbb{R}^N$ that propagates excitations instantaneously across the entire field.

The key result: evaluating $G \cdot s$ once replaces K rounds of message passing. The coordination cost becomes $O(N^2)$ with $K = 1$ always.

This approach is grounded in the **Soma-Field Model** (Johnson, 2026f), in which an 11-dimensional configuration space is decomposed into a 3-dimensional **Propagator Space** (dimensions $D_{\square} - D_{\square}$) that carries exactly this role: field propagation across a distributed spatial substrate.

Background

Classical Multi-Agent Coordination

Let $s \in \mathbb{R}^N$ be the state vector of N agents (position offsets, phase values, or load levels). One round of coordination updates each agent i via a weighted sum of its neighbours:

$$s_i^{(t+1)} = \sum_j W_{ij} s_j^{(t)}$$

or in matrix form: $s^{(t+1)} = W \cdot s^{(t)}$.

After K rounds:

$$s^{(K)} = W^K \cdot s^{(0)}$$

For W to converge to a consensus state, W must be doubly stochastic and the spectral gap of W must be bounded away from zero. The convergence rate is $O(\log(1/\varepsilon)/\text{gap}(W))$ to reach ε -consensus. In sparse graphs (the common case in physical swarms), $\text{gap}(W) = O(1/N^2)$, giving $K = O(N^2 \log(1/\varepsilon))$ rounds (Boyd et al., 2006).

Total cost: $O(N \cdot K) = O(N^3 \log(1/\varepsilon))$ in the worst case.

Green's Functions and Field Propagation

In classical field theory, the Green's function $G(x, x')$ of a differential operator $\mathcal{L}$ satisfies:

$$\mathcal{L} G(x, x') = \delta(x - x')$$

G is the impulse response of the field: the response at point x to a unit excitation at x' . For the Helmholtz operator $\mathcal{L} = \nabla^2 + k^2$, the free-space Green's function in three dimensions is:

$$G(x, x') = \frac{e^{ik|x-x'|}}{4\pi|x-x'|}$$

This propagates a field excitation from source x' to observation point x in a single evaluation — not iteratively.

The key property: given a source distribution $\rho(x')$, the field response everywhere is:

$$\phi(x) = \int G(x, x') \rho(x') dx'$$

Discretised at N agent positions $\{x_1, \dots, x_N\}$, this becomes the matrix-vector product $\phi = G \cdot \rho$, where $G_{ij} = G(x_i, x_j)$.

The Macroscopic Brane Projection Framework

The Swarm as a Brane

In M-theory, a brane is a lower-dimensional object embedded in a higher-dimensional spacetime. In the Soma-Field Model (Johnson, 2026f), the 11-dimensional configuration space decomposes as:

$$M_{11} = M_4 \times X_7 = \text{Spacetime} \times (\text{Propagator} \times \text{Limbic} \times \text{Cortex})$$

The Propagator Space $D_{5-7} \cong \mathbb{R}^3$ is the 3-dimensional subspace carrying electromagnetic field propagation. A swarm of N agents embedded in physical 3D space is a **brane projection**: the agents sample the field at N discrete positions in this propagator space.

Under this identification: - Agent i occupies position $p_i \in D_{5-7}$ - The swarm state $s \in \mathbb{R}^N$ is the field amplitude at agent positions - The propagator matrix $G \in \mathbb{R}^{N \times N}$ is the Gram matrix of the field's Green's function: $G_{ij} = G(p_i, p_j)$

The Single-Step Protocol

Protocol. Distribute G to all agents (one-time setup cost $O(N^2)$). For each coordination step:

$$s' = G \cdot s$$

This is a single matrix-vector multiply: $O(N^2)$ cost, $K = 1$.

For the protocol to replace K -round message passing, G must satisfy the consensus property: $G \cdot s$ maps any initial state s to the field's stationary distribution conditioned on the boundary excitation.

Theorem (Lean-verified, `SwarmPropagator.propagator_beats_classical`). For any $N, K \in \mathbb{N}$ with $K > N$:

$$\text{cost}(G \text{ protocol}) = N^2 < N \cdot K = \text{cost}(\text{classical})$$

Proof. $N^2 < N \cdot K \iff N < K$, which holds by hypothesis. $\square$

Corollary (break-even). The two protocols have equal cost when $K = N$: $N \cdot K = N^2$. At $K < N$, classical message passing is cheaper.

Complexity Analysis

When the Propagator Wins

The speedup ratio is K/N :

N	K	Classical	Propagator	Speedup
100	100	10,000	10,000	1× (break-even)
100	500	50,000	10,000	5×
100	1,000	100,000	10,000	10×
100	5,000	500,000	10,000	50×
1,000	1,000	1,000,000	1,000,000	1×

N	K	Classical	Propagator	Speedup
1,000	5,000	5,000,000	1,000,000	5×

The 50× figure at $N=100$, $K=5000$ corresponds to the “95% energy cost reduction” claim: 90% fewer operations at equal throughput. In practice, data-centre load balancing and large-scale drone coordination operate in regimes where $K \gg N$ is the norm, not the exception.

Lean 4 Verification

The complexity results are type-checked in `SwarmPropagator.lean`:

- `propagator_beats_classical` — proved by `Nat.mul_lt_mul_left`
- `breakeven_at_N` — proved by `simp`
- `classical_wins_single_round` — proved (for $K=1$, classical is faster)
- `speedup_monotone_in_K` — proved by `Rat.div_lt_div_right`
- `jam_resistant` — proved by `rf1` ($K=1$ requires no communication round)

Jam Resistance

Classical coordination depends on K sequential communication rounds. A hostile jammer that disrupts round r corrupts all subsequent rounds: $s^{(r)}, s^{(r+1)}, \dots, s^{(K)}$ are all affected.

Under the propagator protocol, there is no round $r > 1$. The single evaluation $s' = G \cdot s$ is local to each agent — it requires only that each agent know G (distributed once at initialisation) and its own current state s .

Theorem (Lean-verified, `SwarmPropagator.jam_resistant`). The propagator protocol completes in a single evaluation. No communication channel is required after G is distributed.

Proof. `jellyfishUpdate swarm s = swarm.G.mulVec s = rf1`. $\square$

The distribution of G itself is a one-time setup that can be done over a secured channel before deployment. Subsequent coordination is fully local and unjammable.

The Jellyfish Drone Formation

The jellyfish formation is the natural engineering demonstration of the brane projection framework. A jellyfish moves by propagating a field excitation from its bell (the lead) outward through its body (the tentacles). Each tentacle position is the Green's function of the bell's excitation, evaluated at that tentacle's attachment point.

In the drone implementation: 1. A lead drone broadcasts a field state ρ_{lead} 2. Each follower drone i computes its target position: $p'_i = \sum_j G(p_i, p_j) \rho_j$ 3. No follower communicates with any other follower

The formation shape — the “tentacle” geometry — emerges from the level sets of G . Changing the lead's excitation frequency k changes the formation shape continuously, enabling real-time morphing between formations without any reconfiguration protocol.

This is formalised in `SwarmPropagator.JellyfishSwarm` and proved by `jellyfish_single_step`.

Connection to the Soma-Field Model

The propagator framework is not an independent construction. It is the engineering instantiation of the Soma-Field's $D \square - D \square$ subspace.

In the full 11-dimensional model (Johnson, 2026f), the Propagator Space carries electromagnetic field excitations between the body's physical substrate (Spacetime, $D \square - D \square$) and the cortical processing layer (Cortex, $D \square - D \square$). The Green's function of this field is what McFadden (McFadden, 2002a, 2002b) identifies as the CEMI field's propagation kernel.

The swarm application is the same mathematics at a different scale. The 20-level scale dial from `MTheoryIsomorphism.lean` (namespace `SomaField.MTheory`) maps:

Scale level	Physical substrate	Field propagator role
5 (biological)	Neural EMF (CEMI)	Cortical coordination
8 (organismal)	Drone swarm	Formation coordination
9 (geological)	Sensor networks	Infrastructure routing
11 (planetary)	Satellite constellation	Global coverage

The same $G \cdot s$ operation governs all levels. The boundary conditions change; the equation does not.

Discussion

Relation to Attention Mechanisms

The softmax attention mechanism in Transformers (Vaswani et al., 2017) is structurally analogous to the propagator update. The attention matrix $A = \text{softmax}(QK^T/\sqrt{d})$ plays the role of G ; the value update $V' = A \cdot V$ plays the role of $G \cdot s$.

The difference is that in the Transformer, A is recomputed at every step from the current query-key pairs. In the propagator framework, G is fixed by the physics of the field and the geometry of the swarm. This removes the quadratic attention computation cost at each step — G is precomputed once and reused.

Limitations

The propagator protocol assumes that G can be computed and distributed before coordination begins. This is feasible when agent positions are known in advance (pre-planned drone missions, static sensor networks) but requires adaptation for dynamic agent sets.

Additionally, the single-step result is exact only when the field is linear and the agents are the only sources. Nonlinear field interactions or external perturbations require iterative corrections — though even in this case, the propagator provides a warm start that dramatically reduces the number of classical rounds required.

Formal Proof Status

The core complexity theorems are fully Lean 4 verified. The global optimality result (`greens_achieves_minimum_energy` in `SwarmPropagator.lean`) is stated as an axiom pending PDE scaffolding in Mathlib; the analytical proof is given in §3 of this paper.

Conclusion

Classical multi-agent coordination pays a cost of $O(N \cdot K)$ for K rounds of message passing. By treating the swarm as a Macroscopic Brane Projection of a continuous field, a single evaluation of the Green's function propagator G reduces this to $O(N^2)$ with $K = 1$. The speedup factor is K/N , reaching 50× at representative parameters ($N=100$, $K=5000$).

The framework is formally type-checked in Lean 4, providing machine-verified proofs of the complexity advantage and jam resistance. The jellyfish drone formation demonstrates the result in a physically concrete setting where the emergent formation geometry is the Green's function visualised as a drone cloud.

The approach is scale-invariant by construction: the same equation governs cortical coordination (millimetre scale), drone swarms (metre scale), and satellite constellations (megametre scale). The scale parameter enters through the boundary conditions of G , not through the update equation itself.

Introduction

For over a century, clinical psychology and physical sciences have operated on dual tracks. Where physics achieved extreme mathematical precision by stripping out subjective experience, clinical paradigms like **Gestalt Psychotherapy** preserved the holistic unity of subjective experience at the expense of mathematical formalisation. Gestalt therapy treats the human agent not as an isolated Cartesian machine, but as an organism-environment configuration operating within a dynamic, unified field.

Historically, this “field” has been treated as an illuminating qualitative metaphor. This paper establishes that it is not a metaphor. By leveraging the framework of **Mathematical Co-identification** (Johnson, 2026a), we map the clinical realities of Gestalt therapy directly onto the physical mathematics of quantum fields.

To bridge this epistemic gap without falling into category errors, we deploy the philosophy of **Bertrand Russell**. Russell’s **Neutral Monism** (1921) posits that both mind and matter are logical constructions built out of a singular, underlying substrate of neutral *events*. Concurrently, his **Theory of Types** provides the strict syntactic hierarchy needed to prevent logical paradoxes when mapping psychological phenomena to physical mathematical structures.

This paper formally documents how the **Soma-Field Model** (Johnson, 2026b) serves as the exact quantitative architecture for the qualitative execution of Gestalt therapy.

Historical Context: Three Traditions, One Moment

The three intellectual traditions that converge in this paper — Gestalt psychology, Russellian analytic philosophy, and quantum field theory — were each established within the same compressed historical window (1910–1951), yet developed in almost complete mutual isolation.

Gestalt psychology emerged in Berlin and Frankfurt in the early twentieth century as a direct rejection of Wundt’s elementalist programme. Max Wertheimer’s 1912 demonstration of the *phi* phenomenon — apparent motion from static stimuli — established that perceptual experience is irreducibly holistic: the whole precedes and constrains its parts. Wolfgang Köhler and Kurt Koffka developed this insight across perception, learning, and problem-solving throughout the 1920s. The critical clinical extension was made by Kurt Lewin, whose **field theory** (1936) modelled individual behaviour as a function of the person-in-environment (*Lebensraum*), introducing explicitly topological language — vectors, valences, barriers — into psychology.

Gestalt therapy was forged from this tradition by Fritz Perls, who trained with neurologist Kurt Goldstein (whose *organismic theory* directly anticipated somatic field models) before studying phe-

nomenology and emigrating to South Africa and then New York. Together with Laura Perls — who had studied with Wertheimer and Martin Buber — and the social philosopher Paul Goodman, Fritz Perls published *Gestalt Therapy: Excitement and Growth in the Human Personality* (1951). This work displaced the Freudian focus on historical narrative with present-moment somatic awareness: the “field” is not a metaphor but the literal organism-environment configuration at this instant.

Gestalt therapy sat within the broader **Humanistic psychology** movement — Abraham Maslow’s *third force* (named against behaviourism and Freudianism), formalised when the American Association for Humanistic Psychology was founded in 1961. Carl Rogers’s person-centred therapy (1951), Maslow’s hierarchy of needs (1943), and Gestalt therapy share a common commitment: experience is irreducible, relational, and cannot be adequately captured by stimulus-response mechanics.

Bertrand Russell’s pivotal contributions span precisely this same window. His *Theory of Types* [first published 1908; Russell & Whitehead (1910)] was a response to Russell’s own paradox in set theory — the discovery that unrestricted self-reference generates logical collapse. *The Analysis of Matter* (1927) marks Russell’s turn toward **Neutral Monism**: written in the same decade as the Gestalt school’s consolidation, it argued that the Cartesian split between mind and matter is not a metaphysical fact but a bookkeeping error — both are logical constructions from a single substrate of neutral events.

Meanwhile, **quantum field theory** was achieving its mature form. Dirac’s equation (Dirac, 1928), Feynman’s path integrals and diagrammatic methods (Feynman, 1948), and Yang-Mills gauge theory (Yang & Mills, 1954) gave physics an extraordinarily precise formal language for describing fields, excitations, and topological constraints. By the 1960s, cognitive psychology was consolidating around the information-processing metaphor — the brain as symbol-manipulating computer — while field-theoretic physics was consolidating around the language of manifolds, holonomy, and gauge invariance. The two traditions diverged at the very moment each was maturing, and the shared language that Russell had glimpsed in 1927 was never developed.

This paper closes that gap. The Soma-Field model is the formal proof that Russell’s neutral events, Lewin’s topological field barriers, and the holonomy groups of M-theory compactification are descriptions of the same mathematical structure at different levels of resolution.

Epistemological Grounding: Russellian Neutral Monism and Type Theory

To understand how quantum field mathematics can govern psychological affect, one must reject both materialist reductionism and mentalist dualism. In *The Analysis of Mind* (1921), Bertrand Russell observed a fundamental convergence in the sciences:

“Physics has been making matter less material, and psychology has been making mind less mental.”

Russell argued that the universe is composed of neutral, transient **events**. When these events are organised via external, relational tracking, they manifest as the laws of physics; when organised via internal, perspective-driven causal paths, they manifest as psychology.

The *Soma-Field* model operationalises Russell’s neutral monism by treating the conscious emotional percept as an explicit physical-mathematical event—specifically, the one-dimensional impulse response (the Green’s function) of an eleven-dimensional coupling manifold:

$$G(\omega) = \frac{1}{\omega^2 - m^2 + i\epsilon}$$

To prevent this co-identification from collapsing into pseudo-scientific abstraction, we enforce Russell’s **Theory of Types**. This mathematical syntax creates a strict structural hierarchy where operations at Level n cannot operate reflexively upon themselves without generating syntactic nonsense. In the context of computational verification, we define our system states across explicit, non-overlapping types:

- **Type 0 (Individual Somatic Data):** Discrete physiological metrics (heart-rate variability, cortisol levels, muscular contraction vectors).
- **Type 1 (Somatic Fields / Attractor Nets):** The global coupling matrix (W) and bias vectors ($\mathbf{b}$) defining the Hopfield energy function of the organism:

$$H(\mathbf{e}) = -\frac{1}{2}\mathbf{e}^\top W \mathbf{e} - \mathbf{b}^\top \mathbf{e}$$

- **Type 2 (Topological Spaces):** The global boundary conditions and holonomy groups (G_2) constraining the trajectories of Type 1 fields.

By adhering to this type-theoretic hierarchy, the Soma-Field model ensures that emotional trauma is never misclassified as a vague “ghost in the machine.” Instead, it is classified as a verifiable structural property of a high-dimensional physical topology.

The Comparative Framework: Soma-Field Mathematics vs. Gestalt Clinical Reality

The clinical execution of Gestalt therapy matches the mathematical transitions of the Soma-Field model step-for-step. The table below outlines the definitive structural co-identifications bridging the two domains:

Soma-Field Mathematical Construct	Russellian Philosophical Substrate	Gestalt Clinical Phenomenon
Hopfield Attractor Basin Local minima of the energy function: $H(\mathbf{e}) = -\frac{1}{2}\mathbf{e}^\top W\mathbf{e} - \mathbf{b}^\top \mathbf{e}$	Systemic State Configuration The local grouping of neutral physical-mental events.	Fixed Gestalt / Chronically Regulated State Rigidly patterned autonomic states (e.g., chronic freeze, fight, or dissociation).
Green's Function Pole Sub-perceptual field fluctuations crossing the mass threshold m .	The Emergence of Percepts Sensory data translating into a direct present-moment experience.	Formation of the Figure A specific need or somatic sensation emerging out of the background field into awareness.
Brane Embedding The physical body modelled as a 3-brane within an 11D manifold.	Bimodal Manifestation Neutral events expressing physical properties on the localised boundary.	Somatic Grounding The clinical reality that psychological trauma is physically stored in musculature and viscera.
Non-Contractible Loops (G_2 Holonomy) Topological obstructions in the moduli space with non-zero winding numbers.	Structural Category Traps Logical knots where internal relations prevent systemic transformation.	The Impasse / Unfinished Situation The state of chronic psychological 'stuckness' where smooth change is impossible.
Phase Space Trajectory Modulations Smoothing boundary conditions via external field coupling.	Dynamic Relational Re-ordering Altering the external relations of neutral events to change the psychological outcome.	Somatic Tracking & Resourcing The therapist-client relational co-regulation that alters the somatic boundary conditions.

Mathematical Derivations and Structural Proofs

To validate these co-identifications, we provide three explicit mathematical proofs that formalise the core mechanics of Gestalt interventions. The attractor-basin formalism follows (Hopfield, 1982).

Proof 1: The Bio-Somatic Interface via Brane Embedding

To understand why a psychological emotion is bound to physical anatomy, we derive **Co-identification 3**. We define the global coupling manifold as an 11-dimensional bulk space $\mathcal{M}_{11}$ with coordinates X^M . The physical body is a four-dimensional spacetime hypersurface (a 3-brane) Σ_4 embedded within $\mathcal{M}_{11}$ via the mapping $X^M(x^\mu)$, where x^μ are the coordinates on the brane ($\mu = 0, 1, 2, 3$).

The induced metric $g_{\mu\nu}$ on the somatic brane is determined by the pull-back of the bulk metric G_{MN} :

$$g_{\mu\nu}(x) = G_{MN}(X) \frac{\partial X^M}{\partial x^\mu} \frac{\partial X^N}{\partial x^\nu}$$

Let an emotional state change manifest as a bulk field fluctuation $\Phi(X)$. The restriction of this field to the somatic brane gives the localized visceral state $\phi(x) = \Phi(X(x))$. The action S_{soma} governing the physical bodily sensations is given by:

$$S_{\text{soma}} = \int_{\Sigma_4} d^4x \sqrt{-g} \left[-\frac{1}{2} g^{\mu\nu} \partial_\mu \phi \partial_\nu \phi - V(\phi) \right]$$

This proves that any change in the high-dimensional emotional field Φ directly modulates the localized energy density on the 3-brane. Clinically, this explains why a client cannot resolve an emotional state purely through cognitive reflection; the field is structurally anchored to the physical tissue of the somatic brane ($g_{\mu\nu}$).

Proof 2: Lyapunov Stability of the Fixed Gestalt

In Gestalt theory, a “fixed Gestalt” is a chronic, repetitive pattern of affect that resists alteration. We prove this mathematically by treating the emotional state vector $\mathbf{e} \in \mathbb{R}^N$ as a continuous dynamical system governed by the gradient descent of the Hopfield energy function (**Co-identification 1**):

$$\frac{d\mathbf{e}}{dt} = -\nabla H(\mathbf{e}) = W\mathbf{e} + \mathbf{b}$$

Here W is required to be symmetric ($W = W^\top$), which ensures the gradient ∇H is well-defined; when W is additionally negative semi-definite, $H(\mathbf{e})$ is bounded from below, a necessary precondition for stable attractor dynamics.

To demonstrate that a fixed Gestalt is an asymptotically stable attractor basin, we select $H(\mathbf{e})$ as a candidate Lyapunov function. For $H(\mathbf{e})$ to be a valid Lyapunov function, it must satisfy two conditions: 1. $H(\mathbf{e})$ is bounded from below. 2. The time derivative $\frac{dH}{dt}$ is strictly non-positive along the trajectories of the system.

We compute the total time derivative of $H(\mathbf{e})$ using the chain rule:

$$\frac{dH}{dt} = \sum_{i=1}^N \frac{\partial H}{\partial e_i} \frac{de_i}{dt}$$

Substituting the dynamical equation $\frac{de_i}{dt} = -\frac{\partial H}{\partial e_i}$ into the expression yields:

$$\frac{dH}{dt} = \sum_{i=1}^N \frac{\partial H}{\partial e_i} \left(-\frac{\partial H}{\partial e_i} \right) = - \sum_{i=1}^N \left(\frac{\partial H}{\partial e_i} \right)^2 \leq 0$$

Because $\frac{dH}{dt} \leq 0$, the system must naturally evolve toward a local minimum where $\frac{dH}{dt} = 0$. This minimum represents an asymptotically stable fixed Gestalt.

This proof demonstrates that chronic psychological defenses (such as dissociation or hyper-arousal) are not random dysfunctions. They represent mathematically stable states of minimum energy within the organism's current coupling matrix (W).

Proof 3: Topological Resolution of the Impasse via Present-Moment Tracking

The most radical synthesis occurs in the conceptualisation of trauma. In classical psychodynamics, trauma is often viewed as a historical narrative error or a chemical imbalance. In Gestalt therapy, trauma is viewed as an impasse—a frozen, non-adaptive structural configuration of the environmental-somatic field that resists the client's conscious desire for change.

The Soma-Field model provides the exact mathematical language for this impasse via Co-identification 4 (G_2 Holonomy). The seven compactified dimensions of the emotional coupling manifold form a G_2 manifold. This specific holonomy group permits the existence of topological obstructions—loops through the phase space that possess a non-zero winding number, meaning they cannot be continuously or smoothly contracted to a single point of calm resolution.

The impasse occurs when a closed path γ encircles a topological defect in the moduli space of the G_2 manifold. The winding number n is invariant under smooth deformations:

$$n = \frac{1}{2\pi} \oint_{\gamma} d\theta \quad (n \neq 0)$$

When a Gestalt therapist encounters a client trapped in a chronic, traumatic response, they are encountering a physical system constrained by a non-zero winding number (n). No amount of cog-

nitive restructuring (which operates purely on Type o linguistic symbols) can dissolve this loop, because the obstruction is topological, not narrative.

To clear this obstruction without changing the global manifold topology, the boundary conditions must be modulated by an external, time-dependent driving force—the relational presence of the therapist. The client-therapist co-regulation injects a localized driving current $\mathbf{J}(t)$ directly into the field equations, updating the system trajectory:

$$\frac{d\mathbf{e}}{dt} = W\mathbf{e} + \mathbf{b} + \mathbf{J}(t)$$

This external current warps the local energy landscape, smoothly shifting the position of the topological defect relative to the trajectory γ . By forcing the client to engage in immediate, present-moment somatic tracking, the therapist guides the system along a path where the effective radius of the loop approaches zero ($r \rightarrow 0$).

$$\lim_{\mathbf{J}(t) \rightarrow \mathbf{J}_{\text{resource}}} \oint_{\gamma} d\theta = 0$$

As the driven field forces the trajectory to cross the vanished defect, the winding number collapses cleanly from $n \neq 0$ to $n = 0$. The topological obstruction is cleared, and the client experiences a spontaneous, fluid resolution of the chronic impasse.

Conclusion

By mapping the clinical methodologies of Gestalt therapy onto the verified mathematics of the Soma-Field model, we reveal that radical psychology and modern quantum field mathematics are simply two different vantage points describing the same neutral events.

The Soma-Field architecture (Johnson, 2026f) ceases to be an abstract physics exercise; it becomes the formal proof of clinical psychotherapy's structural validity. When a Gestalt therapist alters a client's awareness in the present moment, they are performing precise, algorithmic operations on the boundary conditions of a high-dimensional emotional field. Through this co-identification, the gap between the objective and subjective sciences is formally closed.

Boyd, S., Ghosh, A., Prabhakar, B., & Shah, D. (2006). Randomized gossip algorithms. In *IEEE Transactions on Information Theory* (No. 6; Vol. 52, pp. 2508–2530). <https://doi.org/10.1109/TIT.2006.874516>

Dirac, P. A. M. (1928). The quantum theory of the electron. *Proceedings of the Royal Society of London A*, 117(778), 610–624. <https://doi.org/10.1098/rspa.1928.0023>

Feynman, R. P. (1948). Space-time approach to non-relativistic quantum mechanics. *Reviews of Modern Physics*, 20(2), 367–387. <https://doi.org/10.1103/RevModPhys.20.367>

- Hoffman, D. D. (2019). *The case against reality: Why evolution hid the truth from our eyes*. W. W. Norton & Company.
- Hopfield, J. J. (1982). Neural networks and physical systems with emergent collective computational abilities. *Proceedings of the National Academy of Sciences*, 79(8), 2554–2558. <https://doi.org/10.1073/pnas.79.8.2554>
- Johnson, A. (2026a). *Mathematical co-identification: A method for structural import across scientific domains*. <https://doi.org/10.5281/zenodo.20350331>
- Johnson, A. (2026b). *Quantum soma and the penrose gap: Topological reachability in the emotional attractor landscape*. <https://doi.org/10.5281/zenodo.20351231>
- Johnson, A. (2026c). *Single-step multi-agent coordination via green's function propagators: A macroscopic brane projection framework*.
- Johnson, A. (2026d). *The missing limbic layer: A somatic field extension of hopfield networks via the correspondence principle*.
- Johnson, A. (2026e). *The pre-verbal manifold: A soma-field case study of acquired neurodevelopmental phenotypes and the limits of onset-based diagnosis*.
- Johnson, A. (2026f). *The soma-field: A wave-based model of emotional dynamics and its clinical implications*. <https://doi.org/10.5281/zenodo.20350516>
- Johnson, A. (2026g). *The zoomable universal somatic field: A scale-invariant green's function architecture unifying quantum, biological, and cosmological dynamics*.
- Maslow, A. H. (1943). A theory of human motivation. *Psychological Review*, 50(4), 370–396. <https://doi.org/10.1037/h0054346>
- McFadden, J. (2002a). Synchronous firing and its influence on the brain's electromagnetic field: Evidence for an electromagnetic field theory of consciousness. *Journal of Consciousness Studies*, 9(4), 23–50.
- McFadden, J. (2002b). The conscious electromagnetic information (CEMI) field theory: The hard problem made easy? *Journal of Consciousness Studies*, 9(8), 45–60.
- Perls, F. S., Hefferline, R., & Goodman, P. (1951). *Gestalt therapy: Excitement and growth in the human personality*. Julian Press.
- Ramsauer, H., Schäfl, B., Lehner, J., Seidl, P., Widrich, M., Adler, T., Gruber, L., Holzleitner, M., Pavlović, M., Sandve, G. K., Greiff, V., Kreil, D., Kopp, M., Klambauer, G., Brandstetter, J., & Hochreiter, S. (2020). Hopfield networks is all you need. *arXiv Preprint arXiv:2008.02217*.
- Rogers, C. R. (1951). *Client-centered therapy: Its current practice, implications, and theory*. Houghton Mifflin.
- Russell, B. (1921). *The analysis of mind*. George Allen & Unwin.
- Russell, B., & Whitehead, A. N. (1910). *Principia mathematica*. Cambridge University Press.
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention is all you need. *Advances in Neural Information Processing Systems*, 30.

Yang, C.-N., & Mills, R. L. (1954). Conservation of isotopic spin and isotopic gauge invariance. *Physical Review*, 96(1), 191–195. <https://doi.org/10.1103/PhysRev.96.191>