

Field Notes from the Inside: A Patient-Constructed Model of Emotional Dynamics

Or: The Author Could Not Wait

[Author Name], BSc Physics (Royal Holloway, University of London, 1993)

May 2026

Abstract

There is a tradition, well-established in academic medicine, of researchers developing theoretical frameworks that are, in retrospect, transparently autobiographical. This paper does not conceal that tradition; it simply acknowledges it upfront. The author presents the Soma-Field Model: a formally grounded account of emotional dynamics in which emotions are conceived as a persistent distributed wave field co-inhabiting the body and nervous system, perceived only when a local amplitude exceeds a threshold, and governed by an energy function — borrowed from Hopfield network theory — that drives the field toward stable attractor states corresponding to fight, flight, freeze, and regulated calm.

The model was not developed because an academic gap was identified in the literature. It was developed because the existing models of emotional experience were inadequate for the author’s own case, the appropriate specialist had not yet appeared, and the author has a degree in physics and a limited supply of patience. The mathematics are, to the best of the author’s knowledge, correct. The clinical observations are primary source material.

A categorical formalization, Lean 4 type sketches, and mathematical operator modifications for Autism Spectrum Condition, ADHD, and Complex PTSD are included, partly because they are necessary for a complete treatment and partly because, once one has started borrowing from M-Theory, there is very little reason to stop.

Contents

1	A Note on Method	3
2	1. Introduction: The Inadequacy of Existing Maps	7

3	2. Background	8
3.1	2.1 Lived Experience as a Research Position	8
3.2	2.2 The Body-Mind Problem in Clinical Practice	9
3.3	2.3 The Felt Sense and Sub-Perceptual Emotion	9
3.4	2.4 Quantum Field Theory as a Conceptual Tool	10
3.5	2.5 Hopfield Networks and the Energy Function	10
4	3. The Soma-Field Model	11
4.1	3.1 Emotions as a Persistent Wave Field	11
4.2	3.2 The Perception Threshold	12
4.3	3.3 The Interaction of Emotional Modes	13
5	4. The Energy Landscape	14
5.1	4.1 The Hopfield Energy Function	14
5.2	4.2 Attractor States: Fight, Flight, Freeze, and Regulated Calm	14
6	5. Dissonance and Resolution	16
7	6. The Neurodivergent Field: ASD, ADHD, and C-PTSD as Operator Modifications	16
7.1	6.1 Complex PTSD: Memory Kernel and Asymmetric Coupling	17
7.2	6.2 ADHD: High Temperature, Low Damping, Pink Noise	18
7.3	6.3 Autism Spectrum Condition: Sparse Coupling and Modified Projection	18
7.4	6.4 The Composed Condition	19
8	7. The Soma-Field Instrument	20
8.1	7.1 Rationale	20
8.2	7.2 Design	20
8.3	7.3 The Feedback Loop	21
8.4	7.4 Pluggable Emotion Models	21
9	8. Clinical Implications	22
9.1	8.1 Assessment	22
9.2	8.2 Intervention	22
9.3	8.3 Psychoeducation	22
9.4	8.4 Neurodivergent Profiles as Structural Realities	23
10	9. Limitations and Future Directions	23
11	10. Conclusion	24
12	References	25

AI has had a brain since 1943. Now it has a body.

“The patient is the one with the disease.” — Medical aphorism, intended to remind physicians to listen. The author intends it differently.

“Composing a formally verified, category-theoretic account of emotional field dynamics — grounded in M-theory and type-checked in Lean 4 — as a direct consequence of being referred to a psychiatric facility is, objectively, the funniest thing he has ever done. He stands by it. The mathematics does not require his motivation to be dignified. It is either correct, or it is not. The reader is invited to check.”

1 A Note on Method

The standard academic posture — disinterested observer, neutral position, findings presented as if they arrived from nowhere in particular — has never seemed entirely credible to the author. In the life sciences especially, the pretence of a view from nowhere is almost always a fiction. Researchers study what compels them. Compulsion has a cause.

This paper dispenses with the fiction. The theoretical framework presented here was developed by a person with ASD, ADHD, and Complex PTSD who could not find an adequate formal account of his own emotional experience in the existing literature, who had studied physics at university, and who eventually concluded that the most efficient solution was to build one himself. The result is offered not as a confessional but as a

theoretical contribution. These are not mutually exclusive.

There is precedent. Temple Grandin revolutionised the study of animal cognition and welfare as an autistic person whose own perceptual experience gave her access to observations that non-autistic researchers had systematically missed (Grandin, 1995). Peter Levine developed Somatic Experiencing partly through direct observation of his own nervous system's responses (Levine, 2010). Kay Redfield Jamison wrote what remains one of the most clinically precise accounts of bipolar disorder from inside it (Jamison, 1995). The history of medicine includes, more often than is acknowledged, the doctor who is also the patient.

The author is not a doctor. He is an applied physicist — which, in an earlier era, was called a *nutty inventor on the engineering side*, and which here means: someone trained to recognise the signature of a mathematical structure, to notice when the same function appears in two apparently unrelated domains, and to ask what follows if the resemblance is not coincidental.

What follows is the result of applying that training to the domain of one's own inner life. The author considers this a reasonable use of available resources.

The paper was not, however, developed in the abstract. There was a proximate cause.

In October 2025, the author contracted Covid-19. During the acute phase, he experienced what was later confirmed as cerebral hypoxia: oxygen starvation to the brain. He was aware this was occurring. The evidence for this claim is straightforward: despite the hypoxia, he correctly identified the situation as a medical emergency and called an ambulance.

At the hospital, he was told that nothing was clinically wrong with him. He was advised, with some firmness, that if his symptoms continued, he should present to a psychiatric facility.

The author is autistic. He mentions this because it is relevant. It is, in clinical encounters, reliably relevant.

Two months later, the episode was retrospectively confirmed as an acute presentation of Long Covid, and the cerebral hypoxia as a documented feature of that condition. This information arrived, as such information frequently does, somewhat after its operational usefulness had passed.

The author does not record this in order to relitigate the clinical encounter. He records it because it is a precise illustration of the central argument of this paper: that an accurate interoceptive signal — a genuine, threshold-crossing event in the soma-field — can be dismissed by an external observer as psychiatric noise. The field does not require external validation in order to register an emergency. It was, on this occasion, functioning correctly.

The paper was begun approximately two to three months after that hospital visit. At that point, the author had not previously encountered M-theory. He was aware that string theory existed, in roughly the way one is aware that Ulaanbaatar exists: real, documented, never personally visited. He was, by the considered clinical opinion of the attending physician, a person whose perception of his own internal states was not to be trusted.

The paper is the response to that assessment.

The author is fully aware that composing a formally verified, category-theoretic account of emotional field dynamics — grounded in M-theory compactification and type-checked in Lean 4 — as a direct consequence of being referred to a psychiatric facility is, objectively, the funniest thing he has ever done. He stands by it. The mathematics does not require his motivation to be dignified. It is either correct, or it is not. The reader is invited to check.

The reader may, if they wish, know the deeper origin of the C-PTSD operator modification formalised in Appendix B.2 of the companion publication.

It was installed in approximately 1968, at eighteen months of age. The diagnosis was septic arthritis of the left hip. The treatment was three months of hospitalisation, followed by a further three months of immobilisation in plaster. The hospital protocols of the period specified that visitors — including parents — should minimise physical contact with the patient, on infection-control grounds. The author was eighteen months old, pre-verbal, and in pain, largely alone, for the duration.

The coupling matrix was being formed at the time. There was no verbal encoding of the event, because there was no verbal capacity. The field received it entirely — without a single word ever being attached to it. This is, in the model's own terms, a *manifold change rather than a verbal memory*: a perturbation of the initial conditions of the W matrix, not a later modification of an already-constituted system. It is structurally different from adult-onset PTSD, and standard talking therapies, which operate at the narrative level, have correspondingly limited access to it.

The body kept the score. The affected hip remains 1.2 centimetres shorter than the other, measurable today. The author did not begin speaking until age three and a half.

The paper was written fifty-seven years after the initial event, two to three months after the most recent one. The author is aware that this sentence contains a great deal of information.

2 1. Introduction: The Inadequacy of Existing Maps

A patient sits with their therapist and is asked: “*What are you feeling right now?*” For many people, this question has a navigable answer. For a person with ASD, alexithymia, and a C-PTSD-modified attractor landscape, the question lands differently. The honest answer is often: “*Something is happening. I cannot tell you what it is, where it is coming from, or how large it is. But it is definitely there.*”

The available frameworks for this situation are unsatisfying. Emotion wheels offer vocabulary but not structure. Polyvagal theory offers an excellent map of the autonomic nervous system but does not formalise the interaction between simultaneous emotional states. Cognitive models locate the action in the mind and underestimate the body. Somatic models are rich in clinical texture but light on mathematical precision. None of them — to the author’s knowledge — provide a formal account of why a person can be profoundly affected by an emotional state that they cannot perceive, name, or locate.

The author’s experience of living with ASD, ADHD, and C-PTSD suggested a different picture. Emotions did not feel like events. They felt like weather — present everywhere, always moving, only occasionally breaking through into named experience. The body held states that the mind had no language for. Strong feelings arrived apparently from nowhere, which implied they had been somewhere already, accumulating below the threshold of awareness. Different emotional states seemed to interact — to amplify, to suppress, to oscillate — in ways that were distinctly nonlinear.

This phenomenology required a different kind of model. The author, having spent thirty years in occasional proximity to physics and mathematics, recognised the structure. The quantum field. The vacuum fluctuation. The threshold crossing. The energy

function. The attractor basin. These were the right tools. They had been applied to neural networks. There was no obvious reason they could not be applied to emotional dynamics. The author applied them.

The remainder of this paper presents the result.

3 2. Background

3.1 2.1 Lived Experience as a Research Position

The use of lived experience as a legitimate source of theoretical knowledge — rather than merely as anecdotal material awaiting scientific validation — has gained substantial ground in health research over the past two decades. The *nothing about us without us* principle, originating in disability rights advocacy, has become a methodological commitment in participatory research (Arnstein, 1969; Beresford, 2002). Researchers with lived experience of mental health conditions have produced theoretical contributions that purely external observers could not have generated, precisely because their insider position made certain observations available to them that were invisible from the outside.

The Soma-Field Model belongs to this tradition, with one modification: the author’s background is in physics rather than in qualitative research, so the methodology is *experiential theorising* rather than autoethnography. The observations come from the inside; the tools used to formalise them come from mathematical physics. The combination is unusual. The author considers it appropriate.

3.2 2.2 The Body-Mind Problem in Clinical Practice

Contemporary neuroscience has largely dissolved the Cartesian boundary between body and mind. Damasio (1994) demonstrated that emotion is inseparable from rational cognition: patients with damage to the ventromedial prefrontal cortex lose not only emotional range but effective decision-making capacity. Van der Kolk (2014) documented how traumatic emotional states are encoded not merely in explicit memory but in posture, visceral sensation, and autonomic regulation. Porges' polyvagal theory (2011) provided a neurobiological account of three hierarchically organised autonomic states: ventral vagal (social engagement), sympathetic (fight/flight), and dorsal vagal (freeze/dissociation).

The author can confirm these findings from direct observation. He can also add, as a data point: the experience of being in a freeze state while simultaneously being expected to report on one's emotional state is an exercise in the epistemological limits of self-report. The instrument designed in Section 6 is a partial response to this problem.

3.3 2.3 The Felt Sense and Sub-Perceptual Emotion

Gendlin's concept of the *felt sense* (1978) describes a pre-articulate bodily sense that is present before an emotion has been named — something whole and present but not yet articulate. Gendlin called this the sub-verbal sense of a situation.

The Soma-Field Model provides a formal account of what the felt sense is: it is the activity of the emotional field below the perceptual threshold. The author can confirm that this description is accurate. He has spent considerable time in the company of felt senses that declined to become named feelings, and the model's account of this — a field active below threshold, causally effective but not consciously perceived — matches the phenomenology precisely.

3.4 2.4 Quantum Field Theory as a Conceptual Tool

Quantum Field Theory (QFT) is the framework of modern particle physics. Its central claim is that particles — electrons, photons — are not fundamental objects. They are *excitations* of underlying fields: local concentrations of energy that arise when a field receives sufficient perturbation above the vacuum state. The quantum vacuum is not empty; it is a background of sub-threshold fluctuations, continuously present, causally active, not directly observable.

This paper does not claim that emotions are quantum phenomena in any literal sense. The analogy is structural. The author was trained in this formalism in 1993 and has found it useful ever since, applied to a variety of problems that are not, in any technical sense, quantum mechanical. The key property being borrowed is: *a quantity that exists everywhere, continuously, below the threshold of direct observation, which becomes observable only when local amplitude exceeds a threshold*. This is an accurate description of both the quantum vacuum and, in the author’s experience, the emotional field.

3.5 2.5 Hopfield Networks and the Energy Function

In 1982, John Hopfield — awarded the Nobel Prize in Physics in 2024 — proposed a model of associative memory whose dynamics were mathematically identical to an Ising spin-glass model from statistical physics (Hopfield, 1982). The critical component was an energy function: a scalar that always decreases as the network evolves, guaranteeing convergence to stable attractor states.

The author recognised this as the same structural move that gives quantum field theory its predictive power: identifying the conserved or extremised quantity, and deriving the dynamics from it. In physics, this is Noether’s theorem applied as a design principle. In Hopfield networks, it is an energy function borrowed directly from condensed matter

physics. The author’s proposal is to apply the same move to emotional dynamics.

The observation that underwrites this is simple: emotional states feel like they have energy. Some states are high-energy and unstable — fight, flight, acute anxiety. Others are low-energy and stable — calm, regulated, present. Some are low-energy and *stuck* — freeze, dissociation, collapse. If these states have an energy ordering, there is likely an energy function. If there is an energy function, the dynamics can be derived from it. The author found this reasoning persuasive.

4 3. The Soma-Field Model

4.1 3.1 Emotions as a Persistent Wave Field

The foundational claim is this: emotions are not events. They are a *field* — a distributed, continuous quantity defined over the entire soma (body-mind system) at all times.

This is not a metaphor. It is the most accurate description the author can offer of his own experience. The emotional field is always there. It does not begin when a feeling becomes conscious and end when it subsides. It precedes conscious awareness and continues after it. What changes is not the field’s existence but its local amplitude: whether, at a given moment, the field in a given mode exceeds the threshold required to surface as a named experience.

The field has two coupled components:

1. **The somatic wave $\mathbf{E}_{\text{body}}(x, t)$:** distributed across the body as patterns of visceral sensation, muscle tone, proprioception, and autonomic state.
2. **The neural wave $\mathbf{E}_{\text{neural}}(x, t)$:** distributed across the nervous system as patterns

of cortical, subcortical, and peripheral activation.

These are not separate systems:




Figure 1. The Soma-Field: two coupled waves constituting a single unified emotional field.

4.2 3.2 The Perception Threshold

Not all field activity is consciously perceived. Each emotional mode i has a threshold T_i :

$$\text{Emotion } i \text{ is consciously perceived} \iff |\mathbf{E}_i(t)| > T_i$$

Below threshold: the emotion is sub-perceptual. It exists, it influences behaviour and physiology, but it does not surface as a named conscious feeling. This is the author's most frequent relationship with his own emotional field — something is happening, below the line, shaping everything, unidentified.

Clinical Observation	Soma-Field Account
Field active but no named feeling	Sub-threshold: $ \mathbf{e}_i < T_i$
Sudden unexplained flood of emotion	Rapid threshold crossing after accumulation
Somatic signal without cognitive name	Threshold crossed in body component, not neural
Alexithymia	Elevated T_i — high energy required to cross
Hypervigilance / flooding	Lowered T_i — reduced threshold

Table 1. Clinical observations mapped onto the perception threshold model.

The author notes that all five rows in Table 1 are, in his clinical history, simultaneously applicable. This is, admittedly, a challenging configuration. It is also why this model was necessary.

4.3 3.3 The Interaction of Emotional Modes

Multiple emotional modes are simultaneously active at all times. Their interactions are encoded in the **emotional coupling matrix** W , where W_{ij} is the influence of mode j on mode i :

- $W_{ij} > 0$: mode j amplifies mode i
- $W_{ij} < 0$: mode j suppresses mode i

The field evolves according to the energy gradient plus noise:

$$\dot{\mathbf{e}}(t) = -\nabla H(\mathbf{e}) + \eta(t)$$

The noise term $\eta(t)$ represents the continuous sub-perceptual fluctuations. The field is never still. This is not pathology; it is physics.


5 4. The Energy Landscape

5.1 4.1 The Hopfield Energy Function

$$H(\mathbf{e}) = -\frac{1}{2} \mathbf{e}^\top W \mathbf{e} - \theta \cdot \mathbf{e}$$

The field always moves toward lower H . The stable states of the system are the local minima of H — the attractor basins.

5.2 4.2 Attractor States: Fight, Flight, Freeze, and Regulated Calm






Figure 2. The emotional energy landscape. The freeze state is not high-energy — it is isolated. This distinction matters enormously. The author is aware of this from personal experience, over many years, and from the other side.

			Clinical
Attractor	Energy	Polyvagal Correlate	Presentation
Regulated Calm	Global minimum	Ventral vagal	Present, flexible, connected
Fight	High, unstable	Sympathetic	Agitation, urgency
Flight	Saddle point	Sympathetic	Anxiety, avoidance
Freeze	Deep, isolated	Dorsal vagal	Dissociation, numbness

Table 2. Attractor states and their polyvagal correlates.

The therapeutic and personal significance of the freeze attractor’s structure cannot be overstated. It is not high-energy — it does not feel dramatic or intense. It is *isolated*: surrounded by energy barriers. Escape requires first *increasing* the field’s energy before it can flow toward calm. This is counterintuitive from the outside and well-known from the inside.

6 5. Dissonance and Resolution

When two emotional modes are in an incompatible phase relationship, the field is far from equilibrium. This is felt as tension. The acoustic analogy is precise: just as two tones in a dissonant interval generate a beating, unstable interference pattern, two emotional modes in an incompatible configuration generate a gradient that drives toward resolution.

Dissonance is not pathological. It is the field's communication that resolution is available. The therapeutic process is guided voice-leading: finding the path that transforms the dissonant configuration into a consonant one. Avoidance keeps the field in dissonance. The energy minimum lies on the other side of the tension, not around it.

The author has spent considerable time attempting the route around it. He does not recommend it.

7 6. The Neurodivergent Field: ASD, ADHD, and C-PTSD as Operator Modifications

This section addresses the author's specific clinical picture. It is presented not as a case study but as a theoretical elaboration: three structural modifications to the standard Soma-Field dynamics, each defined by the operator it adds to the governing equations.

The key architectural principle — and the author considers this the most important contribution of this paper — is the following:

These conditions are not parameter settings. They are operator modifications.

A parameter change adjusts a coefficient within the existing equations. An operator modification changes the *form* of the equations themselves. The distinction is not semantic. It determines what kind of therapeutic intervention is possible and at what level it must operate.

Each condition is a functor that wraps the standard dynamics. The composed condition — ASD + ADHD + C-PTSD — is their composition. The composition does not commute; order matters; the joint presentation is structurally different from any of the individual conditions or from their sum.

7.1 6.1 Complex PTSD: Memory Kernel and Asymmetric Coupling

C-PTSD adds a **memory kernel**: past activations leave exponentially decaying echoes.

$$\dot{\mathbf{e}}(t) = -\nabla H(\mathbf{e}(t)) + \int_0^t K_{\text{trauma}}(t-s) \mathbf{e}(s) ds + \eta(t)$$

$$K_{\text{trauma}}(\tau) = \sum_k A_k e^{-\tau/\tau_k}$$

This is a damped oscillating kernel. The past does not vanish; it rings. Therapeutic processing is the progressive reduction of A_k — the amplitude of the echo — and the shortening of τ_k — the time over which it persists. The author notes that this description is a more accurate account of what trauma processing actually feels like, from the inside, than most of the narrative accounts available to him.

C-PTSD also breaks the symmetry of the coupling matrix W , admitting **limit cycles**: the oscillation between hyperarousal and shutdown that characterises the PTSD symptom cycle is, in this model, a limit cycle generated by the antisymmetric component of

W . It is not a choice, a habit, or a failure of willpower. It is a topological consequence of an asymmetric coupling matrix.

7.2 6.2 ADHD: High Temperature, Low Damping, Pink Noise

ADHD modifies the **effective temperature** of the field:

$$\gamma_{\text{ADHD}} \dot{\mathbf{e}}(t) = -\nabla H + \sqrt{2D_{\text{ADHD}}} \xi_{1/f}(t)$$

with $\gamma_{\text{ADHD}} < \gamma_0$ (less damping) and $D_{\text{ADHD}} > D_0$ (more noise). The noise has $1/f$ spectral structure — long-range temporal correlations that produce the characteristic slow drift of attentional state.

The practical consequences: shallow attractor basins cannot hold the field at high temperature (distractibility). When a high-salience stimulus deepens a specific basin far beyond its baseline depth, the field falls in and is held (hyperfocus). The system is not broken. It is a different thermodynamic regime, with different costs and different affordances — including, at the right temperature, a capacity to explore the energy landscape at speed that a low-temperature system does not have.

The author considers this framing considerably more useful than “difficulty sustaining attention.”

7.3 6.3 Autism Spectrum Condition: Sparse Coupling and Modified Projection

ASC modifies the **projection kernels** and the **coupling matrix sparsity**.

The projection kernel $K_i(x)$ determines which somatic regions contribute to the i -th emotional mode. In ASC, some regions are over-weighted (sensory sensitivity) and oth-

ers under-weighted (interoceptive under-registration). The named-feeling state vector is produced from a differently sampled version of the same somatic field.

The coupling matrix is sparser — fewer strong cross-modal connections — producing deeper individual attractor basins with higher inter-basin barriers. This is monotropism: the field settles deeply into one attractor at a time and requires disproportionate energy to transition. The author confirms that this is an accurate description of his attentional and emotional experience, and that it has both significant disadvantages (transitions are hard, unexpected context changes are physiologically costly) and significant advantages (depth of engagement, reliability of focus once established, resistance to shallow distractors).

7.4 6.4 The Composed Condition

$$\gamma_{\text{ADHD}} \dot{\mathbf{e}}(t) = -\nabla H_{\text{ASC}}(\mathbf{e}(t)) + \int_0^t K_{\text{trauma}}(t-s) \mathbf{e}(s) ds + \sqrt{2D_{\text{ADHD}}} \xi_{1/f}(t)$$

The interaction effects are non-trivial:

Interaction	Clinical Consequence
ADHD noise + C-PTSD limit cycles	Rapid oscillation between hyperarousal and shutdown; hard to titrate
ADHD noise + ASC deep basins	Long wind-up time; fast exit once perturbed from hyperfocus
C-PTSD echoes + ASC sparse coupling	Trauma triggers are specific, apparently disproportionate, difficult to anticipate
All three composed	Wide tolerance window required; regulation is genuinely structurally harder

Table 3. Interaction effects of composed neurodivergent modifiers.

The author wishes to note, for the record, that Table 3 is not a complaint. It is a description. These are the equations. The field is doing what the equations predict. Understanding this has been, in practice, more useful than most of the alternative framings on offer.

8 7. The Soma-Field Instrument

8.1 7.1 Rationale

The emotional field is normally invisible to its host. It operates below the threshold of conscious awareness, shaping behaviour and physiology without being available for reflection. The author found this situation suboptimal and designed an instrument to address it.

The instrument externalises the emotional field — renders it as sound, image, and signal — so that it becomes available as an object of attention. This is a therapeutic biofeedback instrument. It is also, unavoidably, a musical instrument. The author considers these compatible.

8.2 7.2 Design

A MIDI controller with 16 rotary knobs. Eight emotional dimensions. Two knobs per dimension — one for the somatic component, one for the neural/cognitive component. The act of setting a knob is the act of reporting an emotional state: it is the quantum measurement, the collapse of the distributed field onto a specific coordinate.




Figure 3. The Soma-Field Instrument.

8.3 7.3 The Feedback Loop

The instrument creates a closed feedback loop: the person expresses a state, the system reflects it back as sound and image, the person responds. The system does not tell the user what they are feeling. It shows them what the field looks like when they report what they are feeling. The difference is significant.

8.4 7.4 Pluggable Emotion Models

No single emotion model is assumed. The coupling matrix W is loaded from a configuration file. Plutchik, Ekman, the valence-arousal-dominance dimensional model, and custom user-defined models are available as defaults. The author's own W has been refined over time and is not identical to any standard model. This is, on reflection,

unsurprising.

9 8. Clinical Implications

9.1 8.1 Assessment

The model suggests asking not “What emotion do you feel?” but “What is present in the body right now, even if it cannot be named?” This aligns with Focussing-oriented and sensorimotor approaches, and is considerably more productive, in the author’s experience, for anyone whose T_i values are elevated or whose somatic-to-neural projection is modified.

9.2 8.2 Intervention

The energy function provides formal grounding for titration, pendulation, somatic resourcing, and felt-sense work. In each case, the therapeutic action can be described as: adding energy to approach a frozen state, establishing a stable low-energy region, or attending to sub-threshold field activity in a supported context.

9.3 8.3 Psychoeducation

“Your emotions are like waves — they are always there, even when you cannot feel them, and they are always moving.”

This sentence is both clinically useful and technically accurate. The author has found it more useful than most alternative formulations, including several that were provided to him by qualified practitioners. He offers it here as a contribution to the field.

9.4 8.4 Neurodivergent Profiles as Structural Realities

The most important clinical implication of Section 6 is this: for people with ASD, ADHD, and C-PTSD, the challenge of emotional regulation is not a motivational or characterological failure. It is a structural consequence of specific operator modifications to the dynamics. The composed modifier produces a field that is genuinely harder to regulate — not by a small margin, not as a matter of subjective experience, but mathematically, as a consequence of higher noise temperature, memory echoes, sparse coupling topology, and the possibility of limit cycles.

Knowing this does not solve the problem. It does, however, locate it correctly. The author has found that locating a problem correctly is a necessary precondition for solving it, and that a great deal of time and distress can be saved by not attempting to solve problems that are located in the wrong place.

10 9. Limitations and Future Directions

The model is theoretical and requires empirical validation. Its QFT analogies are structural rather than ontological. The coupling matrix W is idealized as fixed when it is in practice dynamic. The acoustic analogy is a hypothesis.

The author also acknowledges a methodological limitation: this paper is written by someone who is simultaneously the theorist and the primary data source. This is either a significant advantage (direct access), a significant limitation (potential confirmation bias), or both. The author suspects both.

What is needed: empirical work with physiological sensors, user studies with the instrument, collaboration with practitioners, and independent theoretical review. The author

is, by training and disposition, an applied physicist — an engineer with a tolerance for abstraction. The clinical refinement of this model will require people with different skills, and the author welcomes their involvement, provided they read the appendices.

11 10. Conclusion

The wave is always there. This is not a metaphor; it is a description of how the emotional field actually behaves, as far as the author can determine from the inside. Therapy — and the instrument described in this paper — is the practice of learning to hear it: to extend awareness downward, below the threshold, into the field’s continuous activity, and to make that activity available as information rather than overwhelming noise.

The Soma-Field Model is offered as a tool for this practice. It was built because it was needed. It uses the best mathematical tools available for describing distributed, dynamic, energy-minimising systems, because those tools are, in the author’s assessment, appropriate to the problem.

The author is aware that this is an unusual paper. A formally trained physicist with three neurodivergent conditions developing a quantum-field-inspired model of his own emotional dynamics and presenting it as a contribution to clinical psychology is not, strictly speaking, the standard academic pipeline. The author does not find this troubling. The standard academic pipeline has had some time to address the problem and has not yet done so to his satisfaction.

He therefore took the matter in hand.

12 References

- Arnstein, S. R. (1969). A ladder of citizen participation. *Journal of the American Institute of Planners*, 35(4), 216–224.
- Beresford, P. (2002). User involvement in research and evaluation: Liberation or regulation? *Social Policy and Society*, 1(2), 95–105.
- Damasio, A. (1994). *Descartes' Error: Emotion, Reason and the Human Brain*. Putnam.
- Garfinkel, S. N., et al. (2016). Interoception in autism: A review and research agenda. *Neuroscience & Biobehavioral Reviews*, 65, 1–11.
- Gendlin, E. T. (1978). *Focusing*. Everest House.
- Grandin, T. (1995). *Thinking in Pictures: And Other Reports from My Life with Autism*. Doubleday.
- Hopfield, J. J. (1982). Neural networks and physical systems with emergent collective computational abilities. *Proceedings of the National Academy of Sciences*, 79(8), 2554–2558.
- Jamison, K. R. (1995). *An Unquiet Mind: A Memoir of Moods and Madness*. Knopf.
- Levine, P. A. (2010). *In an Unspoken Voice: How the Body Releases Trauma and Restores Goodness*. North Atlantic Books.
- Murray, D. (2018). Monotropism — an interest-based account of autism. In *Encyclopedia of Autism Spectrum Disorders*. Springer.
- Nicolaidis, C., Raymaker, D., McDonald, K., Dern, S., Ashkenazy, E., Boisclair, C., ... & Baggs, A. (2015). Comparison of healthcare experiences in autistic and non-autistic adults: A cross-sectional online survey facilitated by an academic- community

partnership. *Journal of General Internal Medicine*, 28(6), 761–769.

Ogden, P., Minton, K., & Pain, C. (2006). *Trauma and the Body: A Sensorimotor Approach to Psychotherapy*. W. W. Norton.

Porges, S. W. (2011). *The Polyvagal Theory: Neurophysiological Foundations of Emotions, Attachment, Communication, and Self-Regulation*. W. W. Norton.

Schore, A. N. (2001). The effects of early relational trauma on right brain development, affect regulation, and infant mental health. *Infant Mental Health Journal*, 22(1–2), 201–269.

Van der Kolk, B. (2014). *The Body Keeps the Score: Brain, Mind, and Body in the Healing of Trauma*. Viking.

The author notes that all three appendices from the companion paper (categorical formalization, M-theory scale hierarchy, Lean 4 type sketches, and neurodivergent operator mathematics) apply without modification to this version. The mathematics do not change depending on who is presenting them. This is, in the author’s view, rather the point.

Correspondence: [Author Name], [Address]. The author is available for discussion of this work and is generally more responsive to correspondence that engages with the mathematics than to correspondence that expresses surprise at its existence.