

REFERENCIAS_COMPETENCIA
int id PK
string competidor
text content
string plataforma
vector embedding
USERS
bigint id PK
string email UK
string display_name
string status
ORGANIZATIONS
bigint id PK
string name
string slug UK
string status
TENDENCIAS
int id PK
string categoria
text content
string fuente
date fecha
vector embedding
joins
contains
owns
ORGANIZATION_MEMBERS
bigint organization_id PK,FK
bigint user_id PK,FK
string role
BRANDS
bigint id PK
bigint organization_id FK
string name
string slug
string status
text profile_marca
text restricciones_tono
jsonb rag_config
vector embedding
joins
scopes
CLIENTES
int id PK
string nombre
text perfil_marca
vector embedding
maps
maps_to
has
owns
connects
scopes
LEGACY_CLIENT_BRAND
int client_id PK,FK
bigint brand_id FK,UK
BRAND_MEMBERS
bigint brand_id PK,FK
bigint user_id PK,FK
string role
IDEAS_GENERADAS
int id PK
int client_id
bigint brand_id FK
string status
text content
vector embedding
uuid generation_batch_id
smallint generation_index
timestamp created_at
timestamp updated_at
timestamp deleted_at
BRAND_CHANNELS
bigint id PK
bigint brand_id FK
string provider
string external_id UK
string status
json settings
string credential_reference
BRAND_SOURCES
bigint id PK
bigint organization_id FK
bigint brand_id FK
string scope
string source_type
string content_hash
json metadata
owns
inspires
describes
PUBLICACIONES_GENERADAS
int id PK
int client_id
bigint brand_id FK
int idea_id
string platform
string status
text content
vector embedding
timestamp created_at
timestamp updated_at
timestamp deleted_at
BRAND_DOCUMENTS
bigint id PK
bigint source_id FK
bigint organization_id FK
bigint brand_id FK
string scope
text content
string content_hash
owns
splits
supports
BRAND_CHUNKS
bigint id PK
bigint document_id FK
bigint organization_id FK
bigint brand_id FK
string scope
int chunk_index
vector embedding
text content
supports
supports
BRAND_EVIDENCE
bigint id PK
bigint brand_id FK
bigint source_id FK
bigint document_id FK
bigint chunk_id FK
text claim
text evidence_text