

BOOTCAMP: TRANSFORMACIÓN DIGITAL PARA LA DOCENCIA TÉCNICA

Nombre del participante:

José Ívan Guevara Romero

Institución:

Instituto Nacional de Osicala.

Tema: Primer API REST con Express.js


Link del Entregable:

<https://github.com/IVANGUEVARA401/APY>


Martes 23 de junio de 2026

1. Probar que el servidor este corriendo.....	3
2. GET - Todos los estudiantes	3
GET - Estudiante por ID.....	4
4. GET - Error 404.....	4
5. POST - Crear estudiante.....	5
6. POST - Error 400 (validación).....	5
7. PUT - Actualizar estudiante	6
8. PUT - Error 404	6
9. DELETE - Eliminar estudiante.....	7
10. DELETE - Error 404	7

1. Probar que el servidor este corriendo.



2. GET - Todos los estudiantes



3 GET - Estudiante por ID

The screenshot shows a REST client interface with a red title bar. The address bar displays 'GET localhost:3000/api/es...' and a dropdown menu shows 'GET http://localhost:3000/api/estudiantes/1'. The 'Body' tab is selected, showing a JSON response. The response is a 200 OK status with 6 headers. The JSON body contains student information: id 1, first name 'Santos', last name 'Nehemias', email 'santos.nehemias@email.com', phone '+503 7006 0006', address (country 'El Salvador', city 'San Salvador'), isActive true, and a list of courses: 'Matemáticas', 'Programación', and 'Base de Datos'. The status bar at the bottom indicates '462B, 66ms, now'.

```
GET http://localhost:3000/api/estudiantes/1

Request GET Response 200
▶ HTTP/1.1 200 OK (6 headers)
1 {
2   "data": {
3     "id": 1,
4     "firstName": "Santos",
5     "lastName": "Nehemias",
6     "email": "santos.nehemias@email.com",
7     "phone": "+503 7006 0006",
8     "address": {
9       "country": "El Salvador",
10      "city": "San Salvador"
11    },
12    "isActive": true,
13    "courses": [
14      "Matemáticas",
15      "Programación",
16      "Base de Datos"
17    ]
18  }
19 }
```


4. GET - Error 404

The screenshot shows the same REST client interface, but the address bar now shows 'GET http://localhost:3000/api/estudiantes/7'. The 'Body' tab displays a 404 Not Found response with 6 headers. The JSON body contains an error message: 'error': 'Estudiante no encontrado', 'message': 'No existe un estudiante con el ID 7'. The status bar at the bottom indicates '298B, 104ms, now'.

```
GET http://localhost:3000/api/estudiantes/7

Request GET Response 404
▶ HTTP/1.1 404 Not Found (6 headers)
1 {
2   "error": "Estudiante no encontrado",
3   "message": "No existe un estudiante con el ID 7"
4 }
```

5. POST - Crear estudiante




The screenshot shows a REST client interface with a POST request to `http://localhost:3000/api/estudiantes`. The request body is a JSON object representing a student. The response is a 201 status code with a JSON body indicating successful creation.

```
POST http://localhost:3000/api/estudiantes
```

```
{ 1 { 2   "firstName": "Andrea", 3   "lastName": "López", 4   "email": "andrea.lopez@email.com", 5   "phone": "+503 7333 4444", 6   "address": { 7     "country": "El Salvador", 8     "city": "Morazán" 9   },10   "isActive": true,11   "courses": ["Base de Datos", "Diseño Web"]12 }
```

```
1 { 2   "message": "Estudiante creado exitosamente", 3   "data": { 4     "id": 4, 5     "firstName": "Andrea", 6     "lastName": "López", 7     "email": "andrea.lopez@email.com", 8     "phone": "+503 7333 4444", 9     "address": {10       "country": "El Salvador",11       "city": "Morazán"12     },13     "isActive": true,14     "courses": [15       "Base de Datos",16       "Diseño Web"17     ]18   }19 }
```

6. POST - Error 400 (validación)



The screenshot shows a REST client interface with a POST request to `http://localhost:3000/api/estudiantes`. The request body is a JSON object with only the `firstName` field. The response is a 400 status code with a JSON body indicating an error due to incomplete data.

```
POST http://localhost:3000/api/estudiantes
```

```
1 { 2   "firstName": "Tomás" 3 }
```

```
1 { 2   "error": "Datos incompletos", 3   "message": "Los campos firstName, lastName y email son obligatorios" 4 }
```

7. PUT - Actualizar estudiante

The screenshot shows the HTTPie client interface. The URL bar displays `PUT localhost:3000/api/es...` and the request URL is `PUT http://localhost:3000/api/estudiantes/1`. The 'Body' tab is selected, showing a JSON object:

```
1 {
2   "firstName": "Santos David",
3   "phone": "+503 7444 5555"
4 }
```

 The 'Request PUT' and 'Response 200' tabs are visible. The response is a JSON object:

```
1 {
2   "message": "Estudiante actualizado exitosamente",
3   "data": {
4     "id": 1,
5     "firstName": "Santos David",
6     "lastName": "Nehemias",
7     "email": "santos.nehemias@email.com",
8     "phone": "+503 7444 5555",
9     "address": {
10      "country": "El Salvador",
11      "city": "San Salvador"
12    },
13     "isActive": true,
14     "courses": [
15       "Matemáticas",
16       "Programación",
17       "Base de Datos"
18     ]
19   }
20 }
```

 The status bar at the bottom indicates a response of 517B, 45ms, now.

8. PUT - Error 404

The screenshot shows the HTTPie client interface. The URL bar displays `PUT localhost:3000/api/es...` and the request URL is `PUT http://localhost:3000/api/estudiantes/10`. The 'Body' tab is selected, showing a JSON object:


```
1 {
2   "firstName": "Pedro"
3 }
```

 The 'Request PUT' and 'Response 404' tabs are visible. The response is a JSON object:

```
1 {
2   "error": "Estudiante no encontrado",
3   "message": "No existe un estudiante con el ID 10"
4 }
```

 The status bar at the bottom indicates a response of 299B, 88ms, now.

9. DELETE - Eliminar estudiante



```
DELETE http://localhost:3000/api/estudiantes/2
```

Params Headers Auth Body


```
1 {
2   "firstName": "Pedro"
3 }
```

Request DELETE Response 200

```
▶ HTTP/1.1 200 OK (6 headers)
1 {
2   "message": "Estudiante eliminado exitosamente",
3   "data": {
4     "id": 2,
5     "firstName": "Ricardo",
6     "lastName": "Alvarado",
7     "email": "ricardo.alvarado@email.com",
8     "phone": "+503 7117 1117",
9     "address": {
10      "country": "El Salvador",
11      "city": "Morazán"
12    },
13     "isActive": true,
14     "courses": [
15       "Programación",
16       "Redes",
17       "Seguridad"
18     ]
19   }
20 }
```

Text JSON 496B, 176ms, now

10. DELETE - Error 404



```
DELETE http://localhost:3000/api/estudiantes/20
```

Params Headers Auth Body

```
1 {
2   "firstName": "Pedro"
3 }
```

Request DELETE Response 404

```
▶ HTTP/1.1 404 Not Found (6 headers)
1 {
2   "error": "Estudiante no encontrado",
3   "message": "No existe un estudiante con el ID 20"
4 }
```

Text JSON 299B, 46ms, now