

Detailed information on the End-Users CSV, including relevant use cases, complete schema description and examples is available in: <http://knowledge.kaltura.com/end-users-csv-usage-and-schema-description>

Note: The submission of end-users CSV enabled only when your account is set to support end-user management.

The CSV should have the following fields for each user record. separated by comma:

-- action – Optional - Kaltura's numeric value for the action to apply on a specific user account. Supported actions are: 0-unknown (default), 1- add, 2- delete, 3- update, 4- deactivate, 5- activate, 6- reset password, 7- change email, 8- change password, 9- change screen name, 10- change first name, 11- change last name, 12- change city, 13- change state, 14- change country, 15- change zip, 16- change date of birth, 17- change partner data, 18- change custom metadata.

-- userId - Mandatory - The user's unique identifier.

-- firstName – Optional (required for MediaSpace) The user's first name

-- lastName – Optional (required for MediaSpace)- The user's last name

-- screenName - Optional (required for MediaSpace)- The user's Screen Name as will appear in the KMC.

-- email – Optional - The user's email address.

-- tags – Optional - The tags to be added to the user account

-- gender – Optional - Kaltura's numeric value for gender. Supported values: 0-unknown (default), 1- male, 2- female

-- city – Optional - a free text field for populating a user's city

-- state – Optional - a free text field for populating a user's state

-- country – Optional - a free text field for populating a user's country

-- zip – Optional - a free text field for populating a user's zip code

-- dateOfBirth - Optional - The user's date of birth

-- partnerData - Optional - a free text field used in the account for applicative use.

-- Custom metadata (User object) - Optional - field name should be set according to the following format: metadata[objectName]

#

*action	userId	firstName	lastName	screenName
1	su1xyz	Sample	User1	Sample User1
1	su2xyz	Sample	User2	Sample User2
1	su3xyz	Sample	User3	Sample User2

xamples,

ent

tion types and their numeric values: values: 1- add, 2- update, 3- delete, 6- add or update. Default = add

female.

etadata::[metadataProfileSystemName]::[metadataProfileFieldName]