

# References

- Abbott, I. & Doenhoff, A. (1959). *A theory of wing sections*. Dover Publ.
- Abt, C. & Harries, S. (2007). A new approach to integration of CAD and CFD for naval architects. *6<sup>th</sup> Conf. Computer and IT Applications in the Maritime Industries (COMPIT)*. Cortona.
- Allan, R. G. (2004). Tugs and towboats. *Ship Design & Construction, SNAME*.
- Allison, J. (1993). Marine waterjet propulsion. *Trans. SNAME, 101*, 275–335.
- Alte, B. & Baur, M. (1986). Propulsion. *Handbuch der Werften, XVIII*, Hansa, p. 132.
- Andersen, P., Friesch, J. & Kappel, J. (2002). Development and full-scale evaluation of a new marine propeller type. In: *Jahrbuch Schiffbautechnische Gesellschaft*. Springer, pp. 465–476.
- ANEP II-I. (1983). *Standardized wave and wind environments for NATO operational areas*. Allied Naval Engineering Publication.
- Asmussen, I., Menzel, W. & Mumm, H. (1998). Schiffsschwingungen. *Handbuch der Werften, XXIV*, 75–147, Hansa-Verlag.
- Bailey, D. (1976). The NPL high-speed round bilge displacement hull series. *Maritime Technology Monograph, 4*. RINA.
- Bertram, V. (1992). Wellenwiderstandsberechnung für SWATH-Schiffe und Katamarane. In: *Jahrbuch Schiffbautechnische Gesellschaft*, Springer, pp. 343–351.
- Bertram, V. (1998). Marching towards the numerical ship model basin. *Euromech Conf.*, 374, 3–17, Poitiers.
- Bertram, V. (1998). Numerical investigation of steady flow effects in three-dimensional seakeeping computations. *22<sup>nd</sup> Symp. Naval Hydrodynamics*, Washington.
- Bertram, V. (1999). Panel methods for wave resistance computations. *31 Wegemt school 'CFD for ship and offshore design'*, WEGEMT, London.
- Bertram, V. & Bentin, M. (2001). Tugs. *36<sup>th</sup> WEGEMT Summer School "Manoeuvring and Manoeuvring Devices"*, WEGEMT, London.
- Bertram, V. & Couser, P. (2010). Aspects of selecting the appropriate CAD and CFD software. *9<sup>th</sup> Conf. Computer and IT Applications in the Maritime Industries (COMPIT)*. Gubbio.
- Bertram, V. & Jensen, G. (1994). Recent applications of computational fluid dynamics. *Ship Technology Research, 41/3*, 131–134.
- Bertram, V. & Mesbahi, E. (2004). Estimating resistance and power of fast monohulls employing artificial neural nets, *4<sup>th</sup> Int. Conf. High-Performance Marine Vehicles (HIPER)*, Rome.
- Bertram, V. & Thiart G. (1998). A Kutta condition for ship seakeeping computations with a Rankine panel method. *Ship Technology Research, 45*, 54–63.
- Bertram, V. & Yasukawa, H. (1996). Rankine source methods for seakeeping problems. In: *Jahrbuch Schiffbautechnische Gesellschaft*. Springer, pp. 411–425.
- Biran, A. (2003). *Ship Hydrostatics and Stability*. Oxford: Butterworth-Heinemann.
- Blaurock, J. (1990). An appraisal of unconventional aftbody configurations and propulsion devices. *Marine Technology, 27/6*, 325.
- Blendermann, W. (1993). Parameter identification of wind loads on ships. *Journal of Wind Engineering and Industrial Aerodynamics, 51*, 339–351.
- Blendermann, W. (1996). *Wind loading of ships — Collected data from wind tunnel tests in uniform flow*. In: *IfS Report*. Univ. Hamburg. 574.

- Blendermann, W. (1998). Parameters of the long-term wind conditions above the oceans. *Ship Technology Research*, 45, 99–104.
- Blount, D. L. & Clement, E. P. (1963). Resistance tests of a systematic series of planing hull forms. *Trans. SNAME*, 71, 491.
- Blume, P. (1979). Experimentelle Bestimmung von Koeffizienten der wirksamen Rolldämpfung und ihre Anwendung zur Abschätzung extremer Rollwinkel. *Schiffstechnik*, 26, 3–19.
- Bohlmann, H. J. (1989). Vorausberechnung des Bewegungsverhaltens von Ubooten. In: *Jahrbuch Schiffbautechnische Gesellschaft*. Springer.
- Bohlmann, H. J. (1990). Berechnung hydrodynamischer Koeffizienten von Ubooten zur Vorhersage des Bewegungsverhaltens. In: *IfS Report*. 513. Univ. Hamburg.
- Breslin, J. P. & Andersen, P. (1994). *Hydrodynamics of Ship Propellers*. Cambridge University Press.
- Brix, J. (Ed.) (1993). *Manoeuvring Technical Manual*. Seehafen-Verlag.
- Brix, J., Nolte, A. & Heinzl, S. (1971). Konstruktive Maßnahmen zur Verhinderung der Kavitation an der Rudersohle. *Hansa*, 16, 1579–1587.
- Buhaug, Ø., Corbett, J. J., Endresen, Ø., Eyring, V., Faber, J., Hanayama, S., Lee, D. S., Lee, D., Lindstad, H., Markowska, A. Z., Mjelde, A., Nelissen, D., Nilsen, J., Pålsson, C., Winebrake, J. J., Wu, W. Q., & Yoshida, K. (2009). *Second IMO GHG study 2009*. Int. Maritime Organization (IMO), London.
- Cao, Y., Schultz, W. & Beck, R. F. (1991). Three-dimensional desingularized boundary integral methods for potential problems. *Int. J. Num. Methods in Fluids*, 12, 785–803.
- Carlton, J. (2007). *Marine Propellers and Propulsion*. Oxford: Butterworth-Heinemann.
- Celik, F. (2007). A numerical study for effectiveness of a wake equalizing duct. *Ocean Engineering*, 34, 2138–2145.
- Chang, B. C. & Blume, P. (1998). Survivability of damaged ro-ro passenger vessels. *Ship Technology Research*, 45, 105–117.
- Chapman, R. B. (1975). Free-surface effects for yawed surface piercing plates. *J. Ship Research*, 20, 125–132.
- Chuang, S. L. (1967). Experiments on slamming of wedge-shaped bodies. *J. Ship Research*, 11, 190–198.
- Chung, T. J. (1978). *Finite element analysis in fluid dynamics*. McGraw-Hill.
- Clarke, D., Gedling, P. & Hine, G. (1983). The application of manoeuvring criteria in hull design using linear theory. *The Naval Architect*, 45–68.
- Danckwardt, E. C. M. (1969). Ermittlung des Widerstandes von Frachtschiffen und Hecktrawlern beim Entwurf. *Schiffbauforschung*, 8, 124–160.
- Donath, G. & Bryndum, L. (1988). Schwingungen auf Schiffen im Zusammenhang mit der Antriebsanlage. *Handbuch der Werften*, XIX, 126–200, Hansa-Verlag.
- Doyle, J. & Loh, S. (1997). *Wave propagation in structures: Spectral analysis using fast discrete Fourier transforms*. Springer.
- Faltinsen, O. (1993). *Sea loads on ships and offshore structures*. Cambridge University Press.
- Faltinsen, O. (2005). *Hydrodynamics of high-speed marine vehicles*. Cambridge University Press.
- Ferziger, J. H. & Peric, M. (1996). *Computational methods in fluid dynamics* (2nd ed.). Springer.
- Foeth, E. J. (2008). Decreasing frictional resistance by air lubrication. *20<sup>th</sup> Int. Hiswa Symp. Yacht Design and Yacht Construction*, Amsterdam.
- Fricke, W. (2002). Festigkeitsanalysen der Schiffskonstruktion mit der Methode der finiten Elemente. *Handbuch der Werften*, XXVI, 13–44, Hansa-Verlag.
- Fritsch, M. & Bertram, V. (2002). Power prediction and hull improvement for conventional fast vessels, *3<sup>rd</sup> Int. Conf. High-Performance Marine Vehicles (HIPER)*, Bergen, pp. 167–177.
- Gertler, M. (1954). A reanalysis of the original test data for the Taylor standard series. *DTMB report 806*. Bethesda: David Taylor Model Basin.
- Granville, P. S. (1956). The viscous resistance of surface vessels and the skin friction of flat plates. *Trans. Society of Naval Architects and Marine Engineers*, 64, 209–240.
- Grim, O. (1980). Propeller and vane wheel. *J. Ship Research*, 24/4, 203–226.

- Grothues-Spork, H. (1988). Bilge vortex control devices and their benefits for propulsion. *Int. Shipb. Progr.*, 35, 183–214.
- Guldhammer, H. E. & Harvald, S. A. (1974). *Ship resistance, effect of form and principal dimensions*. Akademisk Forlag Copenhagen.
- Hadler, J. B. (1966). The prediction of power performance of planing craft. *Trans. SNAME*, 74, 563–610.
- Hansen, H. & Freund, M. (2010). Assistance tools for operational fuel efficiency. *9<sup>th</sup> Conf. Computer and IT Applications in the Maritime Industries (COMPIT)*, Gubbio.
- Harries, S. & Tillig, F. (2011). Numerical hull series. *10<sup>th</sup> Conf. Computer and IT Applications in the Maritime Industries (COMPIT)*, Berlin.
- Harries, S. & Vesting, F. (2010). Aerodynamic optimization of superstructures and components. *9<sup>th</sup> Conf. Computer and IT Applications in the Maritime Industries (COMPIT)*, Gubbio.
- Helm, G. (1980). *Systematische Propulsions-Untersuchungen von Kleinschiffen*. Rep. 100. Hamburg: Forschungszentrum des Deutschen Schiffbaus.
- Henschke, W. (1965). *Schiffbautechnisches Handbuch* (2nd ed.). Verlag Technik.
- Hess, J. L. (1986). Review of the source panel technique for flow computation. In: *Innovative Numerical Methods in Engineering*. Springer, pp. 197–210.
- Hess, J. L. (1990). Panel methods in computational fluid dynamics. *Annual Rev. Fluid Mech.*, 22, 255–274.
- Hess, J. L. & Smith A. M. O. (1964). Calculation of nonlifting potential flow about arbitrary three-dimensional bodies. *J. Ship Research*, 8, 22–44.
- Holden, K., Fagerjord, O. & Frostad, R. (1980). Early design stage approach to reducing hull surface forces due to propeller cavitation. *Trans. SNAME*, 88, 403–442.
- Hollenbach, U. (1998). Estimating resistance and propulsion for single-screw and twin-screw ships. *Ship Technology Research*, 45, 72–76.
- Hollenbach, U. (1999). Estimating resistance and propulsion for single-screw and twin-screw ships in the preliminary design. *10<sup>th</sup> ICCAS Conf.*, Cambridge.
- Hollenbach, U. & Friesch, J. (2007). Efficient hull forms — What can be gained, *1<sup>st</sup> Int. Conf. on Ship Efficiency*, Hamburg.
- Holtrop, J. (1977). A statistical analysis of performance test results. *Int. Shipb. Progr.*, 24, 23–28.
- Holtrop, J. (1978). Statistical data for the extrapolation of model performance. *Int. Shipb. Progr.*, 25, 122–126.
- Holtrop, J. (1984). A statistical re-analysis of resistance and propulsion data. *Int. Shipbuilding Progress*, 31, 272–276.
- Holtrop, J. & Mennen, G. G. (1978). A statistical power prediction method. *Int. Shipbuilding Progress*, 25, 253–256.
- Holtrop, J. & Mennen, G. G. (1982). An approximate power prediction method. *Int. Shipbuilding Progress*, 29, 166–170.
- Hoshino, T., Oshima, A., Fujita, K., Kuroiwa, T., Hayashi, F. & Yamazaki, E. (2004). Development of high-performance stator fin by using advanced panel method. *MHI Technical Review*, 41/6, 1–4.
- Hughes, M. & Bertram, V. (1995). A higher-order panel method for 3-d free surface flows. *IfS Report 558*, Univ. Hamburg.
- Inoue, S. & Kijima, K. (1978). The hydrodynamic derivatives on ship manoeuvrability in the trimmed condition. *ITTC*, Vol. 2, 87–92.
- Isay, W. H. (1964). *Propellertheorie — Hydrodynamische Probleme*. Springer.
- Isay, W. H. (1989). *Kavitation*. Hansa-Verlag.
- ISO (1997). *Mechanical vibration and shock — Evaluation of human exposure to whole-body vibration*. ISO 2631.
- ISO (2000). *Mechanical vibration. Guidelines for the measurement, reporting and evaluation of vibration with regard to habitability on passenger and merchant ships*. BS ISO 6954.
- ISO (1996a). *Mechanical vibration of non-reciprocating machines — Measurements on rotating shafts and evaluation criteria*. ISO 7919.

- ISO (1996b). *Mechanical vibration - Evaluation of machine vibration by measurements on non-rotating parts*. ISO 10816.
- ISSC (1994). Int. Ship and Offshore Structures Congress, In: N. E. Jeffery, A. M. Kendrick (Eds.), St. John's.
- ITTC (1990). Report of the powering performance committee. *19<sup>th</sup> Int. Towing Tank Conf.*, Madrid.
- ITTC (1999). The specialist committee on unconventional propulsors. *22<sup>nd</sup> Int. Towing Tank Conf.*, Seoul.
- Janson, C. E. (1996). *Potential flow panel methods for the calculation of free surface flows with lift*. PhD Thesis. Chalmers University of Technology.
- Jensen, G. (1994). Moderne Schiffslinien. *Handbuch der Werften, XXII*, Hansa.
- Jensen, G. (1988). Berechnung der stationären Potentialströmung um ein Schiff unter Berücksichtigung der nichtlinearen Randbedingung an der freien Wasseroberfläche. *IfS Report 484*, Univ. Hamburg.
- Kashiwagi, M. (1997). Numerical seakeeping calculations based on slender ship theory. *Ship Technology Research, 44*, 167–192.
- Keller, W. H. (1973). Extended diagrams for determining the resistance and required power for single-screw ships. *Int. Shipbuilding Progress, 20*, 133–142.
- Kerwin, J. E. (1986). Marine propellers. *Ann. Rev. Fluid Mech., 18*, 387–403.
- Kerwin, J. E., Kinnas, S. A., Lee, J. T. & Shih, W. Z. (1987). A surface panel method for the hydrodynamic analysis of ducted propellers. *Trans. SNAME, 95*, 93–122.
- Kinnas, S. A. (1996). Theory and numerical methods for the hydrodynamic analysis of marine propulsors. *Advances in Marine Hydrodynamics*, 279–322, Comp. Mech. Publ.
- Korobkin, A. (1996). Water impact problems in ship hydrodynamics. *Advances in Marine Hydrodynamics*, pp. 323–371, Comp. Mech. Publ.
- Kose, K. (1982). On the new mathematical model of manoeuvring motions of a ship and applications. *Int. Shipb. Progr., 29*, 205–220.
- Kracht, A. (1987). Kavitation an Rudern. In: *Jahrbuch Schiffbautechnische Gesellschaft*, pp. 167–179, Springer.
- Kruppa, C. (1994). Wasserstrahlantriebe. *Handbuch der Werften, XXII*, 111–136, Hansa-Verlag.
- Lackenby, H. (1963). The effect of shallow water on ship speed. *Shipbuilder and Marine Engineer, 70*, 446–450.
- Lamb, T. (1969). A ship design procedure. *Marine Technology, 6*(4).
- Lap, A. J. W. (1954). Diagrams for determining the resistance of single screw ships. *Int. Shipb. Progr.*, 179.
- Larsson, L. (1997). CFD in ship design – Prospects and limitations. *Ship Technology Research, 44*, 133–154.
- Larsson, L. & Baba, E. (1996). Ship resistance and flow computations. In M. Ohkusu (Ed.), *Advances in marine hydrodynamics* (pp. 1–75). Comp. Mech. Publ.
- Larsson, L., Regnström, B., Broberg, L., Li, D. Q. & Janson, C. E. (1998). Failures, fantasies, and feats in the theoretical/numerical prediction of ship performance. *22. Symp. Naval Shiphydrodyn.*, Washington.
- Launder, B. E. & Spalding, D. B. (1974). The numerical computation of turbulent flows. *Computer Methods in Applied Mechanics and Engineering, 3*.
- Lehmann, E. (2000). *Grundzüge des Schiffbaus Bd 1*. Natural-Verlag, TU Hamburg-Harburg.
- Lerbs, H. (1952). Moderately loaded propellers with a finite number of blades and an arbitrary distribution of circulation. *Trans. SNAME, 60*, 73–123.
- Lerbs, H. (1955). Ergebnisse der angewandten Theorie des Schiffspropellers. In: *Jahrbuch Schiffbautechnische Gesellschaft*. Springer, pp. 163–206.
- Lewis, E.V. (Ed.) (1990). *Principles of Naval Architecture*. Soc. Naval Arch. Marine Eng.
- Lewis, F. M. (1929). The inertia of the water surrounding a vibrating ship. *Trans. SNAME, 37*, 1–20.
- MacPherson, D. M. (1993). Reliable performance prediction: techniques using a personal computer. *Marine Technology, 30/4*, 243–257.
- Menzel, W., El Moctar, O. & Mumm, H. (2008). Advanced thinking on tricky excitations. *The Naval Architect*, March 64–69.
- Mewis, F. (2001). Pod drives – pros and cons. *Hansa, 138/8*, 25–30.
- Mewis, F. (2009). A novel power-saving device for full-form vessels. *1<sup>st</sup> Int. Symp. Marine Propulsors (SMP'09)*, Trondheim.

- Mizoguchi, S. & Tanizawa, K. (1996). Impact wave loads due to slamming — A review. *Ship Technology Research*, 43, 139–154.
- Morgan, W. B. & Lin, W. C. (1998). Predicting ship hydrodynamic performance in today's world. *Naval Engineers J.*, 91–98, September.
- Morino, L. (1975). Steady and oscillatory subsonic and supersonic aerodynamics around complex configurations. *AIAA J.*, 13/3, 368–374.
- Morino, L. & Kuo, C. C. (1974). Subsonic potential aerodynamics for complex configurations: A general theory. *AIAA J.*, 12/2, 191–197.
- Munk, T. (2006). *Fuel conservation through managing hull resistance*. Copenhagen: Motorship Propulsion Conf.
- Munk, T. & Kane, D. (2009). *The effects of corrosion and fouling on the performance of ocean-going vessels: A naval architect perspective*. *Advances in Marine Antifouling Coatings and Technologies*. CRC Press.
- Nakos, D. (1990). *Ship wave patterns and motions by a three-dimensional Rankine panel method*. Ph.D. thesis. MIT.
- Nakos, D. & Sclavounos, P. (1990). Steady and unsteady wave patterns. *J. Fluid Mechanics*, 215, 256–288.
- Newman, J. N. (1965). The exciting forces on a moving body in waves. *J. Ship Research*, 10, 190–199.
- Newman, J. N. (1977). *Marine hydrodynamics*. MIT Press.
- Newman, J. N. (1978). The theory of ship motions. *Adv. Appl. Mech.*, 18, 222–283.
- Ok, J. P. (2005). Numerical investigation of scale effects of a wake-equalizing duct. *Ship Technology Research*, 52, 34–53.
- Oortmerssen, G. van (1971). A power prediction method and its application to small ships. *Int. Shipbuilding Progress*, 18, 397–415.
- Östergaard, C. (1996). Schiffspropulsion. In: *Technikgeschichte des industriellen Schiffbaus in Deutschland*, Vol. 2, Ed. L.U. Scholl. Ernst Kabel Verlag, p. 65.
- Parsons, M. G. (2004). Parametric design. *Ship Design & Construction*, SNAME.
- Pereira, R. (1988). Simulation nichtlinearer Seegangslasten. *Schiffstechnik*, 35, 173–193.
- Perez Gomez, G. & Gonzalez-Adalid, J. (1997). *Detailed Design of Ship Propellers*. Madrid: FEIN.
- Peric, M. & Bertram, V. (2011). Trends in industry applications of CFD to maritime flows. *10<sup>th</sup> Conf. Computer and IT Applications in the Maritime Industries (COMPIT)*, Berlin.
- Peyret, R. & Taylor, T. D. (1985). *Computational methods for fluid flow*. Springer.
- Raven, H. (1996). *A solution method for the nonlinear ship wave resistance problem*. PhD Thesis. TU Delft.
- Reich, Y., Bertram, V. & Friesch, J. (1997). The development of a decision support system for propeller design. *ICCAS'97*, Yokohama, 363–378.
- Riegels, F. W. (1958). *Aerodynamische Profile*. R. Oldenbourg.
- Salvesen, N., Tuck, E. O. & Faltinsen, O. (1970). Ship motions and sea loads. *Trans. SNAME*, 78, 250–287.
- Schlichting, H. (1979). *Boundary layer theory* (7th ed.). McGraw-Hill.
- Schneekluth, H. (1986). Wake equalizing duct. *The Naval Architect*, 103, 147–150, April.
- Schneekluth, H. & Bertram, V. (1998). *Ship design for efficiency and economy*. Butterworth-Heinemann.
- Schwanecke, H. (1963). Gedanken zur Frage der hydrodynamisch erregten Schwingungen des Propellers und der Wellenleitung. In: *Jahrbuch Schiffbautechnische Gesellschaft*. Springer, pp. 252–280.
- Sharma, S. D. (1986). Kräfte am Unter- und Überwasserschiff. *Handbuch der Werften*, XVIII, 31–43.
- Söding, H. (1982). Prediction of ship steering capabilities. *Schiffstechnik*, 3–29.
- Söding, H. (1984). Bewertung der Manöviereigenschaften im Entwurfsstadium. In: *Jahrbuch Schiffbautechnische Gesellschaft*, pp. 179–201. Springer.
- Söding, H. (1986). Kräfte am Ruder. *Handbuch der Werften*, XVIII, 47–56, Hansa-Verlag.
- Söding, H. (1987). Ermittlung der Kentergefahr aus Bewegungssimulationen. *Schiffstechnik*, 34, 28–39.
- Söding, H. (1992). Speed optimization in ship operation. *Ship Technology Research*, 39, 167–174.
- Söding, H. (1993). CFD for manoeuvring of ships. *19th WEGEMT School*. Nantes.
- Söding, H. (1993). A method for accurate force calculations in potential flow. *Ship Technology Research*, 40, 176–186.
- Söding, H. (1994). Was kann und sollte unsere Forschung im nächsten Jahrzehnt leisten? *Schiff & Hafen*, 46/12, 47–51.

- Söding, H. (1995). Wave resistance by Michell integral. *Ship Technology Research*, 42, 163–164.
- Söding, H. (1997). Wind wave spectrum. *Ship Technology Research*, 44, 71–72.
- Söding, H. (1998a). Limits of potential theory in rudder flow predictions. *Ship Technology Research*, 45, 141–155.
- Söding, H. (1998b). Limits of potential theory in rudder flow predictions. *22 Symp. Naval Hydrodynamics*, Washington.
- Söding, H. & Bertram, V. (1998). Schiffe im Seegang. *Handbuch der Werften*, XXIV, 151–189, Hansa-Verlag.
- Sparenberg, J. A. & de Vries, J. (1987). An optimum screw propeller with endplates. *Int. Shipbuilding Progress*, 34(395), 124–133.
- SSC (1995). *Hydrodynamic impact on displacement ship hulls*. Ship Structure Committee, SSC-385, SSC-385A.
- Streckwall, H. (1993). Anwendung auf Propeller. In *27 Kontakt-Studium 'Numerische Methoden in der Strömungsmechanik'*. IfS, Univ. Hamburg.
- Streckwall, H. (1999). Numerical techniques for propeller design. *31 WEGEMT school 'CFD for ship and offshore design'*, WEGEMT, London.
- Swain, G. W. (2010). The importance of ship hull coatings and maintenance as drivers for environmental sustainability. *RINA Conf. Ship Design and Operation for Environmental Sustainability*, London.
- Tanizawa, K. & Bertram, V. (1998). Slamming. *Handbuch der Werften*, XXIV, 191–210, Hansa-Verlag.
- Terswiga, T. J. C. van (1996). *Waterjet-hull interaction*. Ph.D. Thesis, TU Delft, ISBN 90-75757-01-8.
- Thieme, H. (1962). Zur Formgebung von Schiffsrudern. In: *Jahrbuch Schiffbautechnische Gesellschaft*. Springer, pp. 381–426.
- Thompson, J. F., Warsi, Z. U. A. & Mastin, C. W. (1985). *Numerical Grid Generation*. North-Holland.
- Townsin, R. L., Byrne, D., Milne, A. & Svensen, T. (1980). Speed, power and roughness: the economics of outer bottom maintenance. *Trans. RINA*, 122, 459–483.
- Townsin, R. L. & Kwon, Y. J. (1983). Approximate formulae for the speed loss due to added resistance in wind and waves. *Trans. RINA*, 125, 199–207.
- Van Manen, J. D. & Sentic, A. (1956). Contra-rotating propellers. *Int. Shipbuilding Progress*, 3.
- Versteeg, H. K. & Malalasekera, W. (1995). *An introduction to computational fluid dynamics — The finite volume method*. Addison Wesley Longman.
- Völker, H. (1974). Entwerfen von Schiffen. *Handbuch der Werften*, XII, 17, Hansa.
- Von Karman, T. (1929). *The impact of seaplane floats during landing*. Washington: NACA TN 321.
- Watanabe. (1986). Analytical expression of hydrodynamic impact pressure by matched asymptotic expansion technique. *Trans. West-Japan Soc. Naval Arch.*, 71.
- Whicker, L. F. & Fehlner, L. F. (1958). *Free stream characteristics of a family of low aspect ratio control surfaces for application to ship design*. DTMB Report 933. Washington: David Taylor Model Basin.
- Wolff, K. (1981). Ermittlung der Manövriereigenschaften fünf repräsentativer Schiffstypen mit Hilfe von CPMC-Modellversuchen. *IfS Report*. 412. Univ. Hamburg.
- Zou, Z. J. (1990). Hydrodynamische Kräfte am manövrierenden Schiff auf flachem Wasser bei endlicher Froudezahl. *IfS Report*. 503. Univ. Hamburg.