

Multiengine Instructor Add-On

Flight Lesson Guide

The student in this route is the instructor candidate; the instructor is the qualified trainer who can role-play a learner. The candidate prepares and teaches a measurable preflight lesson, demonstrates while explaining, supervises practice, diagnoses errors and assesses the result. Timing is an adjustable plan. Aircraft inspection/preparation, parked briefing and debrief are separate from the flight block; flight includes taxi, departure/transit, practice and safe return. Repeat or defer tasks until proficiency is demonstrated, and meet actual regulatory experience/endorsement requirements independently.

Original SUAREZ.CFI progression using FAA standards and handbooks; reviewed October 10, 2026. Instructor-route time allocations are teaching proposals.

Use this guide

Read the full teaching guide before flight. Use the compact checklist to sequence the flight. Minutes are pacing targets; repeat, stop, or defer an exercise when proficiency, conditions, or available time require it. Checkmarks indicate items covered, not a proficiency endorsement.

Aircraft values come from the applicable POH/AFM and approved checklist. Brief the aircraft-specific speeds, configurations, limitations, and any simulation method before conducting a maneuver.

Entry and preparation

- Hold an existing instructor certificate/rating and verify pilot multiengine qualifications and applicable 61.191/61.195 authority/experience with the recommending instructor.
- Use the correct existing-rating column of the current ACS additional-rating table, then apply every referenced area note; confirm all selected tasks before the final assessment.
- Prepare runway-incursion avoidance (II.C), records/endorsements (II.K), OEI performance (II.P) and actual aircraft systems; review prior instructor competencies where needed.
- Confirm aircraft-authorized OEI/VMC/feathering procedures and safe practice/landing options; never perform intentional spins in a multiengine airplane.
- This sequence covers AMEL. An AMES applicant must add the applicable seaplane tasks and procedures before claiming class coverage.

Sources and alignment

Flight Instructor for Airplane Category ACS - FAA-S-ACS-25, April 2024; effective May 31, 2024; index reviewed October 10, 2026

Aviation Instructor's Handbook - FAA-H-8083-9B (2020); FAA index reviewed October 10, 2026

Airplane Flying Handbook and current addenda - FAA-H-8083-3C (2021), October 2025 addendum listed; index reviewed October 10, 2026

Historical FAA FITS generic instructor progression - October 2008; historical pedagogy framework, not current approval or standards

Flight instructor eligibility and proficiency rules - Current eCFR; verify for the specific applicant

Certification and endorsement guidance - AC 61-65K, November 2025; verify current FAA status before endorsement

Lesson index

Transfer established instruction to multiengine flight

- 1 · Transition an existing instructor to multiengine teaching · 90 min dual
- 2 · Teach steep turns, slow flight and stalls · 90 min dual
- 3 · Teach normal/short-field takeoffs and landings · 90 min dual

OEI teaching and failure decisions

- 4 · Teach OEI recognition, maneuvering and feathering · 90 min dual
- 5 · Teach VMC and airspeed/configuration performance effects · 90 min dual
- 6 · Teach reject and after-lift-off failure decisions · 90 min dual
- 7 · Teach OEI landing and an aircraft-system abnormality · 90 min dual

Coverage review and added-rating assessment

- 8 · Integrate the additional rating into a teaching mission · 120 min dual
- 9 · Mock multiengine instructor add-on assessment · 120 min check

Transfer established instruction to multiengine flight

Review aircraft-specific normal operations and the common tasks required by current additional-rating notes.

Lesson 1 · Transition an existing instructor to multiengine teaching

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-50 Air 12-42	[] Teach multiengine systems, performance and normal control	Teach the approved preflight/start/taxi/checklist procedures.
50-70 Air 42-62	[] Teach normal pattern operations and crosswind judgment	Teach a normal/crosswind departure and approach using the actual airport procedures.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 1

Transfer established instructor skills to the actual multiengine systems, control and normal procedures.

Existing instructor adding multiengine class: apply the correct current ACS table column and every referenced area note; prior knowledge can still be reviewed.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Transfer established instructor skills to the actual multiengine systems, control and normal procedures.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Hold the applicable existing instructor and multiengine pilot qualifications; review 61.191 and the ACS additional-rating table.
- Prepare technical subjects II.C runway incursion, II.K records/endorsements and II.P OEI performance; other prior competencies are reviewed as needed.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Transfer established instructor skills to the actual multiengine systems, control and normal procedures.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach multiengine systems, performance and normal control · 30 minutes

Teach / coach: Require aircraft-specific systems, fuel, propeller, gear and engine-control briefs and performance calculations before dispatch. Observe the candidate teach a normal control transition from the instructor seat and identify workload/scan differences without inventing model-specific settings.

Student exercise: Teach the approved preflight/start/taxi/checklist procedures. In the practice area demonstrate level flight, turns, climbs and descents, explaining the aircraft systems/configuration cues. Coach a learner sequence and monitor both engines and the outside environment.

Practice: One integrated normal-flight demonstration and one coached sequence; ground/start/taxi teaching occurs in the separate preflight and taxi phases.

Look for: Candidate teaches the specific aircraft's normal procedures and common flight tasks while maintaining applicable standards and clear control responsibility.

Watch / correct: Moving engine/propeller controls as an undifferentiated group -> identify the control and approved purpose before movement.

Watch / correct: Focusing on the extra engine instruments while losing attitude/traffic scan -> prioritize flight path and integrate the scan.

Stop / transition: No dispatch without verified aircraft procedures and performance. Stop for asymmetric indications, a control misunderstanding, aircraft limit or loss of situational awareness.

Reference: FAA-S-ACS-25 V.A-D,F and VIII.A-D; AFH chapter 13

Teach normal pattern operations and crosswind judgment · 20 minutes

Teach / coach: Let the candidate brief pattern entry, wind correction, runway choice, stabilized approach criteria and a positive control-transfer plan. Act as a learner who overlooks a checklist or misjudges spacing; use a verbal prompt instead of creating an unsafe approach.

Student exercise: Teach a normal/crosswind departure and approach using the actual airport procedures. Demonstrate one approach, coach the next, explain workload management and make a planned go-around. Make the landing/go-around decision early enough to preserve options.

Practice: One demonstration circuit, one coached circuit and one planned go-around as traffic/ATC permit; no forced pattern count.

Look for: Candidate keeps the airplane within task standards while teaching runway alignment, energy, spacing, communication and a timely go-around.

Watch / correct: Talking through final while losing airspeed/alignment -> shorten instruction, regain a stabilized approach or go around.

Watch / correct: Treating an ATC instruction as permission to exceed a limit -> request an alternative and protect the aircraft margin.

Stop / transition: Go around or discontinue for an unstable approach, unsafe spacing, runway conflict, wind/aircraft limit or unclear control responsibility. Touch-and-go operations require aircraft/airport authorization.

Reference: FAA-S-ACS-25 VI.A-B and VII.A-B,N; AFH chapters 6, 8-9

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate teaches the specific aircraft's normal procedures and common flight tasks while maintaining applicable standards and clear control responsibility.

Debrief • 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- This is an added instructor class rating, not a private-pilot multiengine add-on. Apply all additional-rating area notes before judging training coverage.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks V.A, V.B, V.C, V.D, V.F, VIII.A, VIII.B, VIII.C, VIII.D, VI.A, VI.B, VII.A, VII.B, VII.N; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Lesson 2 · Teach steep turns, slow flight and stalls

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-38 Air 12-30	[] Teach coordinated steep turns and workload control	Clear the area; establish the entry condition; demonstrate a coordinated turn in each direction.
38-54 Air 30-46	[] Teach slow flight and configuration effects	Clear the area; establish the approved configuration and briefed task condition.
54-70 Air 46-62	[] Teach a power-off stall and its recovery	Clear the area, verify recovery altitude and aircraft authorization, and establish the approved approach configuration.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 2

Cover common flight tasks retained by the additional-rating table and multiengine area notes.

Existing instructor adding multiengine class: apply the correct current ACS table column and every referenced area note; prior knowledge can still be reviewed.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Cover common flight tasks retained by the additional-rating table and multiengine area notes.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Review ACS IX.A and X note; verify multiengine recovery margins and aircraft-authorized stall configurations.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Cover common flight tasks retained by the additional-rating table and multiengine area notes.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach coordinated steep turns and workload control · 18 minutes

Teach / coach: Ask the candidate to brief the applicable bank target, entry speed, power and limitation from the ACS/aircraft documents. Demonstrate a safe learner tendency to lose altitude by discussing it or making only a small recoverable deviation.

Student exercise: Clear the area; establish the entry condition; demonstrate a coordinated turn in each direction. Explain attitude, back-pressure, power and trim management, then coach a learner through a turn and rollout to the starting heading.

Practice: One demonstration each direction; one coached attempt in the weaker direction; reset between turns.

Look for: Candidate meets the applicable commercial/instructor task standard and diagnoses the cause of altitude/airspeed deviations while retaining coordination and lookout.

Watch / correct: Adding more bank to correct an altitude loss -> diagnose the load/attitude problem before the correction.

Watch / correct: Rolling out late while explaining -> lead the rollout and divide attention between instruction and the flight path.

Stop / transition: Stop for aircraft load/speed limit, loss of coordination, significant flight-path deterioration or traffic conflict. The instructor takes control before the learner error becomes unsafe.

Reference: FAA-S-ACS-25 IX.A; AFH chapter 10

Teach slow flight and configuration effects · 16 minutes

Teach / coach: Have the candidate name the selected ACS slow-flight task, its configuration and recovery criterion before changing configuration. Demonstrate changing drag/power while preserving coordination. Role-play fixation on airspeed so the candidate must coach attitude, coordination and warning recognition.

Student exercise: Clear the area; establish the approved configuration and briefed task condition. Explain how control response and power requirements change; demonstrate straight flight, a turn, climb and descent as applicable. Coach a learner attempt and return to the normal configuration using the aircraft checklist.

Practice: One demonstration sequence; one coached sequence; one short diagnosis of a deliberately small, safe deviation.

Look for: Candidate teaches the distinction between slow-flight tasks, uses the appropriate warning/recovery criterion, and maintains applicable ACS tolerances with coordinated control.

Watch / correct: Treating the stall-warning condition as the same for every slow-flight task -> restate the selected task criterion.

Watch / correct: Trying to climb with pitch alone -> compare the flight-path and airspeed indications, then make the approved power/attitude change.

Stop / transition: Recover for an unbriefed stall indication, degraded directional control, traffic conflict or reaching the applicable recovery floor. Never continue merely to consume the block.

Reference: FAA-S-ACS-25 X.A and Appendices 2-3; AFH chapter 5

Teach a power-off stall and its recovery · 16 minutes

Teach / coach: Brief whether recovery is at the first indication or after a full stall, as applicable. Observe the candidate explain an approach-to-landing setup. Act as a learner who tries to hold the nose up during recovery; require prompt explanation of angle-of-attack reduction.

Student exercise: Clear the area, verify recovery altitude and aircraft authorization, and establish the approved approach configuration. Explain the developing cues during entry. Recover using the aircraft procedure, regain controlled flight, clean up as appropriate, then coach one learner attempt.

Practice: One candidate demonstration and one coached attempt; repeat only if the recovery remains controlled and the planned altitude margin is available.

Look for: The candidate recognizes the briefed stall condition, reduces angle of attack promptly, maintains coordination, and explains the recovery while meeting the applicable ACS standard.

Watch / correct: Watching only the airspeed indicator -> identify aerodynamic and warning cues throughout entry.

Watch / correct: Retraction or pitch changes that cause a second stall -> stabilize recovery and follow the approved configuration sequence.

Stop / transition: Terminate for yaw/incipient spin, a recovery-floor threat, an unbriefed full stall, aircraft limitation, or a trainer intervention. Review the cause before another attempt.

Reference: FAA-S-ACS-25 X.C and Appendix 3; AFH chapter 5

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate meets the applicable commercial/instructor task standard and diagnoses the cause of altitude/airspeed deviations while retaining coordination and lookout.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.

- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Prepare and practice additional selectable power-on/accelerated stalls when needed for proficiency or evaluator selection; do not claim all variants from one power-off exercise.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks IX.A, X.A, X.B, X.C; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Lesson 3 · Teach normal/short-field takeoffs and landings

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-38 Air 12-30	[] Teach normal pattern operations and crosswind judgment	Teach a normal/crosswind departure and approach using the actual airport procedures.
38-53 Air 30-45	[] Teach short-field takeoff planning and execution	Explain configuration, runway use, approved target speeds and obstacle-clearance path.
53-70 Air 45-62	[] Teach short-field landing and a safe go-around choice	Brief and fly a stabilized short-field approach with the approved configuration and speeds.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 3

Cover the takeoff/landing selection missing from the short MEI add-on task book and teach a realistic go-around decision.

Existing instructor adding multiengine class: apply the correct current ACS table column and every referenced area note; prior knowledge can still be reviewed.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Cover the takeoff/landing selection missing from the short MEI add-on task book and teach a realistic go-around decision.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Review ACS VII area note and actual aircraft takeoff/landing/OEI performance; brief normal and short-field variants.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Cover the takeoff/landing selection missing from the short MEI add-on task book and teach a realistic go-around decision.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach normal pattern operations and crosswind judgment · 18 minutes

Teach / coach: Let the candidate brief pattern entry, wind correction, runway choice, stabilized approach criteria and a positive control-transfer plan. Act as a learner who overlooks a checklist or misjudges spacing; use a verbal prompt instead of creating an unsafe approach.

Student exercise: Teach a normal/crosswind departure and approach using the actual airport procedures. Demonstrate one approach, coach the next, explain workload management and make a planned go-around. Make the landing/go-around decision early enough to preserve options.

Practice: One demonstration circuit, one coached circuit and one planned go-around as traffic/ATC permit; no forced pattern count.

Look for: Candidate keeps the airplane within task standards while teaching runway alignment, energy, spacing, communication and a timely go-around.

Watch / correct: Talking through final while losing airspeed/alignment -> shorten instruction, regain a stabilized approach or go around.

Watch / correct: Treating an ATC instruction as permission to exceed a limit -> request an alternative and protect the aircraft margin.

Stop / transition: Go around or discontinue for an unstable approach, unsafe spacing, runway conflict, wind/aircraft limit or unclear control responsibility. Touch-and-go operations require aircraft/airport authorization.

Reference: FAA-S-ACS-25 VI.A-B and VII.A-B,N; AFH chapters 6, 8-9

Teach short-field takeoff planning and execution • 15 minutes

Teach / coach: Require an actual performance calculation with the selected weight, weather, runway and obstacles. Ask the candidate to compare available distance with the approved takeoff/obstacle profile and to identify reject/continue decisions from the aircraft and conditions.

Student exercise: Explain configuration, runway use, approved target speeds and obstacle-clearance path. Demonstrate or coach the assigned short-field takeoff; verify the flight path and checklist transition after obstacle clearance. Teach why a computed capability is not a reason to accept inadequate margin.

Practice: One assigned takeoff with complete briefing; a second only if runway/traffic/time permit.

Look for: Candidate uses correct aircraft-specific performance and configuration, achieves the applicable task standard, and explains reject/continue judgment clearly.

Watch / correct: Using a memorized generic speed -> locate and use the approved speed for this aircraft/loading.

Watch / correct: Skipping the runway/performance comparison -> recalculate before departure.

Stop / transition: Do not depart with inadequate performance/runway/obstacle margin or an unmet aircraft condition. Reject only by the briefed approved procedure; simulated failures must be separately authorized and safely bounded.

Reference: FAA-S-ACS-25 VII.E; AFH chapter 6

Teach short-field landing and a safe go-around choice • 17 minutes

Teach / coach: Have the candidate choose the touchdown point, approved approach profile, wind correction and go-around gate. Role-play excessive focus on the touchdown mark and ask for a decision before the approach becomes unstable.

Student exercise: Brief and fly a stabilized short-field approach with the approved configuration and speeds. Explain the aim point versus touchdown point, coach the learner through roundout/landing, and apply approved stopping procedures only after maintaining directional control.

Practice: One candidate demonstration and one coached attempt when traffic permits; any required go-around replaces the landing attempt.

Look for: Candidate satisfies applicable task accuracy while making a safe approach/landing decision and teaching directional control and energy management.

Watch / correct: Stretching a glide to reach the mark -> correct the energy/path while options exist or go around.

Watch / correct: Forcing the touchdown after an unstable approach -> go around; record why the original target was not met.

Stop / transition: Go around for an unstable path, unsafe wind, runway conflict or inadequate remaining distance. Never force a landing solely to achieve a target mark.

Reference: FAA-S-ACS-25 VII.F; AFH chapter 9

Teach return, final landing and safe runway exit • 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate keeps the airplane within task standards while teaching runway alignment, energy, spacing, communication and a timely go-around.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.

- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Unavailable crosswind/landing repetition is deferred to suitable conditions; ground explanation alone does not satisfy a required flight demonstration.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks VI.A, VI.B, VII.A, VII.B, VII.N, VII.E, VII.F; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

OEI teaching and failure decisions

Teach all multiengine operations and the applicable emergency-task selection.

Lesson 4 · Teach OEI recognition, maneuvering and feathering

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-48 Air 12-40	[] Teach engine-failure recognition and OEI maneuvering	Recognize the announced simulated failure, maintain control and use the approved aircraft sequence to identify/verify the affected engine and reduce drag.
48-70 Air 40-62	[] Teach authorized feathering, securing and restart decisions	Explain identifying/verifying the affected engine and the approved feather/secure sequence.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 4

Teach correct-engine verification and safe OEI performance while controlling critical system actions.

Existing instructor adding multiengine class: apply the correct current ACS table column and every referenced area note; prior knowledge can still be reviewed.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach correct-engine verification and safe OEI performance while controlling critical system actions.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Verify actual simulation/zero-thrust and feather/restart conditions, applicable ACS limits and safe airport options.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach correct-engine verification and safe OEI performance while controlling critical system actions.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach engine-failure recognition and OEI maneuvering · 28 minutes

Teach / coach: Brief simulation, the aircraft memory/checklist actions, approved speeds/zero-thrust condition, recovery margins and who touches each control. Begin at a suitable altitude with a real landing option; do not create an unannounced critical-engine event.

Student exercise: Recognize the announced simulated failure, maintain control and use the approved aircraft sequence to identify/verify the affected engine and reduce drag. Teach aircraft-specific zero-sideslip/performance technique, then coach straight flight and turns with one engine simulated inoperative.

Practice: One candidate demonstration and one coached OEI maneuvering sequence, with normal-power resets as briefed.

Look for: Candidate teaches accurate identification/verification and maintains control/performance without confusing minimum controllability with climb capability.

Watch / correct: Acting on the wrong engine before verification -> maintain control, identify, verify and use the approved checklist.

Watch / correct: Allowing airspeed to decay while troubleshooting -> restore the safe aircraft condition before further diagnosis.

Stop / transition: Recover for loss of directional control, stall indication, speed/altitude-margin threat or incorrect critical-control selection. No intentional shutdown is included unless the separately briefed feathering gates are satisfied.

Reference: FAA-S-ACS-25 XIII.A and Appendix 2; AFH chapter 13

Teach authorized feathering, securing and restart decisions · 22 minutes

Teach / coach: Before any actual shutdown/feathering, verify the airplane permits the task, manufacturer conditions, applicable ACS altitude requirement, weather/terrain and a safe airport landing if restart fails. Otherwise use only the permitted simulation and carry required actual demonstration to a suitable opportunity.

Student exercise: Explain identifying/verifying the affected engine and the approved feather/secure sequence. Under qualified supervision perform the authorized task or its permitted simulation, teach the loss of associated systems, and follow the manufacturer unfeather/restart procedure when applicable.

Practice: One fully briefed authorized sequence; a failed restart becomes an emergency, not a repetition opportunity.

Look for: Candidate follows the aircraft-specific sequence, protects control/performance and can explain when an actual task is unsafe or cannot be completed.

Watch / correct: Assuming zero thrust equals a completed actual feather task -> state the demonstration status and record any unmet requirement.

Watch / correct: Troubleshooting an unsuccessful restart while losing the landing option -> secure safe flight and treat the situation as an emergency.

Stop / transition: No actual shutdown/feathering without all manufacturer/ACS safety conditions and a safe established-airport option. Abort a control error; treat inability to restart/unfeather as an emergency.

Reference: FAA-S-ACS-25 XIII.A and Appendix 2; AFH chapter 13; POH/AFM

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate teaches accurate identification/verification and maintains control/performance without confusing minimum controllability with climb capability.

Debrief - 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- If actual feathering is required but cannot be performed safely, record it explicitly and schedule suitable equipment/conditions.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks XIII.A; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Lesson 5 · Teach VMC and airspeed/configuration performance effects

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-46 Air 12-38	[] Teach VMC demonstration and first-cue recovery	Clear the area and establish the authorized demonstration condition.
46-70 Air 38-62	[] Teach the effect of drag, airspeed and configuration on OEI performance	Demonstrate one change at a time and compare observed performance with the prediction.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 5

Cover all multiengine-operations tasks with aircraft-authorized controllability and performance demonstrations.

Existing instructor adding multiengine class: apply the correct current ACS table column and every referenced area note; prior knowledge can still be reviewed.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Cover all multiengine-operations tasks with aircraft-authorized controllability and performance demonstrations.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Show reliable OEI control before this lesson; brief first-cue recovery and actual aircraft/ACS setup restrictions.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Cover all multiengine-operations tasks with aircraft-authorized controllability and performance demonstrations.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach VMC demonstration and first-cue recovery · 26 minutes

Teach / coach: Require the exact aircraft-authorized entry/configuration, applicable ACS recovery limits and a stall-versus-controllability briefing. Explain that published VMC is condition-dependent and is not a safe target for routine engine-out flight. Observe a controlled demonstration only after baseline OEI proficiency.

Student exercise: Clear the area and establish the authorized demonstration condition. Explain the developing directional-control or stall cues and recover at the required first cue using the approved power/attitude procedure. Teach how density altitude/configuration may cause a stall cue before directional-control loss.

Practice: One candidate demonstration; one coached explanation/reset. A second demonstration only with adequate margin and a clear training need.

Look for: Candidate recognizes the first limiting cue, recovers promptly and explains why the demonstration does not establish a universal operational speed.

Watch / correct: Insisting on reaching the published red line -> recover at the applicable first cue instead.

Watch / correct: Allowing a stall while searching for yaw -> prioritize the first stall/control warning and terminate the demonstration.

Stop / transition: Immediate recovery for stall warning, loss of directional control, an aircraft/ACS limit or declining recovery margin. Never deliberately pursue an uncontrollable condition or apply a generic power/configuration value.

Reference: FAA-S-ACS-25 XIII.B and Appendices 2-3; AFH chapter 13

Teach the effect of drag, airspeed and configuration on OEI performance · 24 minutes

Teach / coach: Have the candidate predict the effect of one approved configuration/airspeed change using actual aircraft data. Announce each change and keep the airplane in an authorized training condition; no low-altitude experiment is permitted.

Student exercise: Demonstrate one change at a time and compare observed performance with the prediction. Explain propeller, gear, flap, sideslip and airspeed effects as applicable, then coach the learner to restore the best approved performance configuration.

Practice: Three approved comparisons, each followed by a reset; omit any unsupported configuration and carry its required demonstration to suitable equipment.

Look for: Candidate distinguishes directional control from climb performance, explains the drag penalty and restores a safe aircraft-specific condition.

Watch / correct: Changing several variables at once -> reset and isolate one factor.

Watch / correct: Assuming positive climb because controllability remains -> consult actual performance and assess terrain/landing options.

Stop / transition: Stop for airspeed/control-margin loss, an aircraft restriction or inadequate altitude. Do not sacrifice stall or terrain margin to make the performance loss visually dramatic.

Reference: FAA-S-ACS-25 XIII.C; AFH chapter 13

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate recognizes the first limiting cue, recovers promptly and explains why the demonstration does not establish a universal operational speed.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Defer any prohibited/unavailable task demonstration; do not invent a replacement configuration or count verbal explanation as flight completion.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks XIII.B, XIII.C; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Lesson 6 · Teach reject and after-lift-off failure decisions

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-42 Ground	[] Teach a simulated engine failure before takeoff commitment	Teach how the aircraft's takeoff plan establishes a reject decision.
42-70 Air 12-40	[] Teach the after-lift-off engine-failure decision safely	Teach aircraft control and approved speed/configuration priorities, verify the simulated affected engine, and explain whether available performance supports...
70-85 Air 40-55	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 6

Teach the effect of real runway, obstacle and OEI performance on the failure decision without low-altitude surprise.

Existing instructor adding multiengine class: apply the correct current ACS table column and every referenced area note; prior knowledge can still be reviewed.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach the effect of real runway, obstacle and OEI performance on the failure decision without low-altitude surprise.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Prepare actual performance/landing options; brief safe simulation points, control responsibility and current ACS restrictions.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach the effect of real runway, obstacle and OEI performance on the failure decision without low-altitude surprise.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach a simulated engine failure before takeoff commitment · 22 minutes

Teach / coach: Brief runway/performance, the authorized simulation point, ACS simulation restriction, reject action and who manipulates controls. Prefer ground discussion or an approved device until the candidate is proficient; any airplane event is planned and safely bounded.

Student exercise: Teach how the aircraft's takeoff plan establishes a reject decision. In an authorized, prebriefed low-speed simulation, maintain directional control and use the approved stop procedure. After stopping, teach why an attempted airborne continuation could be unsafe.

Practice: One complete reject briefing; one authorized simulation if conditions permit; verbal decision cases otherwise, with the required flight task carried forward.

Look for: Candidate makes the correct briefed decision, maintains control and explains the performance/runway limits without inventing a universal commitment speed.

Watch / correct: Continuing because the engine loss was expected -> apply the actual reject/continue plan.

Watch / correct: Making an unbriefed asymmetric power change -> stop the exercise and rebrief control authority.

Stop / transition: Never surprise the candidate or simulate outside the applicable ACS/aircraft restriction. Stop for directional-control loss, inadequate runway, traffic or any real abnormality.

Reference: FAA-S-ACS-25 XII.E and Appendix 3; AFH chapter 13

Teach the after-liftoff engine-failure decision safely · 28 minutes

Teach / coach: Require actual takeoff/OEI performance, obstacles, landing options and the manufacturer response. Rehearse the low-altitude decision verbally first. Any airborne simulation occurs only at the altitude/speed/conditions permitted by the ACS, aircraft and instructor's safety plan; no low-level surprise.

Student exercise: Teach aircraft control and approved speed/configuration priorities, verify the simulated affected engine, and explain whether available performance supports continued flight. Coach the decision among appropriate landing options; distinguish actual aircraft capability from a generic engine-out script.

Practice: Two verbal takeoff cases with different performance margins; one authorized airborne simulation when appropriate.

Look for: Candidate maintains control, uses actual performance/terrain to justify the decision and teaches the approved procedure without a universal return altitude or guaranteed climb assumption.

Watch / correct: Treating VMC as proof of climb capability -> compare controllability with actual OEI performance.

Watch / correct: Following a memorized return-after-takeoff height -> evaluate the aircraft, wind, terrain, obstacles and landing options.

Stop / transition: No engine-failure simulation below the applicable ACS/aircraft limits. Recover for stall/control-margin loss or actual malfunction. This guide does not authorize a turnback or a fixed return gate.

Reference: FAA-S-ACS-25 XII.F and Appendices 2-3; AFH chapter 13

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before

debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate makes the correct briefed decision, maintains control and explains the performance/runway limits without inventing a universal commitment speed.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- A ground/device rehearsal prepares the candidate but does not silently replace a required aircraft demonstration.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks XII.E, XII.F; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Lesson 7 · Teach OEI landing and an aircraft-system abnormality

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-54 Air 12-46	[] Teach an approach and landing with one engine simulated inoperative	Teach an aircraft-approved OEI approach, gradual configuration management, directional control and landing plan.
54-70 Air 46-62	[] Teach system-failure recognition and checklist discipline	Explain the indications, control/flight-path consequences and appropriate aircraft checklist.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 7

Cover the required OEI approach/landing and an additional applicable emergency task with clear performance limits.

Existing instructor adding multiengine class: apply the correct current ACS table column and every referenced area note; prior knowledge can still be reviewed.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Cover the required OEI approach/landing and an additional applicable emergency task with clear performance limits.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Prepare an approved zero-thrust approach profile, landing/OEI-go-around feasibility and one relevant system checklist.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Cover the required OEI approach/landing and an additional applicable emergency task with clear performance limits.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach an approach and landing with one engine simulated inoperative · 34 minutes

Teach / coach: Brief the approved zero-thrust condition, configuration/speed sequence, landing performance and the feasibility of a go-around. Decide before the approach which aircraft/conditions permit any OEI go-around demonstration; do not assume climb capability.

Student exercise: Teach an aircraft-approved OEI approach, gradual configuration management, directional control and landing plan. Coach a learner attempt, monitor energy/drag and complete the appropriate landing or safe authorized alternative.

Practice: One candidate-led approach and one coached approach when safe/routing permit; no obligatory OEI go-around.

Look for: Candidate teaches a stable approved profile, preserves control/performance margins and makes a realistic landing/alternative decision.

Watch / correct: Adding drag before confirming the landing path -> reassess performance and use the approved configuration timing.

Watch / correct: Calling for a go-around without performance to support it -> follow the prebriefed safe alternative and aircraft procedure.

Stop / transition: Discontinue a training approach before control/performance margins erode. Do not command an unsupported OEI go-around or treat a generic minimum speed as universal.

Reference: FAA-S-ACS-25 XII.G and Appendix 3; AFH chapter 13

Teach system-failure recognition and checklist discipline · 16 minutes

Teach / coach: Choose two aircraft-applicable scenarios and state which indications are simulated. Require the candidate to distinguish an indication failure from a physical aircraft failure and to justify any checklist selection.

Student exercise: Explain the indications, control/flight-path consequences and appropriate aircraft checklist. Teach a role-play learner to prioritize the aircraft, verify the diagnosis, request assistance and decide whether to continue, divert or land.

Practice: Two verbal/simulated scenarios with no unsafe system disablement; candidate leads one and coaches one.

Look for: Candidate selects applicable procedures without unsupported memory actions, maintains safe flight and teaches a reasoned landing/diversion decision.

Watch / correct: Choosing a checklist from one alarming indication -> cross-check and identify the actual problem.

Watch / correct: Pulling a breaker or moving a critical control without authorization -> stop simulation and use the approved aircraft procedure.

Stop / transition: Do not create a real malfunction to simulate one. Stop for actual abnormal indications, a prohibited equipment action, workload saturation or loss of flight-path control.

Reference: FAA-S-ACS-25 XII.C; AFH chapter 18; aircraft POH/AFM

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before

debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate teaches a stable approved profile, preserves control/performance margins and makes a realistic landing/alternative decision.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Carry a second approach or unresolved system-error diagnosis into capstone/review; do not demand an unsupported engine-out go-around.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks XII.G, XII.C; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Coverage review and added-rating assessment

Integrate the tasks and assess the appropriate existing-rating table column without treating exemptions as prohibition on review.

Lesson 8 · Integrate the additional rating into a teaching mission

[Return to lesson index](#)

120 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-23 Air 00-15	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
23-45 Air 15-37	[] Assess normal operations and landing judgment	Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified...
45-60 Air 37-52	[] Teach slow flight and configuration effects	Clear the area; establish the approved configuration and briefed task condition.
60-80 Air 52-72	[] Teach engine-failure recognition and OEI maneuvering	Recognize the announced simulated failure, maintain control and use the approved aircraft sequence to identify/verify the affected engine and reduce drag.
80-95 Air 72-87	[] Teach system-failure recognition and checklist discipline	Explain the indications, control/flight-path consequences and appropriate aircraft checklist.
95-115 Air 87-107	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
115-120 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 8

Use a complete mission to teach, supervise and assess normal and asymmetric flight while reviewing records/endorsement decisions.

Existing instructor adding multiengine class: apply the correct current ACS table column and every referenced area note; prior knowledge can still be reviewed.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Use a complete mission to teach, supervise and assess normal and asymmetric flight while reviewing records/endorsement decisions.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Verify table/area-note coverage for preflight V, takeoff/landing VII, steep turns IX.A, slow/stalls X, emergencies XII and all XIII tasks.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Use a complete mission to teach, supervise and assess normal and asymmetric flight while reviewing records/endorsement decisions.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 15 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Assess normal operations and landing judgment · 22 minutes

Teach / coach: Assess without coaching new technique. Select appropriate preflight/start/taxi teaching and at least the required takeoff/landing tasks for the applicant's class and rating status. Include a stabilized-approach/go-around decision. Record pilot performance, teaching accuracy, learner-error diagnosis and risk decisions separately. Intervene immediately for safety; intervention ends that assessed attempt.

Student exercise: Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified assessment/correction. Maintain checklist discipline, control transfers and outside/flight-path scan throughout.

Practice: One assessed demonstration and one learner-error case for each selected task; unobserved items remain unobserved.

Look for: Candidate meets the applicable task standards, provides effective instruction and identifies a safe learner error without prompting; selected ground tasks are assessed in briefing/preflight/taxi, not counted as airborne practice.

Watch / correct: Deviation outside the task standard -> record the evidence and assign remediation; do not coach it into a pass.

Watch / correct: Inaccurate explanation or missed learner hazard -> record the teaching deficiency and stop before it becomes an aircraft-control hazard.

Stop / transition: Stop for safety intervention, aircraft/clearance limit, traffic or unsuitable conditions. Record deferred tasks separately from unsuccessful tasks; the clock does not grant completion.

Reference: FAA-S-ACS-25 V-VII

Teach slow flight and configuration effects · 15 minutes

Teach / coach: Have the candidate name the selected ACS slow-flight task, its configuration and recovery criterion before changing configuration. Demonstrate changing drag/power while preserving coordination. Role-play fixation on airspeed so the candidate must coach attitude, coordination and warning recognition.

Student exercise: Clear the area; establish the approved configuration and briefed task condition. Explain how control response and power requirements change; demonstrate straight flight, a turn, climb and descent as applicable. Coach a learner attempt and return to the normal configuration using the aircraft checklist.

Practice: One demonstration sequence; one coached sequence; one short diagnosis of a deliberately small, safe deviation.

Look for: Candidate teaches the distinction between slow-flight tasks, uses the appropriate warning/recovery criterion, and maintains applicable ACS tolerances with coordinated control.

Watch / correct: Treating the stall-warning condition as the same for every slow-flight task -> restate the selected task criterion.

Watch / correct: Trying to climb with pitch alone -> compare the flight-path and airspeed indications, then make the approved power/attitude change.

Stop / transition: Recover for an unbriefed stall indication, degraded directional control, traffic conflict or reaching the applicable recovery floor. Never continue merely to consume the block.

Reference: FAA-S-ACS-25 X.A and Appendices 2-3; AFH chapter 5

Teach engine-failure recognition and OEI maneuvering · 20 minutes

Teach / coach: Brief simulation, the aircraft memory/checklist actions, approved speeds/zero-thrust condition, recovery margins and who touches each control. Begin at a suitable altitude with a real landing option; do not create an unannounced critical-engine event.

Student exercise: Recognize the announced simulated failure, maintain control and use the approved aircraft sequence to identify/verify the affected engine and reduce drag. Teach aircraft-specific zero-sideslip/performance technique, then coach straight flight and turns with one engine simulated inoperative.

Practice: One candidate demonstration and one coached OEI maneuvering sequence, with normal-power resets as briefed.

Look for: Candidate teaches accurate identification/verification and maintains control/performance without confusing minimum controllability with climb capability.

Watch / correct: Acting on the wrong engine before verification -> maintain control, identify, verify and use the approved checklist.

Watch / correct: Allowing airspeed to decay while troubleshooting -> restore the safe aircraft condition before further diagnosis.

Stop / transition: Recover for loss of directional control, stall indication, speed/altitude-margin threat or incorrect critical-control selection. No intentional shutdown is included unless the separately briefed feathering gates are satisfied.

Reference: FAA-S-ACS-25 XIII.A and Appendix 2; AFH chapter 13

Teach system-failure recognition and checklist discipline · 15 minutes

Teach / coach: Choose two aircraft-applicable scenarios and state which indications are simulated. Require the candidate to distinguish an indication failure from a physical aircraft failure and to justify any checklist selection.

Student exercise: Explain the indications, control/flight-path consequences and appropriate aircraft checklist. Teach a role-play learner to prioritize the aircraft, verify the diagnosis, request assistance and decide whether to continue, divert or land.

Practice: Two verbal/simulated scenarios with no unsafe system disablement; candidate leads one and coaches one.

Look for: Candidate selects applicable procedures without unsupported memory actions, maintains safe flight and teaches a reasoned landing/diversion decision.

Watch / correct: Choosing a checklist from one alarming indication -> cross-check and identify the actual problem.

Watch / correct: Pulling a breaker or moving a critical control without authorization -> stop simulation and use the approved aircraft procedure.

Stop / transition: Do not create a real malfunction to simulate one. Stop for actual abnormal indications, a prohibited equipment action, workload saturation or loss of flight-path control.

Reference: FAA-S-ACS-25 XII.C; AFH chapter 18; aircraft POH/AFM

Teach return, final landing and safe runway exit · 20 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate meets the applicable task standards, provides effective instruction and identifies a safe learner error without prompting; selected ground tasks are assessed in briefing/preflight/taxi, not counted as airborne practice.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Patch any documented coverage gap before the mock assessment; review prior instructor knowledge as needed without pretending the added-rating table prohibits evaluation of other topics.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks V.A, V.B, V.C, V.D, V.F, VI.A, VI.B, VII.A, VII.B, VII.E, VII.F, VII.N, X.A, X.B, XIII.A, XII.C; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Lesson 9 · Mock multiengine instructor add-on assessment

[Return to lesson index](#)

120 min check | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Assess normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-23 Air 00-15	[] Assess the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
23-48 Air 15-40	[] Assess normal operations and landing judgment	Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified...
48-95 Air 40-87	[] Assess multiengine instructor judgment and OEI teaching	Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified...
95-115 Air 87-107	[] Assess return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
115-120 Ground	[] Assess after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 9

Assess the current additional-rating task table and area notes with independent learner-error cases.

Existing instructor adding multiengine class: apply the correct current ACS table column and every referenced area note; prior knowledge can still be reviewed.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Assess the current additional-rating task table and area notes with independent learner-error cases.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Confirm existing instructor ratings determine the correct table column; check aircraft/endorsement evidence and unobserved tasks.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Assess the current additional-rating task table and area notes with independent learner-error cases.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Assess normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Assess independently without coaching new technique; safety intervention ends the assessed attempt. Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error. Assess independently and record errors; do not coach new technique.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Assess the briefed takeoff, climb and transit · 15 minutes

Teach / coach: Assess independently without coaching new technique; safety intervention ends the assessed attempt. Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope. Assess independently and record errors; do not coach new technique.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Assess normal operations and landing judgment · 25 minutes

Teach / coach: Assess without coaching new technique. Select appropriate preflight/start/taxi teaching and at least the required takeoff/landing tasks for the applicant's class and rating status. Include a stabilized-approach/go-around decision. Record pilot performance, teaching accuracy, learner-error diagnosis and risk decisions separately. Intervene immediately for safety; intervention ends that assessed attempt.

Student exercise: Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified assessment/correction. Maintain checklist discipline, control transfers and outside/flight-path scan throughout.

Practice: One assessed demonstration and one learner-error case for each selected task; unobserved items remain unobserved.

Look for: Candidate meets the applicable task standards, provides effective instruction and identifies a safe learner error without prompting; selected ground tasks are assessed in briefing/preflight/taxi, not counted as airborne practice.

Watch / correct: Deviation outside the task standard -> record the evidence and assign remediation; do not coach it into a pass.

Watch / correct: Inaccurate explanation or missed learner hazard -> record the teaching deficiency and stop before it becomes an aircraft-control hazard.

Stop / transition: Stop for safety intervention, aircraft/clearance limit, traffic or unsuitable conditions. Record deferred tasks separately from unsuccessful tasks; the clock does not grant completion.

Reference: FAA-S-ACS-25 V-VII

Assess multiengine instructor judgment and OEI teaching · 47 minutes

Teach / coach: Assess without coaching new technique. Use the applicable additional-rating table and each referenced area note. Assess the required OEI tasks, appropriate slow-flight/stall selection, steep turns and an aircraft-specific abnormal scenario. Never include intentional spins. Record pilot performance, teaching accuracy, learner-error diagnosis and risk decisions separately. Intervene immediately for safety; intervention ends that assessed attempt.

Student exercise: Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified assessment/correction. Maintain checklist discipline, control transfers and outside/flight-path scan throughout.

Practice: One assessed demonstration and one learner-error case for each selected task; unobserved items remain unobserved.

Look for: Candidate teaches all selected applicable tasks correctly, preserves aircraft-specific OEI margins and diagnoses learner errors; required items not observed receive a separate deferred status.

Watch / correct: Deviation outside the task standard -> record the evidence and assign remediation; do not coach it into a pass.

Watch / correct: Inaccurate explanation or missed learner hazard -> record the teaching deficiency and stop before it becomes an aircraft-control hazard.

Stop / transition: Stop for safety intervention, aircraft/clearance limit, traffic or unsuitable conditions. Record deferred tasks separately from unsuccessful tasks; the clock does not grant completion.

Reference: FAA-S-ACS-25 IX-X,XII-XIII and Appendix 1 additional-rating table

Assess return, final landing and safe runway exit · 20 minutes

Teach / coach: Assess independently without coaching new technique; safety intervention ends the assessed attempt. Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count. Assess independently and record errors; do not coach new technique.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Assess after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Assess independently without coaching new technique; safety intervention ends the assessed attempt. Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up. Assess independently and record errors; do not coach new technique.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Assessment is independent: safety intervention, prompting or an unobserved required item cannot be recorded as a satisfactory task.
- Observed task outcome: Candidate meets the applicable task standards, provides effective instruction and identifies a safe learner error without prompting; selected ground tasks are assessed in briefing/preflight/taxi, not counted as airborne practice.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Complete any required task not observed or not satisfactory on a separate flight. The authorized recommending instructor decides readiness and endorsements.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks V.A, V.B, V.C, V.D, V.F, VI.A, VI.B, VII.A, VII.B, VII.E, VII.F, VII.N, IX.A, X.A, X.C, X.D, X.E, XII.C, XII.E, XII.F, XII.G, XIII.A, XIII.B, XIII.C; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)