

Multiengine Flight Instructor - Initial

Flight Lesson Guide

The student in this route is the instructor candidate; the instructor is the qualified trainer who can role-play a learner. The candidate prepares and teaches a measurable preflight lesson, demonstrates while explaining, supervises practice, diagnoses errors and assesses the result. Timing is an adjustable plan. Aircraft inspection/preparation, parked briefing and debrief are separate from the flight block; flight includes taxi, departure/transit, practice and safe return. Repeat or defer tasks until proficiency is demonstrated, and meet actual regulatory experience/endorsement requirements independently.

Original SUAREZ.CFI progression using FAA standards and handbooks; reviewed October 10, 2026. Instructor-route time allocations are teaching proposals.

Use this guide

Read the full teaching guide before flight. Use the compact checklist to sequence the flight. Minutes are pacing targets; repeat, stop, or defer an exercise when proficiency, conditions, or available time require it. Checkmarks indicate items covered, not a proficiency endorsement.

Aircraft values come from the applicable POH/AFM and approved checklist. Brief the aircraft-specific speeds, configurations, limitations, and any simulation method before conducting a maneuver.

Entry and preparation

- This route is for an initial airplane multiengine instructor applicant; verify 61.183/61.187 eligibility and a trainer qualified under 61.195 for initial instructor training.
- Complete FOI and multiengine technical/preflight ground preparation, including actual systems, OEI performance, incursion avoidance, records and endorsements.
- Initial airplane-instructor spin-training/endorsement applicability under 61.183(i) must be satisfied in a separately suitable spin-approved airplane; intentional spins are prohibited in the multiengine training aircraft.
- Verify aircraft-specific takeoff/landing and OEI performance, authorized maneuver/loading limits, zero-thrust simulation, feather/restart conditions and suitable landing options before asymmetric flight.
- This sequence covers AMEL. An AMES applicant must add the applicable seaplane tasks and procedures before claiming class coverage.

Sources and alignment

Flight Instructor for Airplane Category ACS - FAA-S-ACS-25, April 2024; effective May 31, 2024; index reviewed October 10, 2026

Aviation Instructor's Handbook - FAA-H-8083-9B (2020); FAA index reviewed October 10, 2026

Airplane Flying Handbook and current addenda - FAA-H-8083-3C (2021), October 2025 addendum listed; index reviewed October 10, 2026

Flight instructor eligibility and proficiency rules - Current eCFR; verify for the specific applicant

Certification and endorsement guidance - AC 61-65K, November 2025; verify current FAA status before endorsement

Lesson index

Initial instructor and normal multiengine foundation

- 1 · Assume initial multiengine instructor responsibilities · 90 min dual
- 2 · Teach normal multiengine flight and ground track · 90 min dual
- 3 · Teach slow flight, stalls and steep turns · 90 min dual
- 4 · Coach normal and short-field pattern work · 90 min dual

Asymmetric flight, limits and abnormal teaching

- 5 · Explain and demonstrate OEI configuration performance · 90 min dual
- 6 · Teach VMC recognition and safe recovery · 90 min dual
- 7 · Teach feathering and OEI maneuvering · 90 min dual
- 8 · Teach takeoff engine-failure decisions · 90 min dual
- 9 · Teach OEI approaches and landing decisions · 90 min dual
- 10 · Teach multiengine basic instrument control · 90 min dual
- 11 · Teach abnormal systems, descent and survival preparation · 90 min dual

Mission integration and initial-MEI assessment

- 12 · Lead a multiengine instructional capstone · 120 min dual
- 13 · Review multiengine teaching and repair deficiencies · 120 min dual
- 14 · Mock initial multiengine-instructor test · 120 min check

Initial instructor and normal multiengine foundation

Combine initial-instructor ground prerequisites with aircraft-specific normal flight and teaching competence.

Lesson 1 · Assume initial multiengine instructor responsibilities

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-50 Air 12-42	[] Teach multiengine systems, performance and normal control	Teach the approved preflight/start/taxi/checklist procedures.
50-70 Air 42-62	[] Teach normal pattern operations and crosswind judgment	Teach a normal/crosswind departure and approach using the actual airport procedures.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 1

Establish instructor-seat control, aircraft-system teaching and supervision of normal multiengine operations.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Establish instructor-seat control, aircraft-system teaching and supervision of normal multiengine operations.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Complete applicable initial-instructor FOI/technical ground preparation and verify trainer qualifications.
- Verify the initial airplane applicant's applicable stall/spin training/endorsement in a separately suitable spin-approved airplane; no spins in this multiengine course.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Establish instructor-seat control, aircraft-system teaching and supervision of normal multiengine operations.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan.

Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach multiengine systems, performance and normal control · 30 minutes

Teach / coach: Require aircraft-specific systems, fuel, propeller, gear and engine-control briefs and performance calculations before dispatch. Observe the candidate teach a normal control transition from the instructor seat and identify workload/scan differences without inventing model-specific settings.

Student exercise: Teach the approved preflight/start/taxi/checklist procedures. In the practice area demonstrate level flight, turns, climbs and descents, explaining the aircraft systems/configuration cues. Coach a learner sequence and monitor both engines and the outside environment.

Practice: One integrated normal-flight demonstration and one coached sequence; ground/start/taxi teaching occurs in the separate preflight and taxi phases.

Look for: Candidate teaches the specific aircraft's normal procedures and common flight tasks while maintaining applicable standards and clear control responsibility.

Watch / correct: Moving engine/propeller controls as an undifferentiated group -> identify the control and approved purpose before movement.

Watch / correct: Focusing on the extra engine instruments while losing attitude/traffic scan -> prioritize flight path and integrate the scan.

Stop / transition: No dispatch without verified aircraft procedures and performance. Stop for asymmetric indications, a control misunderstanding, aircraft limit or loss of situational awareness.

Reference: FAA-S-ACS-25 V.A-D,F and VIII.A-D; AFH chapter 13

Teach normal pattern operations and crosswind judgment · 20 minutes

Teach / coach: Let the candidate brief pattern entry, wind correction, runway choice, stabilized approach criteria and a positive control-transfer plan. Act as a learner who overlooks a checklist or misjudges spacing; use a verbal prompt instead of creating an unsafe approach.

Student exercise: Teach a normal/crosswind departure and approach using the actual airport procedures. Demonstrate one approach, coach the next, explain workload management and make a planned go-around. Make the landing/go-around decision early enough to preserve options.

Practice: One demonstration circuit, one coached circuit and one planned go-around as traffic/ATC permit; no forced pattern count.

Look for: Candidate keeps the airplane within task standards while teaching runway alignment, energy, spacing, communication and a timely go-around.

Watch / correct: Talking through final while losing airspeed/alignment -> shorten instruction, regain a stabilized approach or go around.

Watch / correct: Treating an ATC instruction as permission to exceed a limit -> request an alternative and protect the aircraft margin.

Stop / transition: Go around or discontinue for an unstable approach, unsafe spacing, runway conflict, wind/aircraft limit or unclear control responsibility. Touch-and-go operations require aircraft/airport authorization.

Reference: FAA-S-ACS-25 VI.A-B and VII.A-B,N; AFH chapters 6, 8-9

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate teaches the specific aircraft's normal procedures and common flight tasks while maintaining applicable standards and clear control responsibility.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Repair aircraft-system/control misunderstandings before adding asymmetric-power instruction.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks V.A, V.B, V.C, V.D, V.F, VIII.A, VIII.B, VIII.C, VIII.D, VI.A, VI.B, VII.A, VII.B, VII.N; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Lesson 2 · Teach normal multiengine flight and ground track

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-48 Air 12-40	[] Teach attitude, power, trim and the four fundamentals	State the purpose and target; demonstrate level flight, a coordinated level turn, climb and descent.
48-70 Air 40-62	[] Teach wind correction through ground-reference maneuvers	Brief and demonstrate a rectangular course, S-turns or turns around a point as assigned.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 2

Explain coordinated fundamentals and wind correction while monitoring both engines and learner workload.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Explain coordinated fundamentals and wind correction while monitoring both engines and learner workload.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Prepare normal-flight and ground-reference lessons for the actual multiengine airplane and safe practice area.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Explain coordinated fundamentals and wind correction while monitoring both engines and learner workload.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach attitude, power, trim and the four fundamentals · 28 minutes

Teach / coach: Demonstrate one change at a time: attitude, power, then trim. Give the candidate a desired flight path rather than a control command. Act as a learner who chases an instrument; require the candidate to redirect attention to an outside reference and then verify the result.

Student exercise: State the purpose and target; demonstrate level flight, a coordinated level turn, climb and descent. Hand over positively, coach the role-play learner through the same sequence, and ask the learner to explain which change produced the observed result.

Practice: One candidate demonstration and one coached learner attempt of each fundamental; prioritize a weak item for the remaining time.

Look for: Candidate maintains the briefed commercial-level task tolerances while explaining cause and effect, then identifies and corrects a learner deviation without losing the traffic scan.

Watch / correct: Trimming before establishing the attitude/power combination -> stabilize the airplane first and then trim.

Watch / correct: Continuous instrument fixation -> restore an outside attitude reference and use the instruments to confirm it.

Stop / transition: Stop the exercise for uncoordinated control, an unsafe flight path, traffic conflict or loss of role clarity; reestablish ordinary flight before further explanation.

Reference: FAA-S-ACS-25 VIII.A-D; AFH chapter 3

Teach wind correction through ground-reference maneuvers · 22 minutes

Teach / coach: Require the candidate to select a legal, suitable ground reference and explain wind, traffic, emergency landing options and altitude risks. Role-play a learner who corrects drift with rudder instead of a coordinated bank change.

Student exercise: Brief and demonstrate a rectangular course, S-turns or turns around a point as assigned. Explain wind-dependent bank changes and reference selection, coach a learner attempt, and compare the aircraft track with the intended ground path.

Practice: Two selected reference maneuvers: one demonstrated and one coached circuit each; the remaining variant is carried to review if time is insufficient.

Look for: Candidate maintains applicable ACS limits, keeps an outside scan and teaches the relationship between ground track, wind and bank without fixation on the point.

Watch / correct: Fixating on the reference -> restore the traffic/terrain scan and broaden the visual picture.

Watch / correct: Using a fixed bank around the entire ground path -> identify where groundspeed changes and adjust coordinated bank.

Stop / transition: Leave the exercise for unsuitable terrain/obstructions, people/property risk, traffic, an unavailable emergency option or a breached altitude margin; do not descend to make the diagram look better.

Reference: FAA-S-ACS-25 IX.E; AFH chapter 7

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate maintains the briefed commercial-level task tolerances while explaining cause and effect, then identifies and corrects a learner deviation without losing the traffic scan.

Debrief - 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Ground-reference variants not practiced are carried to integrated review; single-engine-only commercial maneuver tasks are not inserted.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks VIII.A, VIII.B, VIII.C, VIII.D, IX.E; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Lesson 3 · Teach slow flight, stalls and steep turns

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-36 Air 12-28	[] Teach slow flight and configuration effects	Clear the area; establish the approved configuration and briefed task condition.
36-48 Air 28-40	[] Teach a power-off stall and its recovery	Clear the area, verify recovery altitude and aircraft authorization, and establish the approved approach configuration.
48-60 Air 40-52	[] Teach a power-on stall without hiding the yaw risk	Clear the area and set the authorized departure configuration/power.
60-70 Air 52-62	[] Teach coordinated steep turns and workload control	Clear the area; establish the entry condition; demonstrate a coordinated turn in each direction.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 3

Teach multiengine stall awareness and precise control before any VMC/OEI demonstration.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach multiengine stall awareness and precise control before any VMC/OEI demonstration.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Verify aircraft-authorized configurations and multiengine ACS recovery floors; brief symmetric power and directional-control risks.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach multiengine stall awareness and precise control before any VMC/OEI demonstration.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach slow flight and configuration effects · 16 minutes

Teach / coach: Have the candidate name the selected ACS slow-flight task, its configuration and recovery criterion before changing configuration. Demonstrate changing drag/power while preserving coordination. Role-play fixation on airspeed so the candidate must coach attitude, coordination and warning recognition.

Student exercise: Clear the area; establish the approved configuration and briefed task condition. Explain how control response and power requirements change; demonstrate straight flight, a turn, climb and descent as applicable. Coach a learner attempt and return to the normal configuration using the aircraft checklist.

Practice: One demonstration sequence; one coached sequence; one short diagnosis of a deliberately small, safe deviation.

Look for: Candidate teaches the distinction between slow-flight tasks, uses the appropriate warning/recovery criterion, and maintains applicable ACS tolerances with coordinated control.

Watch / correct: Treating the stall-warning condition as the same for every slow-flight task -> restate the selected task criterion.

Watch / correct: Trying to climb with pitch alone -> compare the flight-path and airspeed indications, then make the approved power/attitude change.

Stop / transition: Recover for an unbriefed stall indication, degraded directional control, traffic conflict or reaching the applicable recovery floor. Never continue merely to consume the block.

Reference: FAA-S-ACS-25 X.A and Appendices 2-3; AFH chapter 5

Teach a power-off stall and its recovery · 12 minutes

Teach / coach: Brief whether recovery is at the first indication or after a full stall, as applicable. Observe the candidate explain an approach-to-landing setup. Act as a learner who tries to hold the nose up during recovery; require prompt explanation of angle-of-attack reduction.

Student exercise: Clear the area, verify recovery altitude and aircraft authorization, and establish the approved approach configuration. Explain the developing cues during entry. Recover using the aircraft procedure, regain controlled flight, clean up as appropriate, then coach one learner attempt.

Practice: One candidate demonstration and one coached attempt; repeat only if the recovery remains controlled and the planned altitude margin is available.

Look for: The candidate recognizes the briefed stall condition, reduces angle of attack promptly, maintains coordination, and explains the recovery while meeting the applicable ACS standard.

Watch / correct: Watching only the airspeed indicator -> identify aerodynamic and warning cues throughout entry.

Watch / correct: Retraction or pitch changes that cause a second stall -> stabilize recovery and follow the approved configuration sequence.

Stop / transition: Terminate for yaw/incipient spin, a recovery-floor threat, an unbriefed full stall, aircraft limitation, or a trainer intervention. Review the cause before another attempt.

Reference: FAA-S-ACS-25 X.C and Appendix 3; AFH chapter 5

Teach a power-on stall without hiding the yaw risk · 12 minutes

Teach / coach: Require the candidate to brief approved power and configuration, pitch limits if applicable, and recovery cues. Watch the candidate explain the coordination demand. Introduce an oral learner misconception about correcting yaw with aileron; do not create a hazardous physical error.

Student exercise: Clear the area and set the authorized departure configuration/power. Explain the changing control pressures and stall cues, demonstrate the briefed recovery, and coach a coordinated learner attempt. Compare the departure-stall risk with the earlier approach-stall lesson.

Practice: One demonstration and one coached attempt; one verbal yaw-error diagnosis.

Look for: Candidate maintains directional control, detects the chosen stall cue, recovers by the approved procedure, and gives an accurate explanation while flying.

Watch / correct: Increasing pitch without monitoring coordination -> restore coordinated control and reassess the entry.

Watch / correct: Explaining during a developing loss of control -> recover first, then discuss the cue.

Stop / transition: Recover immediately for unbriefed yaw/roll, impending spin, an exceeded aircraft limit, or insufficient recovery margin. Do not reproduce a hazardous learner error.

Reference: FAA-S-ACS-25 X.D and Appendix 3; AFH chapter 5

Teach coordinated steep turns and workload control · 10 minutes

Teach / coach: Ask the candidate to brief the applicable bank target, entry speed, power and limitation from the ACS/aircraft documents. Demonstrate a safe learner tendency to lose altitude by discussing it or making only a small recoverable deviation.

Student exercise: Clear the area; establish the entry condition; demonstrate a coordinated turn in each direction. Explain attitude, back-pressure, power and trim management, then coach a learner through a turn and rollout to the starting heading.

Practice: One demonstration each direction; one coached attempt in the weaker direction; reset between turns.

Look for: Candidate meets the applicable commercial/instructor task standard and diagnoses the cause of altitude/airspeed deviations while retaining coordination and lookout.

Watch / correct: Adding more bank to correct an altitude loss -> diagnose the load/attitude problem before the correction.

Watch / correct: Rolling out late while explaining -> lead the rollout and divide attention between instruction and the flight path.

Stop / transition: Stop for aircraft load/speed limit, loss of coordination, significant flight-path deterioration or traffic conflict. The instructor takes control before the learner error becomes unsafe.

Reference: FAA-S-ACS-25 IX.A; AFH chapter 10

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate teaches the distinction between slow-flight tasks, uses the appropriate warning/recovery criterion, and maintains applicable ACS tolerances with coordinated control.

Debrief • 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Repeat weak slow-flight/stall control before asymmetric work. A full steep-turn instruction cycle may require a later block.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks X.A, X.B, X.C, X.D, IX.A; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Lesson 4 · Coach normal and short-field pattern work

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-38 Air 12-30	[] Teach normal pattern operations and crosswind judgment	Teach a normal/crosswind departure and approach using the actual airport procedures.
38-53 Air 30-45	[] Teach short-field takeoff planning and execution	Explain configuration, runway use, approved target speeds and obstacle-clearance path.
53-70 Air 45-62	[] Teach short-field landing and a safe go-around choice	Brief and fly a stabilized short-field approach with the approved configuration and speeds.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 4

Teach normal/crosswind and short-field operations, reject judgment and an approved go-around.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach normal/crosswind and short-field operations, reject judgment and an approved go-around.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Compute takeoff, landing and OEI performance; brief wind/runway/obstacle and go-around limitations.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach normal/crosswind and short-field operations, reject judgment and an approved go-around.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach normal pattern operations and crosswind judgment · 18 minutes

Teach / coach: Let the candidate brief pattern entry, wind correction, runway choice, stabilized approach criteria and a positive control-transfer plan. Act as a learner who overlooks a checklist or misjudges spacing; use a verbal prompt instead of creating an unsafe approach.

Student exercise: Teach a normal/crosswind departure and approach using the actual airport procedures. Demonstrate one approach, coach the next, explain workload management and make a planned go-around. Make the landing/go-around decision early enough to preserve options.

Practice: One demonstration circuit, one coached circuit and one planned go-around as traffic/ATC permit; no forced pattern count.

Look for: Candidate keeps the airplane within task standards while teaching runway alignment, energy, spacing, communication and a timely go-around.

Watch / correct: Talking through final while losing airspeed/alignment -> shorten instruction, regain a stabilized approach or go around.

Watch / correct: Treating an ATC instruction as permission to exceed a limit -> request an alternative and protect the aircraft margin.

Stop / transition: Go around or discontinue for an unstable approach, unsafe spacing, runway conflict, wind/aircraft limit or unclear control responsibility. Touch-and-go operations require aircraft/airport authorization.

Reference: FAA-S-ACS-25 VI.A-B and VII.A-B,N; AFH chapters 6, 8-9

Teach short-field takeoff planning and execution · 15 minutes

Teach / coach: Require an actual performance calculation with the selected weight, weather, runway and obstacles. Ask the candidate to compare available distance with the approved takeoff/obstacle profile and to identify reject/continue decisions from the aircraft and conditions.

Student exercise: Explain configuration, runway use, approved target speeds and obstacle-clearance path. Demonstrate or coach the assigned short-field takeoff; verify the flight path and checklist transition after obstacle clearance. Teach why a computed capability is not a reason to accept inadequate margin.

Practice: One assigned takeoff with complete briefing; a second only if runway/traffic/time permit.

Look for: Candidate uses correct aircraft-specific performance and configuration, achieves the applicable task standard, and explains reject/continue judgment clearly.

Watch / correct: Using a memorized generic speed -> locate and use the approved speed for this aircraft/loading.

Watch / correct: Skipping the runway/performance comparison -> recalculate before departure.

Stop / transition: Do not depart with inadequate performance/runway/obstacle margin or an unmet aircraft condition. Reject only by the briefed approved procedure; simulated failures must be separately authorized and safely bounded.

Reference: FAA-S-ACS-25 VII.E; AFH chapter 6

Teach short-field landing and a safe go-around choice · 17 minutes

Teach / coach: Have the candidate choose the touchdown point, approved approach profile, wind correction and go-around gate. Role-play excessive focus on the touchdown mark and ask for a decision before the approach becomes unstable.

Student exercise: Brief and fly a stabilized short-field approach with the approved configuration and speeds. Explain the aim point versus touchdown point, coach the learner through roundout/landing, and apply approved stopping procedures only after maintaining directional control.

Practice: One candidate demonstration and one coached attempt when traffic permits; any required go-around replaces the landing attempt.

Look for: Candidate satisfies applicable task accuracy while making a safe approach/landing decision and teaching directional control and energy management.

Watch / correct: Stretching a glide to reach the mark -> correct the energy/path while options exist or go around.

Watch / correct: Forcing the touchdown after an unstable approach -> go around; record why the original target was not met.

Stop / transition: Go around for an unstable path, unsafe wind, runway conflict or inadequate remaining distance. Never force a landing solely to achieve a target mark.

Reference: FAA-S-ACS-25 VII.F; AFH chapter 9

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate keeps the airplane within task standards while teaching runway alignment, energy, spacing, communication and a timely go-around.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- No soft-field or slip task is imported from the ASEL route unless independently aircraft-authorized and pedagogically appropriate.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks VI.A, VI.B, VII.A, VII.B, VII.N, VII.E, VII.F; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Asymmetric flight, limits and abnormal teaching

Teach OEI control/performance and emergency decisions only inside aircraft-authorized training conditions.

Lesson 5 · Explain and demonstrate OEI configuration performance

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-45 Air 12-37	[] Teach engine-failure recognition and OEI maneuvering	Recognize the announced simulated failure, maintain control and use the approved aircraft sequence to identify/verify the affected engine and reduce drag.
45-70 Air 37-62	[] Teach the effect of drag, airspeed and configuration on OEI performance	Demonstrate one change at a time and compare observed performance with the prediction.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 5

Build safe OEI recognition and performance understanding before approaching a controllability demonstration.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Build safe OEI recognition and performance understanding before approaching a controllability demonstration.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Candidate explains critical-engine applicability, actual OEI performance and approved simulation/zero-thrust values.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Build safe OEI recognition and performance understanding before approaching a controllability demonstration.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach engine-failure recognition and OEI maneuvering · 25 minutes

Teach / coach: Brief simulation, the aircraft memory/checklist actions, approved speeds/zero-thrust condition, recovery margins and who touches each control. Begin at a suitable altitude with a real landing option; do not create an unannounced critical-engine event.

Student exercise: Recognize the announced simulated failure, maintain control and use the approved aircraft sequence to identify/verify the affected engine and reduce drag. Teach aircraft-specific zero-sideslip/performance technique, then coach straight flight and turns with one engine simulated inoperative.

Practice: One candidate demonstration and one coached OEI maneuvering sequence, with normal-power resets as briefed.

Look for: Candidate teaches accurate identification/verification and maintains control/performance without confusing minimum controllability with climb capability.

Watch / correct: Acting on the wrong engine before verification -> maintain control, identify, verify and use the approved checklist.

Watch / correct: Allowing airspeed to decay while troubleshooting -> restore the safe aircraft condition before further diagnosis.

Stop / transition: Recover for loss of directional control, stall indication, speed/altitude-margin threat or incorrect critical-control selection. No intentional shutdown is included unless the separately briefed feathering gates are satisfied.

Reference: FAA-S-ACS-25 XIII.A and Appendix 2; AFH chapter 13

Teach the effect of drag, airspeed and configuration on OEI performance · 25 minutes

Teach / coach: Have the candidate predict the effect of one approved configuration/airspeed change using actual aircraft data. Announce each change and keep the airplane in an authorized training condition; no low-altitude experiment is permitted.

Student exercise: Demonstrate one change at a time and compare observed performance with the prediction. Explain propeller, gear, flap, sideslip and airspeed effects as applicable, then coach the learner to restore the best approved performance configuration.

Practice: Three approved comparisons, each followed by a reset; omit any unsupported configuration and carry its required demonstration to suitable equipment.

Look for: Candidate distinguishes directional control from climb performance, explains the drag penalty and restores a safe aircraft-specific condition.

Watch / correct: Changing several variables at once -> reset and isolate one factor.

Watch / correct: Assuming positive climb because controllability remains -> consult actual performance and assess terrain/landing options.

Stop / transition: Stop for airspeed/control-margin loss, an aircraft restriction or inadequate altitude. Do not sacrifice stall or terrain margin to make the performance loss visually dramatic.

Reference: FAA-S-ACS-25 XIII.C; AFH chapter 13

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate teaches accurate identification/verification and maintains control/performance without confusing minimum controllability with climb capability.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- If control/identification is not reliable, postpone the VMC lesson and practice normal/OEI basics again.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks XIII.A, XIII.C; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Lesson 6 · Teach VMC recognition and safe recovery

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-48 Air 12-40	[] Teach VMC demonstration and first-cue recovery	Clear the area and establish the authorized demonstration condition.
48-70 Air 40-62	[] Teach the effect of drag, airspeed and configuration on OEI performance	Demonstrate one change at a time and compare observed performance with the prediction.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 6

Teach condition-dependent controllability and prompt first-cue recovery while maintaining the aircraft-authorized envelope.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach condition-dependent controllability and prompt first-cue recovery while maintaining the aircraft-authorized envelope.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Demonstrate stable OEI handling; verify actual aircraft/ACS setup and recovery conditions, weather and practice altitude.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach condition-dependent controllability and prompt first-cue recovery while maintaining the aircraft-authorized envelope.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach VMC demonstration and first-cue recovery · 28 minutes

Teach / coach: Require the exact aircraft-authorized entry/configuration, applicable ACS recovery limits and a stall-versus-controllability briefing. Explain that published VMC is condition-dependent and is not a safe target for routine engine-out flight. Observe a controlled demonstration only after baseline OEI proficiency.

Student exercise: Clear the area and establish the authorized demonstration condition. Explain the developing directional-control or stall cues and recover at the required first cue using the approved power/attitude procedure. Teach how density altitude/configuration may cause a stall cue before directional-control loss.

Practice: One candidate demonstration; one coached explanation/reset. A second demonstration only with adequate margin and a clear training need.

Look for: Candidate recognizes the first limiting cue, recovers promptly and explains why the demonstration does not establish a universal operational speed.

Watch / correct: Insisting on reaching the published red line -> recover at the applicable first cue instead.

Watch / correct: Allowing a stall while searching for yaw -> prioritize the first stall/control warning and terminate the demonstration.

Stop / transition: Immediate recovery for stall warning, loss of directional control, an aircraft/ACS limit or declining recovery margin. Never deliberately pursue an uncontrollable condition or apply a generic power/configuration value.

Reference: FAA-S-ACS-25 XIII.B and Appendices 2-3; AFH chapter 13

Teach the effect of drag, airspeed and configuration on OEI performance · 22 minutes

Teach / coach: Have the candidate predict the effect of one approved configuration/airspeed change using actual aircraft data. Announce each change and keep the airplane in an authorized training condition; no low-altitude experiment is permitted.

Student exercise: Demonstrate one change at a time and compare observed performance with the prediction. Explain propeller, gear, flap, sideslip and airspeed effects as applicable, then coach the learner to restore the best approved performance configuration.

Practice: Three approved comparisons, each followed by a reset; omit any unsupported configuration and carry its required demonstration to suitable equipment.

Look for: Candidate distinguishes directional control from climb performance, explains the drag penalty and restores a safe aircraft-specific condition.

Watch / correct: Changing several variables at once -> reset and isolate one factor.

Watch / correct: Assuming positive climb because controllability remains -> consult actual performance and assess terrain/landing options.

Stop / transition: Stop for airspeed/control-margin loss, an aircraft restriction or inadequate altitude. Do not sacrifice stall or terrain margin to make the performance loss visually dramatic.

Reference: FAA-S-ACS-25 XIII.C; AFH chapter 13

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate recognizes the first limiting cue, recovers promptly and explains why the demonstration does not establish a universal operational speed.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- A prohibited or unsuitable demonstration is deferred; do not replace it with a generic setup or speed.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks XIII.B, XIII.C; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Lesson 7 · Teach feathering and OEI maneuvering

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-44 Air 12-36	[] Teach authorized feathering, securing and restart decisions	Explain identifying/verifying the affected engine and the approved feather/secure sequence.
44-70 Air 36-62	[] Teach engine-failure recognition and OEI maneuvering	Recognize the announced simulated failure, maintain control and use the approved aircraft sequence to identify/verify the affected engine and reduce drag.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 7

Teach identification, verification, authorized feather/secure/restart and flight-path management.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach identification, verification, authorized feather/secure/restart and flight-path management.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Verify manufacturer feathering capability/conditions, applicable ACS altitude requirements and a safe airport option for failed restart.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach identification, verification, authorized feather/secure/restart and flight-path management.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach authorized feathering, securing and restart decisions · 24 minutes

Teach / coach: Before any actual shutdown/feathering, verify the airplane permits the task, manufacturer conditions, applicable ACS altitude requirement, weather/terrain and a safe airport landing if restart fails. Otherwise use only the permitted simulation and carry required actual demonstration to a suitable opportunity.

Student exercise: Explain identifying/verifying the affected engine and the approved feather/secure sequence. Under qualified supervision perform the authorized task or its permitted simulation, teach the loss of associated systems, and follow the manufacturer unfeather/restart procedure when applicable.

Practice: One fully briefed authorized sequence; a failed restart becomes an emergency, not a repetition opportunity.

Look for: Candidate follows the aircraft-specific sequence, protects control/performance and can explain when an actual task is unsafe or cannot be completed.

Watch / correct: Assuming zero thrust equals a completed actual feather task -> state the demonstration status and record any unmet requirement.

Watch / correct: Troubleshooting an unsuccessful restart while losing the landing option -> secure safe flight and treat the situation as an emergency.

Stop / transition: No actual shutdown/feathering without all manufacturer/ACS safety conditions and a safe established-airport option. Abort a control error; treat inability to restart/unfeather as an emergency.

Reference: FAA-S-ACS-25 XIII.A and Appendix 2; AFH chapter 13; POH/AFM

Teach engine-failure recognition and OEI maneuvering · 26 minutes

Teach / coach: Brief simulation, the aircraft memory/checklist actions, approved speeds/zero-thrust condition, recovery margins and who touches each control. Begin at a suitable altitude with a real landing option; do not create an unannounced critical-engine event.

Student exercise: Recognize the announced simulated failure, maintain control and use the approved aircraft sequence to identify/verify the affected engine and reduce drag. Teach aircraft-specific zero-sideslip/performance technique, then coach straight flight and turns with one engine simulated inoperative.

Practice: One candidate demonstration and one coached OEI maneuvering sequence, with normal-power resets as briefed.

Look for: Candidate teaches accurate identification/verification and maintains control/performance without confusing minimum controllability with climb capability.

Watch / correct: Acting on the wrong engine before verification -> maintain control, identify, verify and use the approved checklist.

Watch / correct: Allowing airspeed to decay while troubleshooting -> restore the safe aircraft condition before further diagnosis.

Stop / transition: Recover for loss of directional control, stall indication, speed/altitude-margin threat or incorrect critical-control selection. No intentional shutdown is included unless the separately briefed feathering gates are satisfied.

Reference: FAA-S-ACS-25 XIII.A and Appendix 2; AFH chapter 13

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate follows the aircraft-specific sequence, protects control/performance and can explain when an actual task is unsafe or cannot be completed.

Debrief - 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- If actual feathering is required but unsafe/unavailable, record the remaining task and arrange suitable equipment/conditions.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks XIII.A; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Lesson 8 · Teach takeoff engine-failure decisions

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-42 Ground	[] Teach a simulated engine failure before takeoff commitment	Teach how the aircraft's takeoff plan establishes a reject decision.
42-70 Air 12-40	[] Teach the after-liftoff engine-failure decision safely	Teach aircraft control and approved speed/configuration priorities, verify the simulated affected engine, and explain whether available performance supports...
70-85 Air 40-55	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 8

Use real performance and safe simulations to teach reject, control and landing-option decisions.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Use real performance and safe simulations to teach reject, control and landing-option decisions.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Brief actual accelerate/stop and OEI limitations, obstacles, runway, approved simulation restrictions and control authority.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Use real performance and safe simulations to teach reject, control and landing-option decisions.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach a simulated engine failure before takeoff commitment · 22 minutes

Teach / coach: Brief runway/performance, the authorized simulation point, ACS simulation restriction, reject action and who manipulates controls. Prefer ground discussion or an approved device until the candidate is proficient; any airplane event is planned and safely bounded.

Student exercise: Teach how the aircraft's takeoff plan establishes a reject decision. In an authorized, prebriefed low-speed simulation, maintain directional control and use the approved stop procedure. After stopping, teach why an attempted airborne continuation could be unsafe.

Practice: One complete reject briefing; one authorized simulation if conditions permit; verbal decision cases otherwise, with the required flight task carried forward.

Look for: Candidate makes the correct briefed decision, maintains control and explains the performance/runway limits without inventing a universal commitment speed.

Watch / correct: Continuing because the engine loss was expected -> apply the actual reject/continue plan.

Watch / correct: Making an unbriefed asymmetric power change -> stop the exercise and rebrief control authority.

Stop / transition: Never surprise the candidate or simulate outside the applicable ACS/aircraft restriction. Stop for directional-control loss, inadequate runway, traffic or any real abnormality.

Reference: FAA-S-ACS-25 XII.E and Appendix 3; AFH chapter 13

Teach the after-liftoff engine-failure decision safely · 28 minutes

Teach / coach: Require actual takeoff/OEI performance, obstacles, landing options and the manufacturer response. Rehearse the low-altitude decision verbally first. Any airborne simulation occurs only at the altitude/speed/conditions permitted by the ACS, aircraft and instructor's safety plan; no low-level surprise.

Student exercise: Teach aircraft control and approved speed/configuration priorities, verify the simulated affected engine, and explain whether available performance supports continued flight. Coach the decision among appropriate landing options; distinguish actual aircraft capability from a generic engine-out script.

Practice: Two verbal takeoff cases with different performance margins; one authorized airborne simulation when appropriate.

Look for: Candidate maintains control, uses actual performance/terrain to justify the decision and teaches the approved procedure without a universal return altitude or guaranteed climb assumption.

Watch / correct: Treating VMC as proof of climb capability -> compare controllability with actual OEI performance.

Watch / correct: Following a memorized return-after-takeoff height -> evaluate the aircraft, wind, terrain, obstacles and landing options.

Stop / transition: No engine-failure simulation below the applicable ACS/aircraft limits. Recover for stall/control-margin loss or actual malfunction. This guide does not authorize a turnback or a fixed return gate.

Reference: FAA-S-ACS-25 XII.F and Appendices 2-3; AFH chapter 13

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate makes the correct briefed decision, maintains control and explains the performance/runway limits without inventing a universal commitment speed.

Debrief - 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Ground/device rehearsal does not silently replace a required airplane task; safely scheduled demonstration remains required when applicable.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks XII.E, XII.F; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Lesson 9 · Teach OEI approaches and landing decisions

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-54 Air 12-46	[] Teach an approach and landing with one engine simulated inoperative	Teach an aircraft-approved OEI approach, gradual configuration management, directional control and landing plan.
54-70 Air 46-62	[] Teach system-failure recognition and checklist discipline	Explain the indications, control/flight-path consequences and appropriate aircraft checklist.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 9

Coach configuration timing, stable OEI approach and landing decisions with a realistic go-around assessment.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Coach configuration timing, stable OEI approach and landing decisions with a realistic go-around assessment.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Compute landing/OEI performance and brief approved zero-thrust, configuration, speeds and alternatives.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Coach configuration timing, stable OEI approach and landing decisions with a realistic go-around assessment.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach an approach and landing with one engine simulated inoperative · 34 minutes

Teach / coach: Brief the approved zero-thrust condition, configuration/speed sequence, landing performance and the feasibility of a go-around. Decide before the approach which aircraft/conditions permit any OEI go-around demonstration; do not assume climb capability.

Student exercise: Teach an aircraft-approved OEI approach, gradual configuration management, directional control and landing plan. Coach a learner attempt, monitor energy/drag and complete the appropriate landing or safe authorized alternative.

Practice: One candidate-led approach and one coached approach when safe/routing permit; no obligatory OEI go-around.

Look for: Candidate teaches a stable approved profile, preserves control/performance margins and makes a realistic landing/alternative decision.

Watch / correct: Adding drag before confirming the landing path -> reassess performance and use the approved configuration timing.

Watch / correct: Calling for a go-around without performance to support it -> follow the prebriefed safe alternative and aircraft procedure.

Stop / transition: Discontinue a training approach before control/performance margins erode. Do not command an unsupported OEI go-around or treat a generic minimum speed as universal.

Reference: FAA-S-ACS-25 XII.G and Appendix 3; AFH chapter 13

Teach system-failure recognition and checklist discipline · 16 minutes

Teach / coach: Choose two aircraft-applicable scenarios and state which indications are simulated. Require the candidate to distinguish an indication failure from a physical aircraft failure and to justify any checklist selection.

Student exercise: Explain the indications, control/flight-path consequences and appropriate aircraft checklist. Teach a role-play learner to prioritize the aircraft, verify the diagnosis, request assistance and decide whether to continue, divert or land.

Practice: Two verbal/simulated scenarios with no unsafe system disablement; candidate leads one and coaches one.

Look for: Candidate selects applicable procedures without unsupported memory actions, maintains safe flight and teaches a reasoned landing/diversion decision.

Watch / correct: Choosing a checklist from one alarming indication -> cross-check and identify the actual problem.

Watch / correct: Pulling a breaker or moving a critical control without authorization -> stop simulation and use the approved aircraft procedure.

Stop / transition: Do not create a real malfunction to simulate one. Stop for actual abnormal indications, a prohibited equipment action, workload saturation or loss of flight-path control.

Reference: FAA-S-ACS-25 XII.C; AFH chapter 18; aircraft POH/AFM

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before

debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate teaches a stable approved profile, preserves control/performance margins and makes a realistic landing/alternative decision.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Additional OEI approach repetition returns in the capstone/review; no unsupported OEI go-around is demanded.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks XII.G, XII.C; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Lesson 10 · Teach multiengine basic instrument control

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-50 Air 12-42	[] Teach basic attitude instrument flight with a protected lookout	Demonstrate instrument straight-and-level flight, turns to headings, constant-airspeed climbs and descents with approved configurations.
50-70 Air 42-62	[] Teach unusual-attitude recognition and recovery	Identify the attitude and instrument trends, use the appropriate aircraft recovery sequence and return to controlled flight.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 10

Teach basic instrument maneuvers and safe unusual-attitude recognition without combining them prematurely with engine-out workload.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach basic instrument maneuvers and safe unusual-attitude recognition without combining them prematurely with engine-out workload.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Brief view limitation, outside lookout, reliable panel/backup equipment and approved recovery envelope.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach basic instrument maneuvers and safe unusual-attitude recognition without combining them prematurely with engine-out workload.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach basic attitude instrument flight with a protected lookout · 30 minutes

Teach / coach: Brief who provides the outside lookout and when/how the view-limiting device is used. Observe the candidate teach attitude/power relationships and an effective cross-check rather than an instrument-by-instrument fixation routine.

Student exercise: Demonstrate instrument straight-and-level flight, turns to headings, constant-airspeed climbs and descents with approved configurations. Coach one integrated learner sequence and verify that the learner can identify which indication supports each correction.

Practice: One integrated demonstration and one coached sequence covering all four tasks; repeat the weakest transition if time allows.

Look for: Candidate maintains the applicable task standard while teaching a purposeful scan and preserving positive control transfers and collision avoidance.

Watch / correct: Fixating on one indication -> return to an integrated cross-check and verify the flight path.

Watch / correct: Letting instruction replace the lookout -> stop the exercise until a qualified outside scan is restored.

Stop / transition: Remove the view restriction or terminate for traffic, unclear safety responsibilities, disorientation or control deterioration. The device must not restrict the observing instructor's view.

Reference: FAA-S-ACS-25 XI.A-D; Instrument Flying Handbook

Teach unusual-attitude recognition and recovery · 20 minutes

Teach / coach: Brief safe attitude entry, aircraft limits, recovery method and control transfer. Establish any unusual attitude gently within the authorized training envelope; never surprise the candidate with a dangerous or extreme upset.

Student exercise: Identify the attitude and instrument trends, use the appropriate aircraft recovery sequence and return to controlled flight. Explain the priority of angle of attack, bank, power and airspeed as applicable; coach a second scenario and diagnose the learner's scan error.

Practice: One nose-high and one nose-low recovery scenario with a complete reset; partial-panel variation only after baseline proficiency.

Look for: Candidate recognizes the condition promptly, recovers by the applicable procedure and teaches why the chosen control sequence is appropriate.

Watch / correct: Moving controls from an unverified instrument impression -> confirm the attitude/trend promptly before the appropriate recovery.

Watch / correct: Pulling while a dangerous bank persists -> use the recovery sequence suited to the condition rather than a generic pull-up.

Stop / transition: Terminate for an aircraft limit, aggressive control response, recovery-margin threat or suspected actual instrument failure. Restore normal flight before discussing the event.

Reference: FAA-S-ACS-25 XI.E; Instrument Flying Handbook

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate maintains the applicable task standard while teaching a purposeful scan and preserving positive control transfers and collision avoidance.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Multiengine IFR engine-out approach training belongs in the appropriately rated CFII extension when applicable, not an unqualified generic exercise.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks XI.A, XI.B, XI.C, XI.D, XI.E; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Lesson 11 · Teach abnormal systems, descent and survival preparation

[Return to lesson index](#)

90 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-20 Air 00-12	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
20-46 Air 12-38	[] Teach system-failure recognition and checklist discipline	Explain the indications, control/flight-path consequences and appropriate aircraft checklist.
46-70 Air 38-62	[] Teach an emergency descent with a recovery plan	Explain the priority and immediate actions from the aircraft checklist, demonstrate the authorized descent profile and recover at the briefed safe altitude.
70-85 Air 62-77	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
85-90 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 11

Teach aircraft-specific malfunction decisions and a controlled emergency descent; include parked emergency-equipment instruction.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach aircraft-specific malfunction decisions and a controlled emergency descent; include parked emergency-equipment instruction.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Prepare two aircraft-specific malfunctions and their checklist references.
- Before start, teach emergency/survival equipment location, limitations and aircraft-specific use (ACS XII.D).
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Teach aircraft-specific malfunction decisions and a controlled emergency descent; include parked emergency-equipment instruction.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 12 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach system-failure recognition and checklist discipline · 26 minutes

Teach / coach: Choose two aircraft-applicable scenarios and state which indications are simulated. Require the candidate to distinguish an indication failure from a physical aircraft failure and to justify any checklist selection.

Student exercise: Explain the indications, control/flight-path consequences and appropriate aircraft checklist. Teach a role-play learner to prioritize the aircraft, verify the diagnosis, request assistance and decide whether to continue, divert or land.

Practice: Two verbal/simulated scenarios with no unsafe system disablement; candidate leads one and coaches one.

Look for: Candidate selects applicable procedures without unsupported memory actions, maintains safe flight and teaches a reasoned landing/diversion decision.

Watch / correct: Choosing a checklist from one alarming indication -> cross-check and identify the actual problem.

Watch / correct: Pulling a breaker or moving a critical control without authorization -> stop simulation and use the approved aircraft procedure.

Stop / transition: Do not create a real malfunction to simulate one. Stop for actual abnormal indications, a prohibited equipment action, workload saturation or loss of flight-path control.

Reference: FAA-S-ACS-25 XII.C; AFH chapter 18; aircraft POH/AFM

Teach an emergency descent with a recovery plan · 24 minutes

Teach / coach: Give a scenario such as smoke or pressurization concern and require the candidate to identify the applicable aircraft procedure. Brief the selected configuration, speed limit, clearing, terrain and level-off plan before demonstrating.

Student exercise: Explain the priority and immediate actions from the aircraft checklist, demonstrate the authorized descent profile and recover at the briefed safe altitude. Coach a learner through a second segment without creating an actual system emergency.

Practice: One demonstration and one short coached segment; one oral scenario comparison.

Look for: Candidate chooses the appropriate procedure, remains oriented, respects configuration/speed limits and teaches a controlled recovery/level-off.

Watch / correct: Diving before checking terrain/traffic -> maintain control and select a safe path.

Watch / correct: Inventing one descent configuration for every emergency -> identify and apply the specific aircraft procedure.

Stop / transition: Recover before a terrain/altitude limit, aircraft speed/configuration limit or traffic conflict. Actual smoke, fire or equipment failure ends the training scenario and requires the real procedure.

Reference: FAA-S-ACS-25 XII.A; AFH chapter 18

Teach return, final landing and safe runway exit · 15 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate selects applicable procedures without unsupported memory actions, maintains safe flight and teaches a reasoned landing/diversion decision.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Unpracticed equipment scenarios remain ground teaching cases until approved safe simulation is possible.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks XII.C, XII.A; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Mission integration and initial-MEI assessment

Repair deficiencies and assess initial-instructor teaching across applicable multiengine tasks.

Lesson 12 · Lead a multiengine instructional capstone

[Return to lesson index](#)

120 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-23 Air 00-15	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
23-35 Air 15-27	[] Teach VFR mission monitoring and a diversion decision	Verify present position and compare actual time/fuel with the preflight plan.
35-55 Air 27-47	[] Teach engine-failure recognition and OEI maneuvering	Recognize the announced simulated failure, maintain control and use the approved aircraft sequence to identify/verify the affected engine and reduce drag.
55-75 Air 47-67	[] Teach an approach and landing with one engine simulated inoperative	Teach an aircraft-approved OEI approach, gradual configuration management, directional control and landing plan.
75-95 Air 67-87	[] Teach system-failure recognition and checklist discipline	Explain the indications, control/flight-path consequences and appropriate aircraft checklist.
95-115 Air 87-107	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
115-120 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 12

Lead a VFR/authorized IFR-compatible mission as appropriate to the trainer's ratings and teach performance-based diversion/landing decisions.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Lead a VFR/authorized IFR-compatible mission as appropriate to the trainer's ratings and teach performance-based diversion/landing decisions.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Prepare a VFR route, destination/alternate options and current weather/NOTAM/fuel/performance plan; verify actual aircraft capability before the candidate teaches mission decisions.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Lead a VFR/authorized IFR-compatible mission as appropriate to the trainer's ratings and teach performance-based diversion/landing decisions.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 15 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Teach VFR mission monitoring and a diversion decision · 12 minutes

Teach / coach: Assign a briefed VFR route and one verbal change in weather, fuel, airspace or destination availability. Observe the candidate teach position verification, actual aircraft performance and a workable diversion. Role-play a learner who keeps the original destination after its margins deteriorate; do not create an actual emergency or airspace violation.

Student exercise: Verify present position and compare actual time/fuel with the preflight plan. Explain the route, airspace, terrain, weather and available landing options; choose a suitable diversion, estimate its fuel/time/performance, request help or an amended ATC instruction when appropriate, then coach the learner through the next safe action.

Practice: One candidate-led position/fuel check and one coached diversion decision; a verbal destination change is enough when a physical diversion would consume the return reserve.

Look for: Candidate teaches a defensible continue/divert/land decision using current information and aircraft capability, maintains a safe flight path, and states what would change the decision.

Watch / correct: Continuing toward a destination because it was in the original plan -> reassess current weather, fuel, terrain and landing options.

Watch / correct: Programming a diversion before securing control and position -> fly, verify position, then manage navigation and communication.

Stop / transition: Actual ATC instructions, airspace clearance, weather and aircraft margins govern. End the script if workload, fuel reserve, position uncertainty or a deteriorating landing option threatens the safe return.

Reference: FAA-S-ACS-25 II.G-I, III.C; Pilot's Handbook of Aeronautical Knowledge, navigation and aeronautical decision making

Teach engine-failure recognition and OEI maneuvering · 20 minutes

Teach / coach: Brief simulation, the aircraft memory/checklist actions, approved speeds/zero-thrust condition, recovery margins and who touches each control. Begin at a suitable altitude with a real landing option; do not create an unannounced critical-engine event.

Student exercise: Recognize the announced simulated failure, maintain control and use the approved aircraft sequence to identify/verify the affected engine and reduce drag. Teach aircraft-specific zero-sideslip/performance technique, then coach straight flight and turns with one engine simulated inoperative.

Practice: One candidate demonstration and one coached OEI maneuvering sequence, with normal-power resets as briefed.

Look for: Candidate teaches accurate identification/verification and maintains control/performance without confusing minimum controllability with climb capability.

Watch / correct: Acting on the wrong engine before verification -> maintain control, identify, verify and use the approved checklist.

Watch / correct: Allowing airspeed to decay while troubleshooting -> restore the safe aircraft condition before further diagnosis.

Stop / transition: Recover for loss of directional control, stall indication, speed/altitude-margin threat or incorrect critical-control selection. No intentional shutdown is included unless the separately briefed feathering gates are satisfied.

Reference: FAA-S-ACS-25 XIII.A and Appendix 2; AFH chapter 13

Teach an approach and landing with one engine simulated inoperative · 20 minutes

Teach / coach: Brief the approved zero-thrust condition, configuration/speed sequence, landing performance and the feasibility of a go-around. Decide before the approach which aircraft/conditions permit any OEI go-around demonstration; do not assume climb capability.

Student exercise: Teach an aircraft-approved OEI approach, gradual configuration management, directional control and landing plan. Coach a learner attempt, monitor energy/drag and complete the appropriate landing or safe authorized alternative.

Practice: One candidate-led approach and one coached approach when safe/routing permit; no obligatory OEI go-around.

Look for: Candidate teaches a stable approved profile, preserves control/performance margins and makes a realistic landing/alternative decision.

Watch / correct: Adding drag before confirming the landing path -> reassess performance and use the approved configuration timing.

Watch / correct: Calling for a go-around without performance to support it -> follow the prebriefed safe alternative and aircraft procedure.

Stop / transition: Discontinue a training approach before control/performance margins erode. Do not command an unsupported OEI go-around or treat a generic minimum speed as universal.

Reference: FAA-S-ACS-25 XII.G and Appendix 3; AFH chapter 13

Teach system-failure recognition and checklist discipline · 20 minutes

Teach / coach: Choose two aircraft-applicable scenarios and state which indications are simulated. Require the candidate to distinguish an indication failure from a physical aircraft failure and to justify any checklist selection.

Student exercise: Explain the indications, control/flight-path consequences and appropriate aircraft checklist. Teach a role-play learner to prioritize the aircraft, verify the diagnosis, request assistance and decide whether to continue, divert or land.

Practice: Two verbal/simulated scenarios with no unsafe system disablement; candidate leads one and coaches one.

Look for: Candidate selects applicable procedures without unsupported memory actions, maintains safe flight and teaches a reasoned landing/diversion decision.

Watch / correct: Choosing a checklist from one alarming indication -> cross-check and identify the actual problem.

Watch / correct: Pulling a breaker or moving a critical control without authorization -> stop simulation and use the approved aircraft procedure.

Stop / transition: Do not create a real malfunction to simulate one. Stop for actual abnormal indications, a prohibited equipment action, workload saturation or loss of flight-path control.

Reference: FAA-S-ACS-25 XII.C; AFH chapter 18; aircraft POH/AFM

Teach return, final landing and safe runway exit · 20 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before

debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate teaches a defensible continue/divert/land decision using current information and aircraft capability, maintains a safe flight path, and states what would change the decision.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Repeat a weak mission decision with a new scenario before the practical-test assessment. Extend or defer work when a safe diversion and return will not fit the planned block.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks II.G-I, III.C, XIII.A, XII.G, XII.C; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Lesson 13 · Review multiengine teaching and repair deficiencies

[Return to lesson index](#)

120 min dual | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Teach normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-23 Air 00-15	[] Teach the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
23-33 Air 15-25	[] Assess normal operations and landing judgment	Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified...
33-45 Air 25-37	[] Teach load factor and accelerated-stall recognition	Clear the area, set the aircraft-approved entry condition, demonstrate the applicable turning entry, and recover at the first stall indication.
45-60 Air 37-52	[] Teach coordinated steep turns and workload control	Clear the area; establish the entry condition; demonstrate a coordinated turn in each direction.
60-75 Air 52-67	[] Teach slow flight and configuration effects	Clear the area; establish the approved configuration and briefed task condition.
75-95 Air 67-87	[] Teach the effect of drag, airspeed and configuration on OEI performance	Demonstrate one change at a time and compare observed performance with the prediction.
95-115 Air 87-107	[] Teach return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
115-120 Ground	[] Teach after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 13

Use prior evidence to repair weak aircraft control and teaching before a formal readiness assessment.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Use prior evidence to repair weak aircraft control and teaching before a formal readiness assessment.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Select priority normal/OEI instructional deficiencies and verify required initial-MEI ACS coverage.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Use prior evidence to repair weak aircraft control and teaching before a formal readiness assessment.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Teach normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Teach the briefed takeoff, climb and transit · 15 minutes

Teach / coach: Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Assess normal operations and landing judgment · 10 minutes

Teach / coach: Assess without coaching new technique. Select appropriate preflight/start/taxi teaching and at least the required takeoff/landing tasks for the applicant's class and rating status. Include a stabilized-approach/go-around decision. Record pilot performance, teaching accuracy, learner-error diagnosis and risk decisions separately. Intervene immediately for safety; intervention ends that assessed attempt.

Student exercise: Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified assessment/correction. Maintain checklist discipline, control transfers and outside/flight-path scan throughout.

Practice: One assessed demonstration and one learner-error case for each selected task; unobserved items remain unobserved.

Look for: Candidate meets the applicable task standards, provides effective instruction and identifies a safe learner error without prompting; selected ground tasks are assessed in briefing/preflight/taxi, not counted as airborne practice.

Watch / correct: Deviation outside the task standard -> record the evidence and assign remediation; do not coach it into a pass.

Watch / correct: Inaccurate explanation or missed learner hazard -> record the teaching deficiency and stop before it becomes an aircraft-control hazard.

Stop / transition: Stop for safety intervention, aircraft/clearance limit, traffic or unsuitable conditions. Record deferred tasks separately from unsuccessful tasks; the clock does not grant completion.

Reference: FAA-S-ACS-25 V-VII

Teach load factor and accelerated-stall recognition · 12 minutes

Teach / coach: Use a ground sketch before flight to distinguish bank angle, load factor and angle of attack. Require approved entry configuration and a recovery at the first indication. Ask the candidate to describe a tightening-turn learner error rather than deliberately provoking an excessive load. In this multiengine airplane verify that the ACS task and manufacturer authorize the selected entry and recovery; use symmetric power and do not allow a demonstration to become an asymmetric controllability exercise.

Student exercise: Clear the area, set the aircraft-approved entry condition, demonstrate the applicable turning entry, and recover at the first stall indication. Explain why the indicated airspeed can be higher than in an unaccelerated stall. Coach one safe repetition.

Practice: One candidate demonstration and one supervised coached attempt, with a reset between attempts.

Look for: Candidate links load factor to stall risk, recognizes the first indication, makes a coordinated recovery, and never relies on an airspeed alone as stall protection.

Watch / correct: Confusing bank with load factor in every flight condition -> distinguish a coordinated level turn from unloaded flight.

Watch / correct: Continuing to pull after the first cue -> reduce angle of attack promptly and return to controlled flight.

Stop / transition: Recover for unbriefed yaw/roll, any stall/control-margin threat, a manufacturer limitation or the applicable multiengine recovery-floor threat. Never allow an intentional spin.

Reference: FAA-S-ACS-25 X.E and Appendix 3; AFH chapter 5

Teach coordinated steep turns and workload control · 15 minutes

Teach / coach: Ask the candidate to brief the applicable bank target, entry speed, power and limitation from the ACS/aircraft documents. Demonstrate a safe learner tendency to lose altitude by discussing it or making only a small recoverable deviation.

Student exercise: Clear the area; establish the entry condition; demonstrate a coordinated turn in each direction. Explain attitude, back-pressure, power and trim management, then coach a learner through a turn and rollout to the starting heading.

Practice: One demonstration each direction; one coached attempt in the weaker direction; reset between turns.

Look for: Candidate meets the applicable commercial/instructor task standard and diagnoses the cause of altitude/airspeed deviations while retaining coordination and lookout.

Watch / correct: Adding more bank to correct an altitude loss -> diagnose the load/attitude problem before the correction.

Watch / correct: Rolling out late while explaining -> lead the rollout and divide attention between instruction and the flight path.

Stop / transition: Stop for aircraft load/speed limit, loss of coordination, significant flight-path deterioration or traffic conflict. The instructor takes control before the learner error becomes unsafe.

Reference: FAA-S-ACS-25 IX.A; AFH chapter 10

Teach slow flight and configuration effects · 15 minutes

Teach / coach: Have the candidate name the selected ACS slow-flight task, its configuration and recovery criterion before changing configuration. Demonstrate changing drag/power while preserving coordination. Role-play fixation on airspeed so the candidate must coach attitude, coordination and warning recognition.

Student exercise: Clear the area; establish the approved configuration and briefed task condition. Explain how control response and power requirements change; demonstrate straight flight, a turn, climb and descent as applicable. Coach a learner attempt and return to the normal configuration using the aircraft checklist.

Practice: One demonstration sequence; one coached sequence; one short diagnosis of a deliberately small, safe deviation.

Look for: Candidate teaches the distinction between slow-flight tasks, uses the appropriate warning/recovery criterion, and maintains applicable ACS tolerances with coordinated control.

Watch / correct: Treating the stall-warning condition as the same for every slow-flight task -> restate the selected task criterion.

Watch / correct: Trying to climb with pitch alone -> compare the flight-path and airspeed indications, then make the approved power/attitude change.

Stop / transition: Recover for an unbriefed stall indication, degraded directional control, traffic conflict or reaching the applicable recovery floor. Never continue merely to consume the block.

Reference: FAA-S-ACS-25 X.A and Appendices 2-3; AFH chapter 5

Teach the effect of drag, airspeed and configuration on OEI performance · 20 minutes

Teach / coach: Have the candidate predict the effect of one approved configuration/airspeed change using actual aircraft data. Announce each change and keep the airplane in an authorized training condition; no low-altitude experiment is permitted.

Student exercise: Demonstrate one change at a time and compare observed performance with the prediction. Explain propeller, gear, flap, sideslip and airspeed effects as applicable, then coach the learner to restore the best approved performance configuration.

Practice: Three approved comparisons, each followed by a reset; omit any unsupported configuration and carry its required demonstration to suitable equipment.

Look for: Candidate distinguishes directional control from climb performance, explains the drag penalty and restores a safe aircraft-specific condition.

Watch / correct: Changing several variables at once -> reset and isolate one factor.

Watch / correct: Assuming positive climb because controllability remains -> consult actual performance and assess terrain/landing options.

Stop / transition: Stop for airspeed/control-margin loss, an aircraft restriction or inadequate altitude. Do not sacrifice stall or terrain margin to make the performance loss visually dramatic.

Reference: FAA-S-ACS-25 XIII.C; AFH chapter 13

Teach return, final landing and safe runway exit · 20 minutes

Teach / coach: Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Teach after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.
- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Task mastery is based on observed performance; completing the time block or reading the checklist alone does not complete the lesson.
- Observed task outcome: Candidate meets the applicable task standards, provides effective instruction and identifies a safe learner error without prompting; selected ground tasks are assessed in briefing/preflight/taxi, not counted as airborne practice.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.

- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- Replace an equal-duration review item with the documented weak task before flight; record any omitted item as not observed.
- The accelerated-stall block introduces and checks the selected authorized demonstration; repeat in another flight if the complete explanation/demo/coached practice cycle is not proficient.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks V.A, V.B, V.C, V.D, V.F, VI.A, VI.B, VII.A, VII.B, VII.E, VII.F, VII.N, IX.A, X.A, X.B, XIII.C; applicable area notes and safety appendices; X.E accelerated stalls when selected and aircraft-authorized - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)

Lesson 14 · Mock initial multiengine-instructor test

[Return to lesson index](#)

120 min check | Brief 20 | Preflight 20 | Debrief 10

Original SUAREZ.CFI pacing proposal; no publisher target or regulatory minimum. Repeat/extend for proficiency.

Minutes are pacing targets. Stop, repeat, or carry forward when safety or proficiency requires. Set aircraft values from POH/AFM.

Cockpit sequence

Flight / air	Exercise	Action
00-08 Ground	[] Assess normal taxi, runway boundaries and checks	Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional...
08-23 Air 00-15	[] Assess the briefed takeoff, climb and transit	Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe...
23-48 Air 15-40	[] Assess normal operations and landing judgment	Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified...
48-80 Air 40-72	[] Assess multiengine instructor judgment and OEI teaching	Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified...
80-95 Air 72-87	[] Assess abnormal-event instruction and instrument control	Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified...
95-115 Air 87-107	[] Assess return, final landing and safe runway exit	Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe...
115-120 Ground	[] Assess after-landing, shutdown and postflight findings	Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports...

Flight = complete movement sequence. Air = minutes from takeoff; ground rows do not advance the airborne clock. Device rows create no airborne time.

Teach lesson 14

Assess initial-instructor knowledge application, flight teaching, error correction and multiengine judgment.

Initial AMEL instructor training: common initial-instructor/ground prerequisites apply; do not perform intentional spins in the multiengine airplane.

Objectives

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Assess initial-instructor knowledge application, flight teaching, error correction and multiengine judgment.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Before the flight

- Apply initial AMEL ACS notes and verify FOI/ground/endorsement prerequisites; select an independent plan if possible.
- Before dispatch, enter/brief actual aircraft targets, configuration, authorized simulation methods and task recovery limits from the POH/AFM, current standards and operator procedures.
- Use the separate preflight budget for inspection, documents/equipment and current weather/NOTAM/performance checks; do not count this as airborne practice.

Briefing · 20 minutes

- Teach the named tasks through purpose, setup, demonstration, learner practice and an evidence-based assessment.
- Assess initial-instructor knowledge application, flight teaching, error correction and multiengine judgment.
- Maintain aircraft control, positive flight-control exchanges, traffic protection and aircraft-specific risk/recovery limits while instructing.

Assess normal taxi, runway boundaries and checks · 8 minutes

Teach / coach: Assess independently without coaching new technique; safety intervention ends the assessed attempt. Observe the candidate teach the aircraft start/checklist and airport route. Use a verbal learner error about a hold-short point, control positioning or system indication; avoid creating a real incursion or control error. Assess independently and record errors; do not coach new technique.

Student exercise: Candidate explains the diagram/clearance and wind-control positioning; uses the actual checklist, monitors the two-engine systems, maintains directional control and stops before uncertainty turns into movement.

Practice: One actual taxi/check sequence; brief aircraft start/preflight outside the logged flight-time block.

Look for: Candidate teaches the reason for checks and runway boundaries, not merely a memorized route; airport movement stays safe.

Watch / correct: Doing checklist/programming with inadequate lookout -> stop before the head-down task.

Watch / correct: Assuming the next runway crossing is authorized -> verify clearance and markings before moving.

Stop / transition: Stop for unclear crossing authority, abnormal indications, unsafe distraction or directional-control concern.

Reference: FAA-S-ACS-25 V.A-D,F; VI.A; current airport diagram; aircraft checklist

Assess the briefed takeoff, climb and transit · 15 minutes

Teach / coach: Assess independently without coaching new technique; safety intervention ends the assessed attempt. Have the candidate state runway/wind/performance and the approved departure/reject plan. Observe aircraft control and concise instruction; any learner-error role-play remains within a safe envelope. Assess independently and record errors; do not coach new technique.

Student exercise: Candidate explains the approved configuration/speeds and departure path, teaches the selected takeoff, completes climb checks and navigates to the safe practice area with a traffic scan and clear control exchanges.

Practice: One assigned takeoff and transit; return reserve takes precedence over adding another maneuver.

Look for: Candidate teaches the aircraft-specific departure correctly and reaches the practice area with control, checklist and traffic awareness intact.

Watch / correct: Using a generic target speed/configuration -> identify the approved aircraft value before departure.

Watch / correct: Long explanation during a critical flight-path change -> shorten instruction and fly first.

Stop / transition: Do not depart with inadequate performance/runway margin. Stop the exercise for traffic, weather, aircraft limit or loss of clear control responsibility.

Reference: FAA-S-ACS-25 VII.A,E,N as applicable; aircraft takeoff/climb checklist

Assess normal operations and landing judgment · 25 minutes

Teach / coach: Assess without coaching new technique. Select appropriate preflight/start/taxi teaching and at least the required takeoff/landing tasks for the applicant's class and rating status. Include a stabilized-approach/go-around decision. Record pilot performance, teaching accuracy, learner-error diagnosis and risk decisions separately. Intervene immediately for safety; intervention ends that assessed attempt.

Student exercise: Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified assessment/correction. Maintain checklist discipline, control transfers and outside/flight-path scan throughout.

Practice: One assessed demonstration and one learner-error case for each selected task; unobserved items remain unobserved.

Look for: Candidate meets the applicable task standards, provides effective instruction and identifies a safe learner error without prompting; selected ground tasks are assessed in briefing/preflight/taxi, not counted as airborne practice.

Watch / correct: Deviation outside the task standard -> record the evidence and assign remediation; do not coach it into a pass.

Watch / correct: Inaccurate explanation or missed learner hazard -> record the teaching deficiency and stop before it becomes an aircraft-control hazard.

Stop / transition: Stop for safety intervention, aircraft/clearance limit, traffic or unsuitable conditions. Record deferred tasks separately from unsuccessful tasks; the clock does not grant completion.

Reference: FAA-S-ACS-25 V-VII

Assess multiengine instructor judgment and OEI teaching · 32 minutes

Teach / coach: Assess without coaching new technique. Use the applicable additional-rating table and each referenced area note. Assess the required OEI tasks, appropriate slow-flight/stall selection, steep turns and an aircraft-specific abnormal scenario. Never include intentional spins. Record pilot performance, teaching accuracy, learner-error diagnosis and risk decisions separately. Intervene immediately for safety; intervention ends that assessed attempt.

Student exercise: Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified assessment/correction. Maintain checklist discipline, control transfers and outside/flight-path scan throughout.

Practice: One assessed demonstration and one learner-error case for each selected task; unobserved items remain unobserved.

Look for: Candidate teaches all selected applicable tasks correctly, preserves aircraft-specific OEI margins and diagnoses learner errors; required items not observed receive a separate deferred status.

Watch / correct: Deviation outside the task standard -> record the evidence and assign remediation; do not coach it into a pass.

Watch / correct: Inaccurate explanation or missed learner hazard -> record the teaching deficiency and stop before it becomes an aircraft-control hazard.

Stop / transition: Stop for safety intervention, aircraft/clearance limit, traffic or unsuitable conditions. Record deferred tasks separately from unsuccessful tasks; the clock does not grant completion.

Reference: FAA-S-ACS-25 IX-X,XII-XIII and Appendix 1 additional-rating table

Assess abnormal-event instruction and instrument control · 15 minutes

Teach / coach: Assess without coaching new technique. Select an aircraft-applicable emergency scenario and an appropriate basic-instrument task. Assess emergency equipment/survival knowledge in the preflight briefing; simulate malfunctions only by approved safe means. Record pilot performance, teaching accuracy, learner-error diagnosis and risk decisions separately. Intervene immediately for safety; intervention ends that assessed attempt.

Student exercise: Candidate briefs the task, demonstrates while explaining, supervises the trainer acting as learner, identifies the scripted error and states a justified assessment/correction. Maintain checklist discipline, control transfers and outside/flight-path scan throughout.

Practice: One assessed demonstration and one learner-error case for each selected task; unobserved items remain unobserved.

Look for: Candidate prioritizes safe flight, chooses the applicable checklist, teaches the selected instrument/emergency task and makes a defensible landing/diversion decision without coaching.

Watch / correct: Deviation outside the task standard -> record the evidence and assign remediation; do not coach it into a pass.

Watch / correct: Inaccurate explanation or missed learner hazard -> record the teaching deficiency and stop before it becomes an aircraft-control hazard.

Stop / transition: Stop for safety intervention, aircraft/clearance limit, traffic or unsuitable conditions. Record deferred tasks separately from unsuccessful tasks; the clock does not grant completion.

Reference: FAA-S-ACS-25 XI-XII

Assess return, final landing and safe runway exit · 20 minutes

Teach / coach: Assess independently without coaching new technique; safety intervention ends the assessed attempt. Require the candidate to choose an appropriate airport/pattern entry, wind/runway and landing plan. Observe concise teaching and a timely go-around decision; keep the final landing independent of a maneuver repetition count. Assess independently and record errors; do not coach new technique.

Student exercise: Candidate teaches arrival/pattern communication and spacing, uses the approved descent/landing checklist, flies a stable approach, makes a safe landing/go-around decision and controls rollout/runway exit.

Practice: One final landing or safe go-around/alternative; pattern module repetitions occur within their own allocated blocks.

Look for: Candidate maintains the applicable landing standard and supervises the learner without sacrificing spacing, runway alignment or energy control.

Watch / correct: Rushing the return to meet the timer -> maintain a safe return/landing reserve and defer incomplete practice.

Watch / correct: Unstable approach or runway conflict -> go around rather than force completion.

Stop / transition: Go around/choose a safe alternative for unstable approach, runway conflict, wind/aircraft limit or inadequate landing margin.

Reference: FAA-S-ACS-25 VI.B,VII.B,F,N as applicable; aircraft landing checklist

Assess after-landing, shutdown and postflight findings · 5 minutes

Teach / coach: Assess independently without coaching new technique; safety intervention ends the assessed attempt. Observe the candidate wait until clear of the runway to teach noncritical checks, then supervise the actual parking/shutdown/secure sequence. Ask what equipment discrepancy or learner issue needs follow-up. Assess independently and record errors; do not coach new technique.

Student exercise: Candidate announces runway-clear status, teaches the approved after-landing actions, taxis/parks safely, completes the shutdown/secure procedure and reports aircraft discrepancies before debrief.

Practice: One actual after-landing/taxi/parking sequence; discussion after shutdown belongs to the separate debrief.

Look for: Aircraft is secured by its checklist; candidate teaches workload timing and identifies unresolved equipment/safety concerns.

Watch / correct: Starting a noncritical checklist on the runway -> exit safely first.

Watch / correct: Calling the flight complete without reporting a discrepancy -> document/report the issue through the operator's process.

Stop / transition: Stop movement/checks for a taxi conflict or real abnormality; no instruction takes priority over aircraft control and safe parking.

Reference: FAA-S-ACS-25 XIV.A; aircraft after-landing/shutdown checklist

Completion criteria

- Candidate performs the selected applicable tasks to the current certificate/rating skill standard while giving accurate, effective instruction.

- Candidate recognizes and diagnoses learner errors, intervenes before unsafe flight and provides a justified performance assessment.
- Assessment is independent: safety intervention, prompting or an unobserved required item cannot be recorded as a satisfactory task.
- Observed task outcome: Candidate meets the applicable task standards, provides effective instruction and identifies a safe learner error without prompting; selected ground tasks are assessed in briefing/preflight/taxi, not counted as airborne practice.

Debrief · 10 minutes

- Candidate first explains which flight/teaching outcome was strongest and identifies one error with its cause.
- Compare trainer evidence with candidate self-assessment; distinguish pilot performance from explanation, learner supervision and risk judgment.
- Review the lesson-specific carry-forward item and choose the next practice or assessment before dispatch.
- Use the first task block's error/recovery evidence to explain whether the candidate's next learner lesson should repeat, simplify or progress.

Repeat or carry forward

- This sampling cannot cover every selectable task in one flight. Assess remaining required/unobserved tasks separately before an authorized endorsement decision.

Study and sources

Read the applicable task, area note and safety requirements

Prepare a brief demonstration-performance lesson and learner-error case

Review current FAA handbooks and applicable addenda

Flight Instructor for Airplane Category ACS - source page Tasks V.A, V.B, V.C, V.D, V.F, VI.A, VI.B, VII.A, VII.B, VII.E, VII.F, VII.N, IX.A, X.A, X.C, X.D, X.E, XII.C, XII.E, XII.F, XII.G, XIII.A, XIII.B, XIII.C, XI.A, XI.B, XI.C, XI.D, XI.E, XII.A, XII.B, XII.D; applicable area notes and safety appendices - FAA-S-ACS-25, April 2024

Aviation Instructor's Handbook - source page Chapters 5-10: planning, demonstration-performance, assessment and risk instruction - FAA-H-8083-9B (2020)