Week 18 Writing Problem

mxsail

June 18, 2025

Problem Statment

Let

$$f(x) = \frac{x - \sqrt{3}}{x\sqrt{3} + 1}.$$

What is $f^{2012}(x)$, where the function is being applied 2012 times? This notation indicates repeated composition of functions, not exponentiation of functions. For example,

$$f^2(x) = f(f(x))$$

and not $f(x) \cdot f(x)$. Similarly,

$$f^3(x) = f(f(f(x))).$$

Solution

The key observation is to note that f(x) is a Möbius transformation, and repeated application of f can be analyzed by studying its properties.

Let us compute the first few iterations:

$$f(x) = \frac{x - \sqrt{3}}{x\sqrt{3} + 1}$$

$$f^{2}(x) = f(f(x)) = \frac{f(x) - \sqrt{3}}{f(x)\sqrt{3} + 1}$$

Substitute f(x):

$$f^{2}(x) = \frac{\frac{x-\sqrt{3}}{x\sqrt{3}+1} - \sqrt{3}}{\frac{x-\sqrt{3}}{x\sqrt{3}+1}\sqrt{3}+1}$$

$$\frac{x - \sqrt{3} - \sqrt{3}(x\sqrt{3} + 1)}{x\sqrt{3} + 1}$$

$$= \frac{x - \sqrt{3} - x \cdot 3 - \sqrt{3}}{x\sqrt{3} + 1}$$

$$= \frac{x - 3x - \sqrt{3} - \sqrt{3}}{x\sqrt{3} + 1}$$

$$= \frac{-2x - 2\sqrt{3}}{x\sqrt{3} + 1}$$

Simplify denominator:

$$\frac{(x-\sqrt{3})\sqrt{3}}{x\sqrt{3}+1}+1 = \frac{x\sqrt{3}-3}{x\sqrt{3}+1}+1 = \frac{x\sqrt{3}-3+x\sqrt{3}+1}{x\sqrt{3}+1} = \frac{2x\sqrt{3}-2}{x\sqrt{3}+1}$$

So,

$$f^{2}(x) = \frac{-2(x+\sqrt{3})}{2(x\sqrt{3}-1)} = -\frac{x+\sqrt{3}}{x\sqrt{3}-1}$$

Now, compute $f^3(x)$:

$$f^{3}(x) = f(f^{2}(x)) = \frac{f^{2}(x) - \sqrt{3}}{f^{2}(x)\sqrt{3} + 1}$$

Let $y = f^2(x) = -\frac{x+\sqrt{3}}{x\sqrt{3}-1}$:

$$f^{3}(x) = \frac{-\frac{x+\sqrt{3}}{x\sqrt{3}-1} - \sqrt{3}}{-\frac{x+\sqrt{3}}{x\sqrt{3}-1}\sqrt{3} + 1}$$

Numerator:

$$-\frac{x+\sqrt{3}}{x\sqrt{3}-1} - \sqrt{3}$$

$$= \frac{-(x+\sqrt{3}) - \sqrt{3}(x\sqrt{3}-1)}{x\sqrt{3}-1}$$

$$= \frac{-(x+\sqrt{3}) - x \cdot 3 + \sqrt{3}}{x\sqrt{3}-1}$$

$$= \frac{-(x+\sqrt{3}) - 3x + \sqrt{3}}{x\sqrt{3}-1}$$

$$= \frac{-x-\sqrt{3}-3x+\sqrt{3}}{x\sqrt{3}-1}$$

$$= \frac{-4x}{x\sqrt{3}-1}$$

Denominator:

$$-\frac{x+\sqrt{3}}{x\sqrt{3}-1}\sqrt{3}+1$$

$$=-\frac{(x+\sqrt{3})\sqrt{3}}{x\sqrt{3}-1}+1$$

$$=\frac{-(x\sqrt{3}+3)+(x\sqrt{3}-1)}{x\sqrt{3}-1}$$

$$=\frac{-(x\sqrt{3}+3)+x\sqrt{3}-1}{x\sqrt{3}-1}$$

$$=\frac{-3-1}{x\sqrt{3}-1}$$

$$=\frac{-4}{x\sqrt{3}-1}$$

So,

$$f^3(x) = \frac{-4x}{-4} = x$$

Thus, $f^3(x) = x$, so f is of order 3 under composition. Therefore,

$$f^{2012}(x) = f^{2012 \bmod 3}(x)$$

Since 2012 \div 3 = 670 remainder 2, 2012 mod 3 = 2.

Therefore,

$$f^{2012}(x) = f^2(x) = -\frac{x + \sqrt{3}}{x\sqrt{3} - 1}$$